

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

1258-1083

TERM OF ISSUANCE

DATE JUN 30 1984

NOTICE OF PESTICIDE: ☐ REGISTRATION
☒ REREISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Constant Chlor Universal
Refillable Cartridge

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Olin Corporation
350 Knottter Drive
Cheshire, CT 06410

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following changes before you release the product for shipment:

1. Revise the precautionary and practical treatment statements in your labeling in accordance with the enclosed Attachment A.
2. On the right panel, after do not induce vomiting, add "...Avoid alcohol...".
3. On the center panel, delete the wordings "...& related compounds...".

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

4. On the left panel, under the directions for use, add the reentry statement "Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine."

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (7505C)

Enclosures

ISOCYANURATE RED ATTACHMENT A

LABELING: (Statements are based on review of referenced acute toxicity data)

1. The signal word is "DANGER"
2. Revise the Precautionary Statements to read:

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

3. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR POOL USE: Use with PACE floaters or feeders made by E-Z Clor, Guardex, Anthony and CPC. In a clean pool with no visible algae, follow these instructions.

START UP: 1. Bring chlorine level to 1-3 ppm. Follow instructions below for your feeding device. 2. The day after your chlorine residual reaches 1-3 ppm, add stabilizer and conditioner to stabilize your pool. Follow label directions. 3. Adjust pH to the ideal range of 7.2-7.6.

FOR USE IN FLOATER

1. Cut off the air vent that sticks out at top of cartridge. 2. Punch a hole through the lowest indentation on each side of the cartridge and insert into the floater. Do not punch holes in bottom. If more chlorination is needed, punch as many holes as needed on each side starting at the lowest indentation and working up, until the pool's free chlorine residual reaches 1-3 ppm.

FOR USE IN E-Z CLOR FEEDER

1. Punch all indentations on the bottom of the cartridge (or cut off the three water vent areas that stick out on the sides near the bottom of the cartridge). Two cartridges may be needed in a pool 30,000 gallons or larger. 2. Do not cut off the air vent at the top of the cartridge. 3. Make sure that the screw lid is on tight. 4. Punch a hole through the lowest indentation on each side of the cartridge. 5. Insert cartridge into feeder. If more chlorination is needed punch more holes on each side of the cartridge starting at the lowest indentation and working up until the free available chlorine residual remains within the range of 1-3 ppm.

FOR USE IN GUARDEX FEEDER

1. Cut off the air vent that sticks out near the top of the cartridge. 2. Insert the cartridge in the feeder, adjusting the cartridge height until the free available chlorine level in the pool remains within the range of 1-3 ppm.

TO REFILL CARTRIDGE

1. Remove absorbent packet before reuse. Not required for pool care. 2. Fill empty cartridge with 4 lbs. of PACE Concentrated Pool Chlorinating 1" Tablets. **DANGER -** Use only PACE Concentrated Pool Chlorinating 1" Tablets.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding.

Securely wrap container in several layers of newspaper and discard in trash.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

**Constant Chlor®
Universal Refillable
Cartridge**

Active Ingredient:	
Trichloro-s-Triazinetrione & Related Compounds	99%
Inert Ingredients	1%
Total	100%

Available Chlorine 90%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE LABEL FOR FIRST AID & PRECAUTIONS

Net Wt 4 Lbs

**OLIN CORPORATION
120 Long Ridge Road
Stamford, CT 06904-1355**

**EPA Reg. No. 1258-1083
EPA Est.No. 230-WV-1**

(Isored\12581083.doc)

PRECAUTIONARY STATEMENTS TO HUMANS AND DOMESTIC ANIMALS: **DANGER:** Highly corrosive. May be fatal if swallowed, absorbed through skin, or on clothing. Do not get in eyes, on face, or on skin. Wear goggles or face shield and avoid contact with skin, nose and throat. Avoid breathing dust and wash contaminated clothing before reuse.

FIRST AID (Practical): Drink large quantities of water. Call a physician immediately. If on skin, wash with water. May contraindicate the use of certain drugs. Brush off excess chemical. Flush with water for at least 15 minutes. If in eyes: Flush with water for 15 minutes. Get immediate medical attention. Remove person to fresh air.

CHEMICAL HAZARD: Strong oxidizing agent. Use only in water. Contamination with other chemicals (including other foreign matter may cause generation of heat, liberate toxic gases, or cause possible generation of fire. Do not contact with flaming or hot objects. Do not use in cigarette. Do not use in device which has been used for unstabilized chlorinating (e.g., hypochlorite). Such use may cause fire. **ENVIRONMENTAL:** Toxic to fish and aquatic life. Do not discharge effluent containing this product into estuaries, oceans or public waters unless specifically identified and approved. Do not discharge effluent into sewer systems without previous approval of local plant authority. For guidance see EPA Board or Regional Office.

BEST AVAILABLE COPY

1258-1083