US ENVIRONMENTAL PROTECTION AGENCY	1258-1120
OFFICE OF PESTICIDES PROGRAMS REGISTRAT ON DIVISION (78-767) WASHINGTON, DC 20469	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT
L] REREGISTRATION	HTH SUPER SYSTEM SUPERCHLORINATOR
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	SHOCK
ME AND ADDRESS OF REGISTRANT (Include ZIP code)	
F	-т
Olin Corporation	
350 Knotter Drive Cheshire, CT 06410	
	·
L	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	÷
bmitted to and accepted by the Registration Division prio oduct always refer to the above U.S. EPA registration num	
n the basis of information furnished by the registrant, the ne Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered under
copy of the labeling accepted in connection with this Re	gistration/Reregistration is returned herewith.
ealth and the environment, the Administrator, on his motio cide in accordance with the Act. The acceptance of any na	at or approval of this product by this Agency. In order to protect on, may at any time suspend or cancel the registration of a pest- ame in connection with the registration of a product under this o exclusive use of the name or to its use if it has been covered
This product is conditionally section 3(c)(7)(A) provided that yo	registered in accordance with FIFRA ou:
	red for registration/reregistration n 3(c)(5) when the Agency requires all submit such data.
2. Add the phrase "EPA Regist you release the product for shipmen	tration No. 1258-1120" to your label before nt.
45 °C indicate that product degrade	storage and stability data for 20 days at ed in available chlorine from 64.5% to egradation in available chlorine. These m basis.
Agency within 2 years after the gra should be declared to the same deci	tability test must be received by the anting of registration. All percentages imal place and the percentage of available th the percentages of the active and
	BEST AVAILABLE COPY
ATTACHMENT IS APPLICABLE	
ATTACHMENT IS APPLICABLE	DATE

.

. . . • .. 5. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the X-79 enclosure for a further description of final printed labeling.

A copy of your proposed label with our acceptance stamp is included with this registration with the understanding that you will comply with the conditions in the attachment to the Registration Notice.

Enclosures

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

> Jeff Kempter Product Manager (32) Disinfectants Branch Registration Division (TS-767C)

> > BEST AVAILABLE COPY

HTH SUPER SYSTEM Superchlorinator SHOCK

NET WT. 21 oz. (0.53 kg)


ACCEPTED With COMMENTS fm EPA Letter Dated:

Pres a

## MAY 21 1987

210

<u>Direction for Pool Use:</u> It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Always adjust pH between 7.2 - 7.4 prior to using MTH Superchlorinator SHOCK

SUPERCHLORINATION OF STABILIZED POOLS: Slowly pour into the skimmer or broadcast over a large area in the deep end of the pool. Use 21 oz. per 10,000 gallons of post water. Superchlorinate every 14 days when the water temperature is below 80°F. Super chlorinate every 7 days anytime the water temperature is above 80°F, bathing loads are heavy, pool water appears dull or hary, as unpleasant chlorine-like smell is present, excessive ye irritation occurs, or after a heavy rain. Pool whou'd not be entered until the chlorine residual is 1.0-3.0 ppm.

SHOCK TREATMENT FOR CONTROL OF ALGAE. If algae develop with resulting green color and slimy feeling, shock treatment is necessary.

Slowly pour into the skimmer or broadcast over a large area of the pool surface at the deep end Use 21 oz. per 10,000 gallons of pool water. If the pool sides or bottom develop algae spots, direct the HTH Superchlorinator SHOCK as close to the algae as possible. Note: Prolonged contact with pool surfaces may caused staining or bleaching. Immediately after treatment thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the treatment. Pool should not be entered until the chlorine residual is 1.0-3.0 ppm.

WINTERIZING. While the water is still clear prepare for long periods of disuse by gradually applying 83 oz. HTH

۲

(2,2,3)

superchlorinator SHOCK per 10,000 gallons of Water. Run the filter until completely dispersed. Cover the pool with a plastic pool cover and prepare the heater, pump, and filter components for winter by following manufacturer's directions.

ffer.

.

ः ४१ र

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

- a -

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, in skin or on clothing. Do not handle with bare hands. When handling, wear rubber gloves and goggles or face shield and use only thoroughly clean dry utensils. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate takes, ponds, or streams by cleaning of equipment or disposal of wastes.

CHEMICAL HAZARDS, DANGER Strong oxidizing agent, Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flame or burning materials, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, solap products, acids, vinegar, beverages, oils, pine oil, dirty rags or any other foreign matter.

#### STORAGE AND DISPOSAL

Keep this product dry in a lightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and floöd area with large amounts of water to discolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage of equipment.

Olin Corporation 120 Long Ridge Road Silamford, CT 06904

EPA REG. NO. 1258-T

# KEEP OUT OF REACH OF CHILDREN DANGER

З

CONTAMINATION MAY CAUSE FIRE! DO NOT MIX WITH OTHER SUN CHEMICALS OR OTHER CHEMICALS. MIX ONLY INTO WATER.

## FIRST AID (PRACTICAL TREATMENT)

If swallowed: Drink large quantities of water. Do not induce vomiting. Call a physician immediately.

skin with coid water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Call a physician immediately.

If inhaled: Remove person to fresh air. Call a physician immediately.

SEE PRECAUTIONARY STATEMENTS ON BACK PANEL.

## NET WT. 1 LB. [0.45 KG]

5/.z

\*\* \*\* \*\* \*\*

.....

.....

,

.....

,

1.5