

ECOLIN-1

for use in pools, spas and hot tubs

sun protected

KEEP OUT OF REACH OF CHILDREN

DANGER

See First Aid Statement and additional precautions on back panel.

- stabilized (sun protected) for extended chlorine life
- .protects against bacteria and algae
- .fast dissolving
- .totally soluble


Active ingredient: Sodium dichloro-s-triazinetriene,
dihydrate..... 99%
Inert ingredients..... 1%
Available chlorine..... 55%

EPA REG. NO. 1258-1151

EPA EST. NO. 9157-MI-1

OLIN CHEMICALS
WATER PRODUCTS AND SERVICES DIVISION
OLIN CORPORATION
120 LONG RIDGE ROAD
STAMFORD, CT 06904

(ECOLINFRONT)



DIRECTIONS FOR POOL USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is designed to dissolve quickly and completely providing a steady source of available chlorine to control growth of algae and kill many harmful bacteria.

STARTUP:

1. If algae are visible, superchlorinate with "PACE SUPERCHLORINATOR AND SHOCK". Follow label directions.
2. If pool water is clear, adjust pH to 7.2 to 7.6.
3. Bring chlorine residual to 1-3 parts per million (ppm) by adding 3 tablets of this product for each 5,000 gallons of water.
4. Test chlorine residual with a pool test kit. If needed, repeat dosage until chlorine residual is 1-3 ppm.
5. The next day stabilize your pool using PACE STABILIZER AND CONDITIONER. Follow label directions.

ROUTINE CARE: Add 3 tablets of this product for each 10,000 gal. of water every other day, or as needed, to maintain chlorine residual at 1-3 ppm. Maintain pH between 7.2-7.6, total alkalinity 60-100 ppm and calcium hardness above 200 ppm. Test with a reliable test kit. Make necessary adjustments with the appropriate pool care product(s). Superchlorinate weekly with "Pace super Chlorinator and Shock Treatment" (or 11 tablets of this product per 10,000 gal. of water) to burn out organic material and to keep water sparkling clear. You may only need to superchlorinate every other week if your local temperature is below 80 deg. F.

IN CASE OF: Algae, colored water, unpleasant odors, burning eyes, excess bather load, heavy rains and winds, or high temperatures, shock treat your pool using "Pace Super Chlorinator and Shock Treatment". Follow label directions. An alternate method is to add 21 tablets of this product to each 10,000 gal. of water. If algae are visible scrub pool surfaces and vacuum. Repeat treatment the following day if necessary. Do not enter pool until chlorine residual is 1-3 ppm.

DIRECTIONS FOR SPA AND HOT TUB USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Each tablet of this product will provide approximately 4 ppm available chlorine in 1000 gallons of water.

Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tub be drained every 30-90 days, more often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances, cleansers, etc. may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficacy.

ACCORD
MAY 2 1958
1258-1151


START-UP (FRESHLY FILLED):

1. Turn on the circulation system and ensure that it is operating properly.
2. Add 1 tablet of this product for each 500 gal. of water. Check the free available chlorine (FAC) and , if below 4-5 ppm, repeat as needed.

REGULAR USE:

1. Turn on the circulation system and ensure that it is operating properly.
2. Add 1 tablet of this product per 1000 gal. of water to the skimmer. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC.
3. Maintain 1-3 ppm FAC while the spa or hot tub is in use.
4. After each use, shock treat with 3 tablets of this product per 1000 gal. of water to control odors and algae. Repeat as needed. Spa or hot tub should not be entered until FAC reaches 4-5 ppm.

EXTENDED NON-USE PERIOD: During extended periods when the spa or hot tub is not being used, add 15 tablets of this product per 500 gallons twice a week with the circulation system running or as needed to maintain 1-3 ppm FAC.



(ECOLIN-1)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves and only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID: (PRACTICAL TREATMENT)

If Swallowed: Drink large quantities of water. Do not induce vomiting. Call a physician immediately. **If on Skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. **If in Eyes:** Flush with cold water for at least 15 minutes. Call a physician immediately. **If Inhaled:** Remove person to fresh air. Call a physician immediately.

CHEMICAL HAZARDS: DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate lakes, ponds or streams by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Securely wrap container in several layers of newspaper and discard in trash.

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

(SDCCPREC)

