SUPPLEMENTAL LABELING

CDB EFFERVESCENT 50 ST

ACTIVE INGREDIENT:
SODIUM DICHLORO-S-TRIAZINETRIONE... 50%
INERT INGREDIENTS..... 50%
AVAILABLE CHLORINE..... 30%
EPA REG. NO. 1258-1165

ACCEPTED
OCT 1 2 1989
Under the Francis Francis. Fungicide, one had an ide Not, as amended, for the resucide registered under EPA Reg. No.

APPLICATION OF CDB EFFERVESCENT 50 ST FOR SANITIZING USE ON HARD (NONPOROUS) FOOD CONTACT SURFACES INCLUDING DISHES, GLASSES, FOOD PROCESSING EQUIPMENT AND UTENSILS AND DAIRY AND BREWERY EQUIPMENT AND UTENSILS.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

HAND WASHING OF ITEMS:

- 1. Prepare a sanitizing solution by dissolving 1/2 ounce (approx. 6 tablets) of this product in 10 gallons of water. This will give a solution containing 100 parts per million (ppm) of free available chloring (FAC).
- 2. Clean and rinse the items or surfaces prior to sanitizing.
- 3. Place equipment, utensils, etc. in the solution or spread the solution over the surface to be sanitized.
- 4. Allow to stand at least 2 minutes. Allow to drain before use.

MACHING WASHING OF ITEMS

- 1. Dissolve 1/2 ounce (approx. 6 tablets) of this product in 10 gallons of water to obtain a solution having 100 ppm FAC.
- 2. Add the solution to the feed tank of immersion or spray type machines which can provide at least 2 minutes contact time for sanitizing equipment, utensils, etc. Allow to drain before use.

THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY. IF THE SOLUTION IS ALLOWED TO STAND OR IS REUSED, CHECK THE FAC WITH A RELIABLE TEST KIT. ADD THIS PRODUCT AS NECESSARY TO MAINTAIN A MINIMUM CONCENTRATION OF 100 PPM.

KEEP OUT OF REACH OF CHILDREN DANGER SEE PRINCIPAL LABEL FOR COMPLETE PRECAUTIONARY INFORMATION AND STORAGE AND HANDLING INSTRUCTIONS



All applicable directions, restrictions, and precautions on the EPA principal registered label are to be followed.

OLIN CHEMICALS
OLIN CORPORATION
120 LONG RIDGE ROAD
STAMFORD, CT. 06904

Š