

Reg no: 1258-1170

PM-32

MADE IN THE
USA

Now
150%
Stronger!

**EXTRA...
Strength
Fast-Acting**



For Sparkling Clean

DIRECTIONS FOR POOL USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Olin HTH® Extra Dry Chlorinator Granular is a concentrated chlorinating agent in a dry, free-flowing form which controls growth of algae and effectively kills many bacteria. Measure only with the clean, dry cup provided. Do not use the cup for any other purpose.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE.

FOR BEST RESULTS: Add recommended HTH Extra Granular dosages during evening hours while filter pump is running. When adding HTH Extra Granular to your pool broadcast evenly over a wide area in the deepest part of the pool. To provide maximum HTH Extra product performance swimmer comfort and crystal clear water always maintain pH in the 7.2-7.6 range, total alkalinity in the 50-80 ppm (parts per million) range and calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Make necessary adjustments with the appropriate HTH® Pool Care Products.

OPENING YOUR POOL: Adjust pool water pH to 7.2-7.4. Then add 1 oz. HTH Extra Granular per 1,000 gallons pool water. Allow 5 minutes to dissolve and test chlorine residual with a pool test kit. Repeat dosage if needed until chlorine residual is 1-3 parts per million (ppm).

ROUTINE HTH® EXTRA DOSAGE: Through the pool season, adjust pH to 7.2-7.6 and add 3-4 oz. HTH Extra Granular per 5,000 gallons pool water daily or as often as needed to maintain chlorine residual at 1 to 3 ppm. If you have stabilized your pool using HTH® Stabilizer/Conditioner (or similar product), add 1.5-2 oz. per 5,000 gallons every other day or as often as needed to maintain chlorine residual at 1-3 ppm. Stabilized pools should also be superchlorinated weekly by adding 1 oz. HTH Extra Granular per 1,000 gallons pool water. You may only need to superchlorinate every other week if your local temperature is below 80°F.

SHOCK TREATMENT: In case of algae colored water, unpleasant odors or swimmers burning eyes, adjust pH to 7.2-7.4. Then add 2 oz. HTH Extra Granular per 1,000 gallons pool water. Scrub visible algae from pool surfaces and vacuum. Run filter pump for at least 24 hours after shock treatment. Repeat treatment the following day if necessary. Do not enter pool until chlorine residual is 1.0-3.0 ppm.

OTHER USES: Ask your HTH® pool chemical supplier or write to Olin Corporation for specific literature on other accepted uses.

STORAGE AND DISPOSAL:

Keep this product dry in a tightly closed container when not in use. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Store in cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PRECAUTION

HAZARDS TO HUMANS: Irritation and eye damage. Do not handle with bare hands. Wash thoroughly clean. Avoid breathing dust and fumes.

FIRST AID (Practical): Wash with cold water for 15 minutes. **IF INHALED:** Remove to fresh air. **IF IN EYES:** Flush with water for 15 minutes. **IF SWALLOWED:** Do not induce vomiting. Seek medical attention immediately.

CHEMICAL HAZARD: HTH Extra Granular may start a chemical fire and explode. Do not light cigarette or use open flame near chemicals, including cyanuric acid, vinegar, beverages or damp utensils.

ENVIRONMENTAL: Do not discharge into ponds or streams.

TO DETERMINE YOUR POOL SHAPE, USE THE FORMULA BELOW:

POOL SHAPE	FORMULA
RECTANGULAR	LENGTH x WIDTH x DEPTH
ROUND	DIAMETER x DIAMETER x DEPTH
OVAL	MAJOR DIAMETER x MINOR DIAMETER x DEPTH
FREEFORM	SURFACE AREA x DEPTH

HTH® is a registered trademark of Olin Corporation.

Olin POOL CARE

Toll-Free

To get your FREE literature, call 1-800-451-1111.

474

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Danger highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves and only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment): IF ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

IF INHALED: Remove person to fresh air. Call a physician immediately.

IF IN EYES: Flush with cold water for at least 15 minutes. Call a physician immediately.

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Call a physician immediately.

CHEMICAL HAZARDS: Danger strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame or burning material, such as lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags or any other foreign matter. Do not use moist or damp utensils.

ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

TO DETERMINE YOUR POOL CAPACITY IN U.S. GALLONS, USE THE APPROPRIATE FORMULA BELOW:

POOL SHAPE	FORMULA	Use measurements in feet only
RECTANGULAR	LENGTH x WIDTH x AVERAGE DEPTH x 7.5	TOTAL GALLONS
ROUND	DIAMETER x DIAMETER x AVERAGE DEPTH x 5.9	TOTAL GALLONS
OVAL	MAXIMUM LENGTH x MAXIMUM WIDTH x AVERAGE DEPTH x 5.9	TOTAL GALLONS
FREEFORM	SURFACE (SQ. FEET) x AVERAGE DEPTH x 7.5	TOTAL GALLONS

HTH® is a registered trademark of Olin Corporation.

Olin POOL CARE HOTLINE

Toll-Free 800-222-2348

Call Monday through Friday
9:00 a.m. to 4:00 p.m.
Eastern Time with your questions
concerning pool water care.

To get your FREE copy of POOLIFE® write or call the Olin Pool Care Hotline.

US 25-HTH75G 389

RQ Calcium Hypochlorite,
Hydrated • UN 2880



ITEM NO.
095-7252

MEMBER



NATIONAL
SPA & POOL
INSTITUTE

Olin

WATER PRODUCTS
AND SERVICES

OLIN CORPORATION

120 LONG RIDGE ROAD

STAMFORD, CONNECTICUT 06904



0 73187 27025 2