

PM 32 1258-1179

1 of 3

PULSAR II DRY  
CHLORINATOR TABLETS 65

KEEP OUT OF REACH OF CHILDREN

DANGER

CONTAMINATION MAY CAUSE FIRE  
ADD ONLY INTO WATER  
SEE PRECAUTIONARY STATEMENTS ON BACK PANEL

FIRE OR EXPLOSION COULD RESULT FROM  
IMPROPER USE

ACTIVE INGREDIENT:  
CALCIUM HYPOCHLORITE.....66%  
INERT INGREDIENTS.....34%  
TOTAL.....100%

AVAILABLE CHLORINE..66%

EPA REG. # 1258-1179      EPA EST # 1258-TN-1

FIRST AID (PRACTICAL TREATMENT): IF ON SKIN: brush off  
excess chemical and flush skin with cold water for at least  
15 minutes. If irritation persists, get medical attention.

IF INHALED: Remove person to fresh air. Call a  
physician immediately.

IF IN EYES: Flush with cold water for at least 15  
minutes. Call a physician immediately.

IF SWALLOWED: Drink large quantities of water. Do not  
induce vomiting. Call a physician immediately.

Kills bacteria, controls algae, destroys organic  
contaminants.

**ACCEPTED**  
JUN 09 1994  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 1258-1179

OLIN CORP.  
120 LONG RIDGE RD.  
STAMFORD, CT. 06904

Net weight 100#

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Easy to use Pulsar II Dry Chlorinator Tablets 65 are designed for use only with Pulsar Feeders. Used according to the instructions provided with the feeder, the Pulsar Pool Feeder provides a steady supply of available chlorine while the pool's filter pump is in operation. This controls the growth of algae, kill bacteria and destroy organic contaminants. Four pellets weigh approximately one ounce.

1. Before use, read the appropriate installation instructions and operating manual for your Pulsar Pool Feeder.
2. Start the filter pump and check chlorine residual with a reliable test kit.
3. Fill the pellet container with this product only. Adjust chlorine feed rate setting according to the operating instructions in the manual.
4. After 24 hours, check the chlorine residual. If 1.0 to 3.0 ppm, leave the feed rate setting, if below 1.0 ppm, increase the feed rate. Allow sufficient time (e.g. one day) after changing the feed rate setting for the chlorine residual to readjust. The pool should not be used until the 1.0 to 3.0 ppm chlorine residual is established.
5. Always maintain pH between 7.2 and 7.6 by using suitable pH adjuster according to directions on the lable for such products.
6. If cyanuric acid is used to stabilize available chlorine, follow label directions for this product and maintain the chlorine residual at 1.0 to 3.0 ppm as determined by a test kit.
7. Refer to Operating Manuals for feed rate information.

Note: If algae develops, adjust pH to 7.2 to 7.4, fill container with this product. Pulsar Feeder: Set indicator ball to top mark and control dial to ten (10). Pulsar II Feeder: set feed rate setting to "F". Continue to run filter until algae is visually eliminated, or until the chlorine residual is 5.0 ppm. Maintain 5.0 to 10.0 ppm free available chlorine residual for at least four hours. Pool should not be entered until the chlorine residual is between 1.0 and 3.0 ppm (set feed control to zero on Pulsar Feeder, set feed control to "A" on Pulsar II Feeder until residual drops to 1 - 5 ppm). Monitor chlorine residual until chlorine levels are as indicated in instructions 4 through 7. Thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood

**BEST AVAILABLE COPY**

area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

**EMERGENCY HANDLING:** In case of contamination or decomposition, if possible, isolate container in open and well-ventilated area. Flood with large volumes of water to dissolve all materials. Dispose of contaminated material in an approved landfill area.

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER.** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves and only thoroughly clean dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

**CHEMICAL HAZARDS: DANGER.** Strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame or burning material, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, chemicals including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags or any other foreign matter.

**ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**BEST AVAILABLE COPY**