



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 2 1 2012

Nadiyah A McCarroll Lonza, Inc 90 Boroline Road Allendale, NJ 07401

Subject Omacide IPBC 30 Industrial Fungicide

EPA Registration Number 1258-1221 Notification Date July 24, 2012 Notification Pin Punch July 25, 2012

Dear Ms McCarroll

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c) 9

Proposed Notifications

- Change Inert Ingredients to Other Ingredients
- Update User Safety Recommendations to add "Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this products concentrate Do not reuse them"
- Update Users Safety Instructions
- Addition of the materials described as "paint components used only for the manufacture of paint or stains" to Inhibition of Mildew on Paints and Stains use directions on page 4
- Changing the advisory word "should" to the mandatory word "must" in the Directions for Use
- Addition of bracketed instructional information for label reviewer of DRAFT labels

General Comments

Based on a review of the material submitted, the Notification is acceptable

Should you have any questions or comments concerning this letter, please contact Tom Luminello at (703) 308-8075 or Luminello Tom@EPA GOV

Sincerely,

Jacqueline Campbell

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510P)

t					
FDA	States	[Registrat		OPP Identifier Number
EPA Environmental Protection		У [Amendmen	t	
Washi	ngton DC 20460		○ Other		
Application for Pesticide - Section 1					
1 Company/Product Number		EPA Product Ma	-		3 Proposed Classification
1258-1221 4 Company/Product (Name)		Jacqueline Mc M#	Farlane		
Omacide IPBC 30 Industrial Fungicide		34		None Restricted	
5 Name and Address of Applicant (Include ZIP Code) Lonza Inc		6 Expedited Review In accordance with FIFRA Section 3(c)(3)(b)(I) my product is similar or identical in composition and labeling to			
90 Boroline Road	ľ	or identical in composition and labering to			
Allendale, NJ 07401		EPA Reg No			
		Product Name			
Check if this is a new address					
Section – II					
Amendment Explain below		Final printed labels in response to Agend			ency letter dated
Resubmission in response to Agency letter	dated	Me Too Application			
Explanation Use additional page(s)	if necessary (For Sec		ther Explain belo	W	
Explanation Osc additional page(s)	ir necessary (1 or occ	non i ana been	on 11 <i>)</i>		
	Notification	Per PR Not	tice 98-10		
PLEASE READ COVER LETTER FOR DETAILS					
This notification is consistent with the pr					
been made to the labeling or the confider 1001 to willfully make any false statement					
Notice 98 10 and 40 CFR 152 46 this pr					
under sections 12 and 14 of FIFRA	Λ Ω		•		1
n Male 1 21/ 2010					
Cionatura // ////	MILL	Data	. //-	24-10	リク
Signature // MUC	mill	Date Section - III	12-	24- 20	1/2
	mill	Date Section – III	/2-	24- Ji	1/2
Material This Product Will Be Packaged In	it Packaging	Section - III	r Soluble Packagin		2 Type of Container
Material This Product Will Be Packaged In	nt Packaging Yes	Section - III			
Material This Product Will Be Packaged In Child Resistant Packaging Un Yes* No	Yes No	Section – III Water	r Soluble Packagın Yes No		2 Type of Container
1 Material This Product Will Be Packaged In Child Resistant Packaging Un Yes* No *Certification must be If	Yes No	Section – III Water per If Ye	r Soluble Packagın Yes No es	g No per	2 Type of Container Metal Plastic Glass
1 Material This Product Will Be Packaged In Child Resistant Packaging Un Yes* No *Certification must be If	Yes No	Section – III Water per If Ye	r Soluble Packagın Yes No	g	2 Type of Container Metal Plastic Glass Paper
1 Material This Product Will Be Packaged In Child Resistant Packaging Un: Yes* No *Certification must be submitted	Yes No Yes No It Packaging wgt One	Section – III Water per If Ye tainer Packa	r Soluble Packagın Yes No es	No per container	2 Type of Container Metal Plastic Glass Paper Other (Specify)
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information	Yes No	Section – III Water per If Ye tainer Packa	r Soluble Packagın Yes No es	No per container	2 Type of Container Metal Plastic Glass Paper
1 Material This Product Will Be Packaged In Child Resistant Packaging Un: Yes* No *Certification must be submitted	Yes No Yes No It Packaging wgt One	Section – III Water per If Ye tainer Packa	r Soluble Packagın Yes No es	No per container 5 Location of I	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con	Section — III Water per If Ye rainer Packa	r Soluble Packagın Yes No es	No per container 5 Location of I	2 Type of Container Metal Plastic Glass Paper Other (Specify)
1 Material This Product Will Be Packaged In Child Resistant Packaging Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con t Lithograp Paper glue	Section — III Water per If Ye rainer Packa	r Soluble Packagin Yes No es age wgt	No per container 5 Location of I	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions
1 Material This Product Will Be Packaged In Child Resistant Packaging Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container	Yes No Yes No It Packaging wgt 4 Size(s) Retail Con It Lithograp	Section — III Water per If Yestainer Packa	r Soluble Packagin Yes No es age wgt	No per container 5 Location of I	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product
1 Material This Product Will Be Packaged In Child Resistant Packaging Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Produce	Yes No Yes No the Packaging wgt 4 Size(s) Retail Con the Lithograph Paper glue Stenciled	Section – III Water per If Ye Packa ntainer A Section – IV	r Soluble Packagin Yes No es age wgt	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Produce	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Cor t	Section – III Water per If Ye Packa ntainer A Section – IV	r Soluble Packagin Yes No es age wgt	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product
1 Material This Product Will Be Packaged In Child Resistant Packaging Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Produce	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con t	Section – III Water per If Ye Packa ntainer A Section – IV	r Soluble Packaging Yes No es age wgt Other d if necessary to p	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product Cation Telephone No Incli de Area Code) 20, 316, 9213
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Product 1 Contact Point (Complete items directly below Name	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con Lithograp Paper glue Stenciled For identification of indivi	Section – III Water per If Ye Packs ntainer A Section – IV dual to be contacte	r Soluble Packaging Yes No es age wgt Other d if necessary to p	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product can(n) Telephone No Incli de Area Code) 20 316 9213
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Product Name Nadiyah A McCarroll	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con t Lithograp Paper glut Stenciled For identification of indivi	Section — III Water per If Ye tainer Packa Attainer Section — IV dual to be contacte Regulatory Ser	r Soluble Packaging Yes No es age wgt Other d if necessary to p	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product Cation Telephone No Incli de Area Code) 20, 316, 9213
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Product 1 Contact Point (Complete items directly below Name	Yes No Yes No It Packaging wgt con 4 Size(s) Retail Con t Lithograp Paper glut Stenciled V for identification of indivi	Section — III Water per If Ye tainer Packa Attainer Madual to be contacte Regulatory Ser ereto are true accur	r Soluble Packaging Yes No es age wgt Other rices Associate rate and complete	No per container 5 Location of I On Label On labelin	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product can(n) Telephone No Incl. de Area Code) 20 316 9213
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Product Name Nadiyah A McCarroll I certify that the statements I have made on this	Yes No Yes No It Packaging wgt 4 Size(s) Retail Con It Lithograph Paper glue Stenciled For identification of indivity Certification form and all attachments that may be punishable by fin	Section — III Water per If Ye tainer Packa Attainer Madual to be contacte Regulatory Ser ereto are true accure or imprisonment of	r Soluble Packaging Yes No es age wgt Other vices Associate rate and complete or both under applic	No per container 5 Location of I On Label On labelin process this a apple	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product Cation Telephone No Incl. de Area Code) 20 316 9213
1 Material This Product Will Be Packaged In Child Resistant Packaging Uni Yes* No *Certification must be submitted 3 Location of Net Contents Information Label Container 6 Manner in Which Label is Affixed to Product Name Nadiyah A McCarroll I certify that the statements I have made on this that any knowingly false or misleading statement	Yes No Yes No It Packaging wgt 4 Size(s) Retail Con It Lithograph Paper glue Stenciled For identification of indivity Certification form and all attachments that may be punishable by fin	Section — III Water per If Ye tainer Packa Attainer Madual to be contacte Regulatory Ser ereto are true accur	r Soluble Packaging Yes No es age wgt Other vices Associate rate and complete or both under applic	No per container 5 Location of I On Label On labelin process this a apple	2 Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product Cation Telephone No Incli de Area Code) 20 316 9213 Cation

Lonza

Via FedEx

Jacqueline McFarlane PM-34
Document Processing Desk [NOTIF]
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900 One Potomac Yard
2227 S Crystal Drive
Arlington VA 22202

Lonza Inc 90 Boroline Road Allendale NJ 07401 USA

Nadiyah A McCarroll Lonza Microbial Control Regulatory Services

Tel 201 316 9213 nadıyah mccarroll@lonza com

July 24 2012

SUBJECT Label Notification as per PR Notice 98 10

PRODUCTS Omacide IPBC 30 Industrial Fungicide, EPA Reg No 1258-1221

Dear Ms McFarlane

On behalf of Arch Chemicals Inc (now a part of Lonza Inc.) I am submitting an application for pesticide notification to request the following changes on the above referenced product label

- 1 Add paint components' to the To Inhibit The Growth of Mildew on Paints and Stains paragraph under the Directions for Use section
- 2 As per the Agency's comments from a recently reviewed similar product label all references for should and/or recommended have been removed or replaced with must'
- 3 Update Precautionary Statements to add Remove and wash contaminated clothing before reuse
- 4 Update User Safety Recommendations to add Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate Do not reuse them (concentrate is spelled wrong on the label)
- 5 And to include minor formatting changes

To support this notification the following documents are enclosed for your review

- Application for Pesticide Notification for each product FRM 8750-1 which includes a signed statement certifying compliance with PR Notice 98-10
- 2 One (1) copy of the proposed label with highlighted changes and
- 3 One (1) clean copy
- 4 Certification with Respect to Label Integrity, and
- 5 1 CD with proposed label

4/11

Best Regards

Lonza Inc

Nadiyah A McCarroll



OMACIDE® IPBC 30 Industrial Fungicide

ACTIVE INGREDIENT

3 Iodo 2 propynylbutylcarbamate 30% Other Ingredients 70% Total 100%

KEEP OUT OF REACH OF CHILDREN DANGER

SEE [SIDE] [BACK] [RIGHT] [LEFT] PANEL FOR FIRST AID AND PRECAUTIONS

Net Weight [Enter New Weight]

Arch Chemicals Inc 5660 New Northside Drive Suite 1100 Atlanta GA 30328

{Made in [Enter country of origin] }

EPA Reg No 1258 1221
EPA Est No [Enter Establish ment Number]

OMADINE® is a registered trademark of Arch Chemicals Inc



Note Text in [Square Bracket] are notes to the label reviewer Text is {Curly Brackets} is optional Omacide IPBC 30 Industrial Fungicide EPA Reg No 1258 1221

EPA Notification label Add paint components 2012 7 24

Page 1 of 7

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER Corrosive Causes skin burns Causes substantial but temporary eye irritation Harmful if swallowed inhaled or absorbed through the skin Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not get in eyes on skin or on clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

APPLICATORS AND OTHER HANDLERS MUST WEAR Goggles or face shield coveralls worn over long sleeve shirt and long pants chemical resistant gloves (such as Barrier Laminate Butyl Rubber Neoprene Rubber Nitrile Rubber) and shoes plus socks chemical resistant headgear for overhead exposure and chemical resistant apron when cleaning equipment mixing or loading. Wear a mask or pesticide respirator jointly approved by the Mine Safety Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling

USER SAFETY RECOMMENDATIONS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them

USERS SAFTEY INSTRUCTIONS

Users must wash hands before eating drinking chewing gum using tobacco or using the toilet Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

FIRST AID

If in Eyes Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a Poison Control Center or doctor for treatment advice

If on Skin or Clothing Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a Poison Control Center or doctor for treatment advice If Inhaled Move person to fresh air. If person is not breathing call 911 or an ambulance and then give artificial respiration preferably mouth to mouth if possible Call a Poison Control Center or doctor for further treatment advice

If Swallowed Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency for additional information call 1-800 654-6911

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes ponds streams estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not to discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or contact of the EPA

Note Text in [Square Bracket] are notes to the label reviewer Text is {Curly Brackets} is optional Omacide IPBC 30 Industrial Fungicide EPA Reg No 1258 1221

Page 2 of 7

EPA Notification label Add paint components 2012 7 24

STORAGE AND DISPOSAL Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Keep container tightly closed when not in use Do not reuse container Do not store with strong oxidizing agents or strong (concentrated) acids

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL Nonrefilable container Do not reuse or refill this container Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

[For containers ≥ 5 gallons] Triple rinse as follows. Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[For containers ≤ 5 gallons] Triple rinse as follows Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip Fill the container ¼ full with water and recap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Drain for 10 seconds after the flow begins to drip Repeat this procedure two more times

Note Text in [Square Bracket] are notes to the label reviewer Text is {Curly Brackets} is optional Omacide IPBC 30 Industrial Fungicide
EPA Reg No 1258 1221
EPA Notification label Add paint components 2012 7 24

Page 3 of 7

8/11

DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

TO INHIBIT THE GROWTH OF MILDEW ON PAINTS & STAINS This product used in solvent and waterborne paints paint components used only for the manufacture of paints and stains will inhibit the growth of mildew Add by pouring the container at the end of the manufacturing process and allow to mix long enough to be adequately dispersed. Do not add to hot paint Typical levels for protection against mildew on painted or stained surfaces are 0.35-1.7% by weight on wet paint. For example, house paint with a wet density of 10 lbs/gallon would use 3.5.17.0 lbs of this product per 100 gallons of wet paint. Where the climate is severe and mildew growth is a major problem for painted surfaces, more would be required, as much as 2.7% by weight on wet paint. For interior paint use, approximately half the exterior concentrations should be used 0.2% to 0.9% by weight on wet paint. Appropriate levels are best determined by field trials.

TO INHIBIT THE GROWTH OF FUNGI IN AQUEOUS METALWORKING, CUTTING, COOLING & LUBRICATING CONCENTRATES Add by pouring from the container an amount that will give up to 3333 ppm in the diluted fluid. The amount required in the concentrate will depend on the end use dilution. For example, If the desired level of this product in the diluted fluid is 333 ppm, and the end use dilution of the fluid is 5%, then a 0 666% concentration of this product is required in the concentrate (333 ppm/0 05 = 6660 ppm or 0 666%).

TO INHIBIT THE GROWTH OF FUNGI IN AQUEOUS METALWORKING, CUTTING, & LUBRICATING FLUIDS Add by pouring from the container up to 3333 parts per million (0 333% v/v) of this product to the diluted fluid (0 33 gallons per 100 gallons of solution or 3 3 liters per 1000 liters of solution. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. If it is added to the reservoir the fluid should be circulated after addition to ensure mixing.

For use as a fungicide in non medical, non food contact aqueous, solvent and non solvent based systems such as natural and synthetic adhesives, caulks, patching compounds, sealants, grouts, latexes such as SBR/latex used in the manufacture of flooring adhesives or carpet backings. This product can be used as an additive to non medical non-food use natural and synthetic adhesives caulks patching compounds sealants grouts lattices such as SBR/latex flooring adhesives or carpet backings to prevent the growth of fungi-molds and mildews in the material both in the wet state and in the dry film of the finished product Recommended use levels are between 0 075 - 1 0% wet formulation weight. This product should be added toward the end of the production cycle with good agitation to ensure a uniform distribution is achieved.

For example to inhibit the growth of mildew on a latex-based wall cover adhesive intended for a non food area add 0.75% (7.5 lbs. of this product/1000 lbs. of latex-based adhesive formulation) of this product to the latex-based formulation

PLASTICS AND PLASTIC COATINGS This product may be used in to prevent surface mildew growth on plastic items such as shower curtains cable and wire insulation sun umbrellas polymer furniture filter medias polymer components of carpet etc. Intended plastics include polymers such as PVC polyurethanes elastomers and rubbers neoprene styrene compounds polyolefins etc. Use levels of 1.5 4% by weight of the plastic are generally adequate. This product should be dispersed in the plasticizer or color concentrate before it is incorporated into the resin to ensure a uniform distribution. Use of this product is not recommended if the heat of processing is above 350°F for prolonged periods nor must it be used in a plastic that will be in contact with food or medical device applications.

For example to inhibit the growth of mildew on a plastic such as polyurethane boat seat cushion intended for a non-food area add 1 5% (15 lbs of this product/1000 lbs of polyurethane formulation) of this product to the polyurethane formulation

TEXTILES This product may be used as a mildewcide applied in both aqueous and solvent based coatings or dyes which are typical to the textile material processing. Typical end use applications of these materials can be carpet fibers and backings canvas and cordage drapes shower curtains etc. Not to be used in fabrics for human wear or direct skin contact. Product should be solublized or stirred in the dye bath or polymer coating pan to minimize mechanical losses and ensure a uniform distribution of the product. Use levels in the range of 0.75-3% by weight of the total processing formulation are typically adequate to prevent fungal growth. For example to inhibit the growth of mildew on cotton canvas intended for a non-food area add 2% (20 lbs of this product/1000 lbs of dye bath) of this product to the dye bath formulation.

PAPER COATINGS This product may be used as a mildewcide in both aqueous and solvent based coatings which are applied to paper and cardboard substrates. This product can be used to prevent mold and mildew from growing on products such as corrugated cardboard or soap wrappers wallcovers and non food contact packaging materials and non food contact paper tapes. Use levels of this product range from 0.75 - 3.0% of this product by weight. This product should be added at the end of the production cycle and with good agitation to prevent possible mechanical losses and ensure a uniform distribution.

CANVAS AND CORDAGE This product may be used as a mildewcide in both aqueous and solvent based process formulations which coat canvas and cordage. Typical use levels of this product will range from 0 075 3 75% of the process formulations used in the process of these canvases and cordages. This product should be added at the end of the production cycle to the process formulation with good agitation to prevent possible mechanical losses and ensure a uniform distribution. For example to inhibit the growth of mildew on cotton canvas intended for a non food area add 2% (20 lbs. of this product/1000 lbs. of process formulation) of this product to the process formulation.

INKS This product may be used in aqueous based ink solutions for protection of these solutions against attack of fungal organisms. It is recommended that this product be added at the end of the product cycle with good agitation. This product will generally impart protection when used at levels of 1.5 - 9% based on the formula weight.

Note Text in [Square Bracket] are notes to the label reviewer Text is {Curly Brackets} is optional Omacide IPBC 30 Industrial Fungicide EPA Reg No 1258 1221

EPA Notification label Add paint components 2012 7 24

Page **5** of **7**

Wood Preservation This product is a liquid non-metallic compound designed for use as a wood preservative for use in above ground applications. All recommendations of use levels are in percentage by weight, and refer to this product. Dosage ranges are given for the various applications to indicate the approximate levels for a particular application. Exact levels of use must be determined by field trials.

Solubilize in a suitable solvent or made into an aqueous dispersion and then applied to new lumber plywood particle board millwork etc to prevent the growth of mildew sapstain and wood rot on these substrates. This product is recommended for use on wood in above ground use only. Treating solutions may be prepared by dissolving this product in alcohols or aromatic solvents or by dispersion in water. Levels of 0.34% - 4% of this product are suggested depending upon the severity of conditions for end use and the extent of time that protection is required. For freshly sawn lumber, a concentration of 0.67% of this product is suggested as a starting level. A one minute dip at ambient temperatures in a solution or aqueous dispersion containing 0.67% of this product should be adequate to control the development of mildew and sapstain organisms on the lumber. Because of the great variation in susceptibility of fresh sawn lumber relating to the type of wood sawing and storage techniques conditions of humidity method of treatment etc. It is usually necessary to carry out field tests to determine the most appropriate means of application and the optimum concentration of this product to be used.

For best results treat lumber within twenty four hours after it is sawed. The lumber must be completely immersed in the treating bath, and the treating vat designed to permit easy immersion and removal, and to minimize spillage. The vat may be cleaned by emptying and rinsing with a suitable solvent or by use of a detergent solution. To add additional product while treating first prepare the proper solution or emulsion in a separate container (of wood plastic or stainless steel construction) and add to the treating vessel. After treatment, lumber should be stacked in a properly maintained seasoning yard with good drainage so that no water will accumulate in any area. The yard must be kept free from weeds and vegetation which may hold moisture and promote growth of decay and stain producing fungi. All debris and lumber scraps must be removed from the area.

A properly laid out yard must take advantage of prevailing winds to permit good air circulation Main alleys must be at least 16 feet wide. Stack foundations must be sufficiently elevated to permit ready access of air to the pile, and allow water to drain off quickly. Including door and window frames, exterior siding composite board plywood and other construction lumber when it is important to prevent the growth of mildew, sapstain and wood rot organisms on these materials.

Wood treated with this product does not change in appearance and may be painted when dry For applications of this type this product once in solution may be applied by dipping brushing spraying or pressure treating. Levels of 0 34% may be used for mildew control. To control rot and decay do not use less than 0 67% as a concentration. Use this product in solution in a suitable solvent. Concentrations up to 2 68% may be used depending upon the condition of the wood, the nature of the intended exposure and the length of protection desired. When brushing a single coat will usually suffice if the solution is applied liberally. This also pertains to spraying. Use of this product is not recommended for wood surfaces which may come in contact with food. Surfaces which may be in continuous contact with skin shoul 1 be chated with a varnish or lacquer after treatment with this product. This product may also be used as an additive to stains to be applied to such materials as exterior siding decks lawn furniture test in order to prevent the growth of fungal organisms. It is recommended that levels between 0 67% 2 68% of this product by weight of the final formulation be added to these materials.

Our technical services personnel are always available to assist in determining optimum levels for specific systems in any type of application.

Note Text in [Square Bracket] are notes to the label reviewer Text is {Curly Brackets} is optional Omacide IPBC 30 Industrial Fungicide
EPA Reg. No. 1258 1221

Page 6 of 7

FOR THE IN CAN PRESERVATION OF HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL AND JANITORIAL PRODUCTS This product may be used for control of yeast and fungi at concentrations of 0 013% to 0 1% Example end use applications include liquid & solid air fresheners dish detergents laundry products soaps & detergents non-food contact surface cleaners floor care products bathroom cleaners window cleaners fabric care products automotive care products and furniture care products. This product may be used to preserve liquid & solid formulations of the types described above or it may be used to preserve formulations offered as semi solid gels polishes or waxes or offered as pre moistened wipes mops or sponges

Note Text in [Square Bracket] are notes to the label reviewer Text is (Curly Brackets) is optional Omacide IPBC 30 Industrial Fungicide EPA Reg No 1258 1221

EPA Notification label Add paint components 2012 7 24

Page 7 of 7