

November 7, 2007

Garret B. Schifilliti
Senior Regulatory Manager
Arch Chemicals Inc.
1955 Lake Park Dr. Ste 100
Smyrna, GA 30080

Subject: Vantocil IB Microbiocide
EPA Registration No.: 1258-1253
Application Date: October 19, 2007
Receipt Date: October 22, 2007

Dear Mr. Schifilliti,

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Add use site.


General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me by telephone at (703) 308-6422 or email at heyward.adam@epa.gov.

Sincerely,



Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

		CONCURRENCES						
SYMBOL	7510 P							
SURNAME	Graham							
DATE	11/7/07							



Please read instructions on reverse before completing form.

2811

Form Approved. OMB No. 2070-0060

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 1258-1253	2. EPA Product Manager Adam Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Vantocil® IB Microbiocide	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Arch Chemicals, Inc. 1955 Lake Park Drive, Suite 100 Smyrna, GA 30080 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification to add language to the Vantocil® IB label to include the use of this product as preservative for disinfectants/sanitizers (non-food contact hard surface use).

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging. <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input checked="" type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information		4. Size(s) Retail Container		5. Location of Label Directions	
<input type="checkbox"/> Label <input type="checkbox"/> Container				<input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product				<input type="checkbox"/> Other _____	
<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Garrett Schifilliti	Title Senior Regulatory Manager	Telephone No. (Include Area Code) 203-271-4154
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Senior Regulatory Manager	
4. Typed Name Garrett Schifilliti	5. Date October 19, 2007	

PR Notice 98-10 Certification Statement

PRODUCT: Vantocil® IB Microbiocide

EPA Reg. No. 1258-1253

Registrant: Arch Chemicals, Inc.

Notification to add language to the Vantocil® IB label to include the use of this product as preservative in disinfectants/sanitizers (non-food contact hard surface uses).

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Company Agent: Garrett B. Schifilliti



Title: Senior Regulatory Manager
Date: October 19, 2007

3 2

Arch Chemicals, Inc.

1955 Lake Park Drive
Suite 100
Smyrna, GA 30080
Tel: 770.801.6600
Fax: 770.803.2576

4 8 11



Mr. Adam Heyward, Product Manager 34
Antimicrobials Division (7510C), OPP
U. S. Environmental Protection Agency
Room S-4900, On Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

October 19, 2007

SUBJECT: Notification for Arch Chemicals, Inc. Vantocil® IB
(Registration No. 1258-1253) for addition of label language for use of this
pesticide in Household and Consumer Products
(This was originally submitted in July and misplaced by the Agency)

Dear Mr. Heyward:

Attached documentation submitted for this notification consists of the following:

1. EPA Form No. 8570-1, Application for Pesticide Registration.
2. PR Notice 98-10 Certification Statement
3. Proposed label for Vantocil® IB with new uses (one copy highlighted in yellow)

We believe that these new uses are listed under the same use sites as already approved use sites for this active. Therefore we believe that these label changes can be accomplished by notification. If you have any questions about this notification or label, please let me know.

Sincerely yours,

A handwritten signature in black ink, reading "Garrett B. Schifilliti". The signature is written in a cursive, flowing style.

Garrett B. Schifilliti
Senior Regulatory Manager
(203) 271-4154

RECEIVED
OCT 23 2007
U.S. ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

5 8 11

NOTIFICATION
Date Reviewed: 11-7-07
Reviewed By: *Agayan*

(Master Label)
(Center Panel)

VANTOCIL[®] IB

MICROBIOCIDES

ACTIVE INGREDIENT:
POLY (IMINOIMIDOCARBONYLIMINOIMIDOCARBONYLIMINOHEXAMETHYLENE)
HYDROCHLORIDE.....20%
INERT INGREDIENT.....80%
TOTAL.....100%

WARNING

KEEP OUT OF REACH OF CHILDREN

FIRST AID

IF IN EYES: HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING EYE. CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

IF ON SKIN OR CLOTHING: TAKE OFF CONTAMINATED CLOTHING. RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15-20 MINUTES. CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR DOCTOR.

HOT LINE NUMBER: 1-800-654-6911.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

NOTE TO PHYSICIAN

PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

MANUFACTURED BY:

Arch Chemicals Inc.
501 Merritt 7
Norwalk, CT 06856

EPA REG. NO.: 1258-1253
EPA EST. NO.: 1258-TN-01

NET CONTENTS:
LOT NUMBER:
PRODUCT CODE: **84428**

Made In:
VANTOCIL is a trademark of Arch UK Biocides LTD.

6 7 11

(Left Panel)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED. DO NOT GET CONCENTRATE IN EYES OR CLOTHING. AVOID CONTACT WITH SKIN. AVOID BREATHING VAPOR OR MIST. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING CONCENTRATE. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. WASH CLOTHING AND DECONTAMINATE FOOTWEAR BEFORE REUSE. MAY CAUSE ALLERGIC SKIN REACTION.

ENVIRONMENTAL HAZARDS: THIS PESTICIDE IS TOXIC TO FISH. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS OR OTHER WATERS UNLESS IN ACCORDANCE WITH THE REQUIREMENTS OF A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT AND THE PERMITTING AUTHORITY HAS BEEN NOTIFIED IN WRITING PRIOR TO DISCHARGE. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE LOCAL SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE, CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: PROTECT FROM FROST. IF FROZEN, ALLOW TO THAW AND STIR WELL BEFORE USE.

PESTICIDE DISPOSAL: PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY MIXTURE, OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

CONTAINER DISPOSAL: TRIPLE RINSE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL OR BY OTHER PROCEDURES APPROVED STATE AND LOCAL PROCEDURES.

**FOR INFORMATION ON SPILLS,
CALL 1-800-654-6911.**

(Right Panel)

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

VANTOCIL IB MICROBIOCIDAL IS A HIGH-ACTIVITY MICROBIOCIDAL FOR USE IN APPLICATIONS SUCH AS OIL-IN-WATER AND WATER-IN-OIL EMULSIONS, INDUSTRIAL REAGENTS, SILICONE SYSTEMS AND CELLULOSE SOLUTIONS. VANTOCIL IB MICROBIOCIDAL CAN ALSO BE USED FOR THE PRESERVATION OF ANIMAL HIDES AND SKINS.

Product

Dosage

Silicones:

Use VANTOCIL IB at levels of 100-5,000 ppm for the preservation of silicone systems such as silicone emulsions and silicone dispersions.

1 lb. to 50 lb.
VANTOCIL IB
Per 10,000 lb. product

Tunnel Pasteurization:

For the preservation of waters used in tunnel pasteurization and tunnel cooling of sealed packages of canned and bottled foodstuffs. use VANTOCIL IB at levels of 100-1,000 ppm.

13 fl. oz. to 1 gal.
VANTOCIL IB per 1,000 gal.
tunnel pasteurization water

Aqueous Industrial Chemicals:

For the preservation of aqueous industrial chemicals such as reagents, oil-in-water emulsions, water-in-oil emulsions, textile spin finish lubricants, wash water and cellulose solutions, use VANTOCIL IB at levels of 100-5,000 ppm

1 lb. to 50 lb. VANTOCIL IB
per 10,000 lb. product

Leather Processing:

Use VANTOCIL IB at levels of 100-3,000 ppm for the preservation of leather processing solutions.

1 lb. to 30 lb. VANTOCIL IB
per 10,000 lb. product

Aqueous Based Polymer Latices:

Use VANTOCIL IB at levels of 500-5,000 ppm for the preservation of aqueous based polymer latices such as polyvinyl acetate and polyvinyl alcohol. Do not use to preserve latices used for paper coating compositions that may contact food.

5 lb. to 50 lb. per 10,000 lb
product

Aqueous Mineral Slurries:

Use VANTOCIL IB at levels of 500-5,000 ppm for the preservation of aqueous mineral slurries such as calcium carbonate, titanium dioxide. Do not use to preserve slurries used for paper coating compositions that may contact food.

5 lb. to 50 lb.
per 10,000 lb. product

Aqueous Based Adhesives:

Use VANTOCIL IB for the preservation of aqueous based adhesives such as animal glues, latex adhesives based on polyvinyl acetate, PVA, etc., starch, synthetic, dextrin, casein and other glues at a concentration of 500 – 5000 ppm. May be used in aqueous based latex adhesives intended for food packaging applications a maximum use level of 5,000 ppm.

5 lb. to 50 lb. VANTOCIL IB
per 10,000 lb. product

Industrial Electrocoats:

Use VANTOCIL IB at levels of 1,000-5,000 ppm for the preservation of electrocoat resins and deposition systems.

10 lb. to 50 lb. VANTOCIL IB
per 10,000 lb product

Household and Consumer Products:

Use VANTOCIL IB at levels of 250 – 2,500 ppm for the preservation of liquid and solid or paste consumer products such as surface cleaners, floor cleaners, disinfectant/sanitizers (non-food contact, hard surface uses), fabric stain removers, fabric softeners, fabric conditioners, laundry detergents, laundry additives, automotive care silicone emulsions and automotive cleaning products.

2.5 lb. to 25 lb VANTOCIL IB
per 10,000 lb. product

Preservation of Fresh Animal Hides and Skins:

To preserve the integrity of fresh animal hides and skins prior to or during processing, use 15 fluid ounces to 3 gallons. Add the appropriate quantity of VANTOCIL IB to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.

1.0 to 2.6 lbs. of
VANTOCIL IB per 1,000
pounds of hides or skins

Cat Litter:

Use Vantocil IB at levels of 2,500 – 10,000 ppm (0.25% - 1.0%) for the control of odor causing microorganisms.

2.5 lb. to 100 lb.
VANTOCIL IB per 1,000 lb of
cat litter

Chemical Toilet Deodorants:

Incorporate Vantocil IB at levels of 9-99% in deodorant concentrates. To effectively control odor in portable or chemical toilets, use 250 – 5000 ppm (3.2 to 64 oz/100 gallons).

Cellulosic Materials and Textiles:

VANTOCIL IB can be used as an agent to control the growth and action of microorganisms, and control generation of odors, on textiles such as cotton, cotton blends, cellulosic materials, and synthetic fibers such as non-wovens, tissues, paper and pulps.

VANTOCIL IB is diluted and applied to give 0.025-2.0% on the dry weight of the substrate. Application is by conventional means such as padding, spraying, soaking or exhaustion. The optimum conditions for application of the dilute solution are pH 6.5-8 and temperature of 20-30 C.

The following are examples of products (substrates) suitable for antimicrobial finishing with VANTOCIL IB:

Textiles such as: household products, for example, upholstery, carpet, curtains, wall coverings, mops, dishcloths, yarns, cords, toweling and blankets.

Cellulosics such as: wipes, tissues, sponges, paper products (non-food contact) such as filters and cellulose pulp.

VANTOCIL IB Application rate to apparel items or clothing is not to exceed 2.0% by dry weight of the substrate to be treated.

Apparel items include –

Apparel items such as: slacks, shirts, underwear, sweatshirts, sweatpants, socks, oven mitts, slippers, bathrobes, gloves, hats, scarves, jackets, sheets, pillowcases, incontinence pad cover stock, washable incontinence briefs and panties.

Oil Recovery:

Not for use in oil recovery systems which employ holding ponds for spent liquids. Do not apply in, over or near marine and/or estuarine oil fields.

Specific rates for use of VANTOCIL IB should be determined by bacteriological tests made prior to treatment. These tests should establish (a) the presence of microorganisms, (b) the severity of the problem, and (c) required treating ratio. The effectiveness of a treatment can be evaluated by similar bacteriological tests. The compatibility of VANTOCIL IB with the water should be determined prior to treatment.

Some suggested treatment methods and treating rates for water systems include:

Oil Field Injection Waters

1. Slug Method – When the system is noticeably fouled, apply 4 gallons of VANTOCIL IB per 1,000 barrels of water (95 ppm of products). VANTOCIL IB should be added to the system at a point where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control. When microbial control is evident, the treating rate may be lowered to 2 gallons of VANTOCIL IB per 1,000 barrels of water (47 ppm of product) weekly, or as needed to maintain control. Badly fouled systems should be cleaned before treatment is begun.
2. Continuous Method – Before beginning a continuous treatment, apply a slug of 4 gallons of VANTOCIL IB per 1,000 barrels of water (95 ppm of product).

Continue treatment by applying 0.15 to 0.8 gallons (19 to 102 ounces) of VANTOCIL IB per 1,000 barrels of water (4 to 20 ppm of product).

Drilling Muds

1. Calculate the total volume of the drilling mud system, and using this volume calculate the number of gallons of VANTOCIL IB needed to produce a concentration of approximately 3,000 ppm. For example, 126 gallons of VANTOCIL IB per each 1,000 barrels of total volume will produce this concentration.
2. While the system is circulating, add the amount of VANTOCIL IB calculated above in a thin stream.
3. As the well depth increases, increasing the total volume of the system, add additional VANTOCIL IB as required to maintain the proper concentration.

Workover Fluids

1. Calculate the total volume of the workover fluid system, and using this volume calculate the number of gallons of VANTOCIL IB needed to produce a concentration of approximately 3,000 ppm. For example, 126 gallons of VANTOCIL IB per each 1,000 barrels of total volume will produce this concentration.
2. Add VANTOCIL IB into the system.
3. Circulate the workover fluid system until the fluid returns clear.
4. Shut the system down and idle for several hours.
5. Remove the workover fluid. The well should be ready for productive use.

Slime Control in Paper Mills:

To control the growth of slime-forming organisms in paper mills that produce paper for non-food contact applications. The preferred method of addition is by slug dosing since this ensures that a high concentration of VANTOCIL IB is present in the system for several hours. Arch Chemicals will perform proven laboratory testing to recommend the proper dosage level and time cycles for your individual system. Dosage levels vary from mill to mill, depending on the furnish employed, the cleanliness of the white water system, and the additional nutrients (for example, starch) that may be present in the furnish.

The following quantities of VANTOCIL IB are suggested for trial:

Slug Feed

Between 50 and 1500 ppm of VANTOCIL IB for each ton of paper produced per cycle. Preferred time cycle of slug feed is 1 hour on and 3 hours off, in a 24 hour day.

This preferred addition point is either in the blend chest, broke chest, machine chest or white water system. It is important to avoid direct addition point near an oxidant feed location, as this may interfere with Vantocil performance.

Slime Control in Cooling Towers:

Vantocil IB can also be fed to the fresh water feed for cooling towers and vacuum cooling tower systems. Vantocil IB can be used to control slime-forming organisms in cooling towers used for cooling process water for non-food contact applications.

The following quantities of VANTOCIL IB are suggested for trial:

Fresh Water Feed:

Between 50 and 1500 ppm of VANTOCIL IB for each ton of water added to the cooling tower or vacuum tower system for make-up

General

VANTOCIL IB is an effective preservative in most aqueous compositions. The concentration required to give protection depends on factors such as the susceptibility of the system to microbiological degradation, the extent to which microorganisms can gain access and the type of microorganisms present.