

Bromine-free, Chlorine-free

## Baquacil® Ultra Swimming Pool Sanitizer & Fungicide

Active Ingredient: Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene hydrochloride) ..... 20%  
Inert Ingredients ..... 80%  
TOTAL..... 100%

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
See side panel for additional precautionary statements.

**FIGHTS TOUGH POOL PROBLEMS  
WITH STAIN & SCALE CONTROL**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
WARNING**

**HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH SKIN OR CLOTHING. AVOID BREATHING VAPOR OR MIST. CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. DO NOT GET IN EYES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING CONCENTRATE. MAY CAUSE ALLERGIC SKIN REACTION.**

**FIRST AID  
IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF INHALED**


- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**IN CASE OF EMERGENCY CALL 1-800-654-6911.**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA Reg. No. 1258-1265  
EPA Est. No. 4091-TN-3  
EPA Est. No. 81635-GA-001

Net Contents: 56 oz. (1.72 Liters) 32 oz. 16 oz. or 8 oz.



**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

Keep container closed when not in use. Store in original container in an area inaccessible to children.

**Protect From Freezing**

In case of a leak or spill

Soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

**Pesticide Disposal**

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL**

Do not reuse container. To dispose of empty container, rinse thoroughly before discarding in trash. For information on spills, call 1-800-654-6911.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. BAQUACIL ULTRA is effective for residential and public swimming pools and spas.

**{Use 1: Swimming Pools}**

**[Converting From Chlorine**

If you are using chlorine in your pool, it is important to eliminate the chlorine from the pool since BAQUACIL ULTRA Swimming Pool Sanitizer and Fungicide ("BAQUACIL ULTRA Sanitizer") is incompatible with chlorinating chemicals. Follow these simple steps:

1. Make sure your water is properly balanced. Take a sample of your pool water to your Authorized BAQUACIL Dealer for a complete water analysis. Adjust as necessary following your dealer's recommendations.
2. Use a chlorine test kit to check for the level of free and combined chlorine in your pool.
3. A. If your pool water is clear, add BAQUACIL Chlorine Neutralizer per label directions. Filter overnight.  
B. If your pool water is cloudy or algae is present, add one gallon of BAQUACIL Oxidizer per 10,000 gallons of pool water. Filter overnight.
4. The next morning, check with your chlorine test kit for free and combined chlorine. If free chlorine is detected, repeat steps indicated above.

**Freshly Filled, Dechlorinated or BAQUACIL Pools**

To get started properly with BAQUACIL ULTRA Sanitizer, follow these steps:

1. Backwash or chemically clean your pool's filter with BAQUACIL Filter Cleaner. Check the pool's pH adjusting to a range between 7.2 - 7.8 if necessary.
2. Add BAQUACIL ULTRA System Start-Up following label directions.
3. Add BAQUACIL ULTRA Sanitizer at a rate of 56 oz. per 10,000 gallons of pool water to obtain an initial reading of 50 ppm. Filter overnight.
4. After 24 hours, use BAQUACIL ULTRA Test Strips to check the pool's pH and BAQUACIL ULTRA Sanitizer reading and adjust if necessary.

**Normal Pool Maintenance**

To properly maintain your pool with BAQUACIL ULTRA Sanitizer during the swimming season, follow these steps on a weekly basis:

1. Once a week, check the BAQUACIL ULTRA Sanitizer concentration, pH and total alkalinity in your pool.

2. Maintain your BAQUACIL ULTRA Sanitizer concentration between 30 and 50 ppm. To insure proper sanitization and protection, the level should never be allowed to drop below 30 ppm. To raise the BAQUACIL ULTRA Sanitizer concentration 10 ppm, add 14 oz. per 10,000 gallons of pool water. Review the weekly maintenance dosage chart found in your BAQUACIL ULTRA Pool Care Guide.
3. Every week, add one pouch of BAQUACIL ULTRA Oxidizer Increaser Tablets per 10,000 gallons of pool water.

**PROBLEM SOLVING AND SUPPLEMENTAL POOL INFORMATION**

Please remember that BAQUACIL ULTRA Sanitizer and chlorine-based chemicals are not compatible. If you accidentally add chlorine to your swimming pool, refer to the BAQUACIL ULTRA Pool Care Guide for troubleshooting techniques.

Do not use BAQUACIL ULTRA Sanitizer in unpainted plaster pools previously exposed to metals that may cause staining (see BAQUACIL ULTRA Pool Care Guide for specific information). Do not use in free standing spas or hot tubs. BAQUACIL ULTRA Sanitizer is not compatible with many detergents and some algicides (such as those based on copper). Always check with your Authorized Dealer for compatibility before adding a product that isn't labeled BAQUACIL or BAQUACIL ULTRA. If algae, cloudiness or pool problems develop consult your Authorized BAQUACIL Dealer.]

**{Use 2: Spa or Hot Tub}**

**[Treating the spa or hot tub:**

Important – BaquaSpa Sanitizer with Stain & Scale Control is incompatible with chlorinating and brominating chemical products.

**Start-Up with BaquaSpa Sanitizer with stain & Scale Control:**

1. Remove chlorine or bromine source and disconnect feeder. Discontinue use of ionizers and electrochlorinators if present.
2. Drain existing water in spa.
3. Clean spa surface and filter.
4. Fill spa with water.
5. Have your Authorized Dealer of BaquaSpa check your water for proper water balance.
6. After water has been balanced, add BaquaSpa Sanitizer with Stain & Scale Control to give a concentration of 50 ppm (1 oz. of product per 150 gallons of spa water).
7. Circulate water 15 minutes, then check BaquaSpa Sanitizer concentration with BaquaSpa Test Strips and adjust if necessary.

**Normal Spa Maintenance:**

1. Every week, check BaquaSpa Sanitizer with Stain & Scale Control concentration and pH. Adjust if necessary.
2. The level of BaquaSpa Sanitizer with Stain & Scale Control should be maintained between 30 and 50 ppm. When the level of BaquaSpa Sanitizer with Stain & Scale Control is 30 ppm or less, add enough BaquaSpa Sanitizer with Stain & Scale Control to bring the level up to 50 ppm. The spa's level of BaquaSpa Sanitizer with Stain & Scale Control should never be allowed to drop below 30 ppm. To raise the BaquaSpa Sanitizer with Stain & Scale Control level 10 ppm, add 0.2 oz. per 150 gallons of spa water.]

4/6

**{Use 3: Treating Spas on the BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System}**

**[Start-up**

- 1. Connect container to appropriate feed line for the BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System.
- 2. The BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System will deliver an initial dose of BAQUACIL Ultra Sanitizer and Fungicide to the spa water to obtain an initial reading of 50 ppm
- 3. After approximately 24 hours, take a water sample to your Authorized BAQUACIL Ultra Dealer for complete water analysis.

**Normal Spa Maintenance**

- 1. Once a week, check the BAQUACIL Ultra Sanitizer and Fungicide concentration, using BaquaSpa Test Strips.
- 2. To insure proper stabilization and protection, maintain your BAQUACIL Ultra Sanitizer and Fungicide concentration level between 30 and 50 ppm.
- 3. Once a month, take a water sample to your Authorized BAQUACIL Ultra Dealer for complete water analysis]

**{Use 4: AutoFresh Water Care System ONLY}**

**3**

Bromine-Free, Chlorine-Free  
BaquaSpa® Sanitizer with Stain & Scale Control

Active Ingredient: Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene hydrochloride) .....20%

Inert Ingredients ..... 80%

TOTAL.....100%

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
See inside panel for additional precautionary statements and first aid treatment.

Net Contents: 16 oz. (473 ml)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner other than for which it was intended. BaquaSpa is effective for use in residential and public spas.

**Treating Spas on the AutoFresh water care system:**

**Start-up**

- 1. Connect the chemical carrier to the appropriate AutoFresh water care system feed lines as instructed in the AutoFresh Owner's Manual.
- 2. The AutoFresh water care system will deliver an initial dose of BaquaSpa Sanitizer with Stain & Scale Control to the spa water to obtain an initial reading of 50 ppm.

**Normal Spa Maintenance**

- 1. Check the BaquaSpa Sanitizer with Stain & Scale Control concentration using the AutoFresh water care system test strips anytime before the system defaults to "Use Parameter 1" which is every 14 days.

2. To insure proper sanitization and protection, the BaquaSpa Sanitizer with Stain & Scale Control concentration should be maintained between 30 and 50 ppm.
3. Consult the AutoFresh water care system Owner's Manual for proper maintenance instructions.

**FIRST AID**

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF INHALED**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**MEDICAL EMERGENCY INFORMATION CENTER 1-800-654-6911.**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

**STORAGE**

DO NOT OPEN CHEMICAL CARRIER. Keep from freezing. Store chemical carrier in a cool, dry place away from direct sunlight. Keep chemical carrier away from acids, other oxidizers, and combustible material. Safely store chemical carrier in an area inaccessible to children and pets.

**CHEMICAL SPILL OR LEAK**

Wear eye and skin protection when cleaning up spill or leak. Contain spill. In case of leak or spill, soak up with absorbent, such as sand or earth, and shovel into waste container. To dispose of leaking chemical carrier, securely place chemical carrier in a trash bag and discard in trash. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

For information on spills, call 1-800-654-6911

**CONTAINER DISPOSAL**

DO NOT REUSE CHEMICAL CARRIER. To dispose of chemicals contained in the chemical carrier, activate the "PURGE" mode on the AutoFresh system. Please consult the AutoFresh Owner's Manual if you have any question concerning this mode. After use, dispose of chemical carrier with normal trash.

**SANITIZER**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

6/6

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH SKIN OR CLOTHING AVOID BREATHING VAPOR OR MIST. CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. DO NOT GET IN EYES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING  
FACE SHIELD WHEN HANDLING CONCENTRATE. MAY CAUSE ALLERGIC SKIN REACTION.

[BAQUACIL] [BaquaSpa] [brand] is a registered trademark of Arch UK Biocides Limited.

Arch Chemicals, Inc.,  
Smyrna, GA 30080

© 2004, Arch Chemicals, Inc.

For more information, visit our website at [www.baquacilultra.com] [www.baquaspa.com] [website]  
For product support, call 1-877-929-7945.