



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

### January 4, 2008

Mark E. Burt, Ph. D. Arch Chemicals, Inc. 1955 Lake Park Drive, suite 100 Smyrna, GA 30080

Subject:

Product Name: Baquacil Ultra Swimming Pool Sanitizer & Fungicide

EPA Registration Number 1258-1265

Application Date: 03-Dec-2007 Receipt Date: 06-Dec-2007

Dear Dr. Burt:

This acknowledges receipt of your application, submitted under the provision of PR Notice 98-10, FIFRA section 3(c) 9.

### **Proposed Notification**

- Add responsible care symbol as an advisory statement
- Add marking statements
- Add advisory statements
- Revise label per Notice 2007-4

### **General Comments:**

Based on a review of the material submitted, the following comment applies.

The subject application is acceptable, except for the following proposed notification request:

 Add a responsible care symbol as an advisory statement. The proposed symbol must submit as a label amendment.

2/H

A copy of the approved notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me by telephone at 703) 308-6422 or by e-mail at <a href="mailto:heyward.adam@epamail.epa.gov">heyward.adam@epamail.epa.gov</a> during the hours of 7:00 am to 4:00 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

dam Heyward

Product Manager (34)

Regulatory Management Branch II

Antimicrobials Division (7510C)

Arch Chemicals, Inc 1955 Lake Park Drive Suite 100 Smyrna, GA 30080 Tel: 770.801.6600



Via Federal Express December 3, 2007

Mr. Adam Heyward
Product Manager 34
Office of Pesticide Programs (7504P)
C/O Document Processing Desk (NOTIF)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

Baquacil Ultra Swimming Pool Sanitizer & Fungicide

- o EPA Reg. No. 1258-1265
- Combined PR Notice 2007-4 Notification and PR Notice 98-10 Notification:
  - To Revise Label to Comply With Container Regulations in Subpart H Container Labeling, §156.140
  - o To Add a Responsible Care Symbol as Advisory Statement
  - o To add optional marketing statements
  - To add optional advisory statements

### Dear Mr. Heyward:

Arch Chemicals, Inc. is submitting a combined PR Notice 2007-4 Notification and a PR Notice 98-10 Notification for the above subject project.

Please note that the batch number or lot number will be printed directly on the container.

The PR Notice 98-10 notification seeks to add optional marketing claims and Arch believes these may be added to the label via notification.

Additionally, Arch proposes to add optional advisory statements to the directions for use section. Arch believes that these items can also be added via notification.

1

Arch Chemicals, Inc. 1955 Lake Park Drive Suite 100 Smyrna, GA 30080 Tel: 770.801.6600



In support of this application for notification, enclosed are the following documents:

- A completed application for amendment (EPA 8570-1) form, with attached certification statements, as required by PR Notice 2007-4 and PR Notice 98-10.
- Two copies of the product labeling with additions in red print.

Thank you for your cooperation. Please contact me 770-803-2526 or by e-mail at meburt@archchemicals.com, if there are any questions. If I am not available, please contact John Hott at 770-598-7735.

Sincerely,

Mark E. Burt, Ph.D.

Mall E Gut

Regulatory Manager

j Piéase read instructions on re	verse before comple(	jorm.			(; For	m Appro	oved. OMB N	o. 2070-0060	
<b>\$EPA</b>	on Agency			Registration Amendment Other		OPP Identifier Number			
		Application	on for Pestic	ide - Sectio	n I				
1. Company/Product Number 1258-1265			2. EPA Adam	or .	3. Proposed Classification  X None Restricted				
4. Company/Product (Name) Baquacil Ultra Swimming Po	<b>PM#</b> 34	PM#							
5. Name and Address of App Arch Chemicals, Inc. 1955 Lake Park Drive Smyrna, GA 30080	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.								
Cineck ii tins	73 6 176 W 6007 633		Section -	uct Name					
Resubmission in resp  X Notification - Explain  Explanation: Use addition  Arch is submitting this notif PRIA Category: N/A (notific PRIA Fee: N/A Contact: Mark E. Burt, phoi if I am unavailable call John	below.  nal page(s) if necessar ication per PR Notice eation)  ne 770-803-2526, e-m	y. (For section 98-10 and Pformall, meburt@	R Notice 2007-4 (se	Agency letter of "Me Too" App  Other - Explain  ee attached cert	lication. below.				
			Section - I	111	·				
1. Material This Product Will	Be Packaged in:								
Child-Resistent Peckaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble F Yes No If "Yes" Package wgt	No. per container	P	f Container  Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents Information 4. Size(s) Re			tail Container 5. Location of Label Directions						
Label Container									
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stend	raph glued iled	Other _		<u></u>			
			Section - I	V.					
1. Contact Point (Complete	items directly below f	or identification	on of individual to b	e contacted, if n	ecessary, to proce	ss this e	application.)		
Name Mark E. Burt			Regulatory Manager			Telephone No? (Include Area Code) (770) 803-2526			
i acknowledge that an both under applicable	ments I have made on y knowlinglly false or law.	Certifica this form and misleading sta	all attachments thatement may be pu	nereto are true, a nishable by fine	ccurate and comple or imprisonment of	ote. (	6. Date Applic Resolved (Stam)		
2. Signature  Mask Effect			Regulatory Manager						
4. Typed Name			5. Date						

Mark E. Burt

December 3, 2007

### Notification Statements For:

Product:

Baquacil Ultra Swimming Pool Sanitizer & Fungicide

EPA Reg. No.: 1258-1265

Registrant: Arch Chemicals, Inc.

PR Notice 98-10 Certification Statement

Notification to add optional marketing claims and advisory statement.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### PR Notice 2007-04 Certification Statement

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR Sections 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR Sections 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Company Agent:

M.E. Burt

Title: Regulatory Manager

Date: December 3, 2007

Signature:

Mad E Grut

### DRAFT EPA MASTER LABEL COPY

[All text in square brackets [AAA] is optional and may/may not be included on final label] {All text in braces {AAA} is for information purposes and will not appear on final label}

Bromine-free, Chlorine-free

## Baquacil® Ultra

### **Swimming Pool Sanitizer & Fungicide**

WARNING: KEEP OUT OF REACH OF CHILDREN.
See side panel for additional precautionary statements.

FIGHTS TOUGH POOL PROBLEMS WITH STAIN & SCALE CONTROL {optional marketing claims} [Sanitizes Spa and Hot Tub water] [Step. 3]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH SKIN OR CLOTHING. AVOID BREATHING VAPOR OR MIST. CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. DO NOT GET IN EYES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING CONCENTRATE. MAY CAUSE ALLERGIC SKIN REACTION.

## FIRST AID IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### IF SWALLOWED

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

#### IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- · Call a poison control center or doctor for further treatment advice.

IN CASE OF EMERGENCY CALL 1-800-654-6911.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

8/14

EPA Reg. No. 1258-1265 If the lot # contains a "B", EPA Est. No. is If the lot # contains a "M", EPA Est. No. is Net Contents:

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL {Optional statements – usage depends on whether or not refillable or nonrefillable containers are used and whether or not product is packaged for household/residential use only}

### {Nonrefillable container - household/residential use}

[Keep this product in its tightly closed container when not in use. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.]

### {Refillable container - household/residential use}

[Keep this product in its tightly closed container when not in use. Do not contaminate food or feed by storage or disposal or cleaning of equipment. Refillable container. Refill this container with Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene hydrochloride) only. Do not use this container for any other purpose. Rinse empty container thoroughly with water prior to disposal.]

### {Nonrefillable container - non-household/residential use}

[Keep this product in its tightly closed container when not in use. Do not contaminate food or feed by storage or disposal or cleaning of equipment. Nonrefillable container. Do not reuse this container. Offer for recycling if available. Rinse empty container thoroughly with water prior to disposal.]

### {Refillable container – non-household/residential use}

[Keep this product in its tightly closed container when not in use. Do not contaminate food or feed by storage or disposal or cleaning of equipment. Refillable container. Refill this container with Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene hydrochloride) only. Do not use this container for any other purpose. Cleaning of this container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. Rinse empty container thoroughly with water prior to disposal.]

Keep container closed when not in use. {Redundant statement will be deleted} Store in original container in an area inaccessible to children.

### Protect From Freezing

### In case of a leak or spill

Soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

### PESTICIDE DISPOSAL

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.-{Redundant statement will be deleted}

For information on spills, call 1-800-654-6911.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [BAQUACIL ULTRA] [BRAND] is effective for residential and public swimming pools and spas.

## **{Use 1: Swimming Pools}**[Converting From Chlorine

If you are using chlorine in your pool, it is important to eliminate the chlorine from the pool since [BAQUACIL ULTRA] [BRAND] Swimming Pool Sanitizer and Fungicide ("[BAQUACIL ULTRA] [BRAND] Sanitizer") is incompatible with chlorinating chemicals. Follow these simple steps:

- Make sure your water is properly balanced. Take a sample of your pool water to your Authorized BAQUACIL Dealer for a complete water analysis. Adjust as necessary following your dealer's recommendations.
- 2. Use a chlorine test kit to check for the level of free and combined {delete inaccuracy} chorine in your pool.
- A. If your pool water is clear, add BAQUACIL Chlorine Neutralizer per label directions. Filter overnight.
   B. If your pool water is cloudy or algae is present, add one gallon of BAQUACIL Oxidizer per 10,000 gallons of pool water. Filter overnight.
- 4. The next morning, check with your chlorine test kit for free and combined {delete inaccuracy} chlorine. If free chlorine is detected, repeat steps indicated above.

### Freshly Filled, Dechlorinated or BAQUACIL Pools

To get started properly with [BAQUACIL ULTRA] [BRAND] Sanitizer, follow these steps:

- 1. Backwash or chemically clean your pool's filter with BAQUACIL Filter Cleaner. Check the pool's pH adjusting to a range between 7.2 7.8 if necessary.
- 2. Add [BAQUACIL ULTRA] [BRAND] System Start-Up following label directions.
- 3. Add [BAQUACIL ULTRA] [BRAND] Sanitizer at a rate of 56 oz. per 10,000 gallons of pool water to obtain an initial reading of 50 ppm. Filter overnight.
- 4. After 24 hours, use [BAQUACIL ULTRA] [BRAND] Test Strips to check the pool's pH and [BAQUACIL ULTRA] [BRAND] Sanitizer reading and adjust if necessary.

### **Normal Pool Maintenance**

To properly maintain your pool with [BAQUACIL ULTRA] [BRAND] Sanitizer during the swimming season, follow these steps on a weekly basis:

- 1. Once a week, check the [BAQUACIL ULTRA] [BRAND] Sanitizer concentration, pH and total alkalinity in your pool.
- Maintain your [BAQUACIL ULTRA] [BRAND] Sanitizer concentration between 30 and 50 ppm. To
  insure proper sanitization and protection, the level should never be allowed to drop below 30 ppm. To
  raise the [BAQUACIL ULTRA] [BRAND] Sanitizer concentration 10 ppm, add 14 oz. per 10,000
  gallons of pool water. Review the weekly maintenance dosage chart found in your [BAQUACIL
  ULTRA] [BRAND] Pool Care Guide.
- Every week, add one pouch of [BAQUACIL ULTRA] [BRAND] Oxidizer Increaser Tablets per 10,000 gallons of pool water.

### PROBLEM SOLVING AND SUPPLEMENTAL POOL INFORMATION

Please remember that [BAQUACIL ULTRA] [BRAND] Sanitizer and chlorine-based chemicals are not Compatible. Consult your authorized BAQUACIL[brand] [brand] Dealer for information on how to deal with accidental chlorination. {User is directed to the dealer and the following reference is deleted} 

| If you accidentally add chlorine to your swimming pool, refer to the [BAQUACIL ULTRA] [BRAND] Pool Care, Guide for troubleshooting techniques.

Do not use [BAQUACIL ULTRA] [BRAND] Sanitizer in unpainted plaster pools previously, exposed to metals that may cause staining (see [BAQUACIL ULTRA] [BRAND] Pool Care Guide for specific information). Do not use in free standing spas or hot tubs. [BAQUACIL ULTRA] [BRAND] Sanitizer is not compatible with many detergents and some algicides (such as those based on copper). Always check with your Authorized Dealer for compatibility before adding a product that isn't labeled BAQUACIL or

[BAQUACIL ULTRA] [BRAND]. If algae, cloudiness or pool problems develop consult your Authorized BAQUACIL Dealer.]

### {Use 2: [Spa] [erand] [Hot Tub]}

[For best results follow a weekly program with our BaquaSpa System]. [Take a spa water sample to your authorized BaquaSpa [brand] dealer regularly for a detailed water analysis]

### [Treating the [spa] [orand] [hot tub]:

Important – BaquaSpa Sanitizer with Stain & Scale Control is incompatible with chlorinating and brominating chemical products.

### Start-Up with BaquaSpa Sanitizer with stain & Scale Control:

- 1. Remove chlorine or bromine source and disconnect feeder. Discontinue use of ionizers and electrochlorinators if present.
- 2. Drain existing water in [spa] [and] [hot tub].
- 3. Clean spa surface and filter.
- 4. Fill spa with water.
- 5. Have your Authorized Dealer of BaquaSpa check your water for proper water balance.
- 6. After water has been balanced, add BaquaSpa Sanitizer with Stain & Scale Control to give a concentration of 50 ppm (1 oz. of product per 150 gallons of spa water).
- 7. Circulate water 15 minutes, then check BaquaSpa Sanitizer concentration with BaquaSpa Test Strips and adjust if necessary.

### Normal [Spa] [and] [Hot Tub] Maintenance:

- Every week, check BaquaSpa Sanitizer with Stain & Scale Control concentration and pH. Adjust if necessary.
- 2. The level of BaquaSpa Sanitizer with Stain & Scale Control should be maintained between 30 and 50 ppm. When the level of BaquaSpa Sanitizer with Stain & Scale Control is 30 ppm or less, add enough BaquaSpa Sanitizer with Stain & Scale Control to bring the level up to 50 ppm. The spa's level of BaquaSpa Sanitizer with Stain & Scale Control should never be allowed to drop below 30 ppm. To raise the BaquaSpa Sanitizer with Stain & Scale Control level 10 ppm, add 0.2 oz. per 150 gallons of spa water.]

[Step 1: Waterline Control

Step 2: Oxdize Step 3: Sanitize

# {Use 3: Treating [Spas] [and] [Hot Tub] on the BAQUAICIL Ultra Sanitizer and Fungicide Automated Dosing System}

### [Start-up

1. Connect container to appropriate feed line for the [BAQUACIL ULTRA] [brand] Sanitizer and Fungicide Automated Dosing System.

2. The [BAQUACIL ULTRA] [brand] Sanitizer and Fungicide Automated Dosing System will deliver an initial dose of [BAQUACIL ULTRA] [brand] Sanitizer and Fungicide to the spa water to obtain an initial reading of 50 ppm

3. After approximately 24 hours, take a water sample to your Authorized [BAQUACIL ULTRA], [brand] Dealer for complete water analysis.

### Normal [Spa] [and] [Hot Tub] Maintenance

11/14

- 1. Once a week, check the [BAQUACIL ULTRA] [brand] Sanitizer and Fungicide concentration, using BaquaSpa Test Strips.
- 2. To insure proper stabilization and protection, maintain your [BAQUACIL ULTRA] [brand] Sanitizer and Fungicide concentration level between 30 and 50 ppm.
- 3. Once a month, take a water sample to your Authorized [BAQUACIL ULTRA] [brand] Dealer for complete water analysis]

### {Use 4: AutoFresh Water Care System ONLY}

Bromine-Free, Chlorine-Free BaquaSpa® Sanitizer with Stain & Scale Control

WARNING: KEEP OUT OF REACH OF CHILDREN.

See inside panel for additional precautionary statements and first aid treatment.

Net Contents: 16 oz. (473 ml)

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. BaquaSpa is effective for use in residential and public spas.

### Treating Spas on the AutoFresh water care system:

### Start-up

- 1. Connect the chemical carrier to the appropriate AutoFresh water care system feed lines as instructed in the AutoFresh Owner's Manual.
- 2. The AutoFresh water care system will deliver an initial dose of BaquaSpa Sanitizer with Stain & Scale Control to the spa water to obtain an initial reading of 50 ppm.

### Normal Spa Maintenance

- 1. Check the BaquaSpa Sanitizer with Stain & Scale Control concentration using the AutoFresht water care system test strips anytime before the system defaults to "Use Parameter 1" which is every 14 days.
- 2. To insure proper sanitization and protection, the BaquaSpa Sanitizer with Stain & Scale Conitrol concentration should be maintained between 30 and 50 ppm.
- 3. Consult the AutoFresh water care system Owner's Manual for proper maintenance instructions

### **FIRST AID**

### IF IN EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses,
if present, after the first 5 minutes, then continue rinsing eye.

12/14

Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### IF SWALLOWED

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

### IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

### MEDICAL EMERGENCY INFORMATION CENTER 1-800-654-6911.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

### STORAGE AND DISPOSAL

STORAGE

DO NOT OPEN CHEMICAL CARRIER. Keep from freezing. Store chemical carrier in a cool, dry place away from direct sunlight. Keep chemical carrier away from acids, other oxidizers, and combustible material. Safely store chemical carrier in an area inaccessible to children and pets.

### **CHEMICAL SPILL OR LEAK**

Wear eye and skin protection when cleaning up spill or leak. Contain spill. In case of leak or spill, soak up with absorbent, such as sand or earth, and shovel into waste container. To dispose of leaking chemical carrier, securely place chemical carrier in a trash bag and discard in trash. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations. For information on spills, call 1-800-654-6911

### **CONTAINER DISPOSAL**

DO NOT REUSE CHEMICAL CARRIER. To dispose of chemicals contained in the chemical carrier, activate the "PURGE" mode on the AutoFresh system. Please consult the AutoFresh Owner's Manual if you have any question concerning this mode. After use, dispose of chemical carrier with normal trash.

#### **SANITIZER**

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH SKIN OR CLOTHING AVOID BREATHING VAPOR OR MIST. CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. DO NOT GET IN EYES. WASH THOROUGHLY WITH SOAF AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING

FACE SHIELD WHEN HANDLING CONCENTRATE. MAY CAUSE ALLERGIC SKIN REACTION.

### [Bromine-Free, Chlorine-Free BaquaSpa® Oxidizer]

DANGER: OXIDIZER, CORROSIVE.
KEEP OUT OF REACH OF CHILDREN.

Causes eye burns. Repeated or prolonged skin contact can cause irritation or burns. Harmful if swallowed. Effects may be delayed. See inside panel for additional precautionary statements and first aid treatment

PRECAUTIONARY STATEMENTS
DANGER
KEEP OUT OF REACH OF CHILDREN
Contains 13.5% Hydrogen Peroxide

FOR YOUR SAFETY - The concentrated form of BaquaSpa Oxidizer should not be allowed to come into contact with any other chemicals. DO NOT MIX BAQUASPA OXIDIZER AND OTHER PRODUCTS TOGETHER, SINCE A CHEMICAL REACTION PRODUCING HEAT AND GASES MAY OCCUR. BaquaSpa Oxidizer

can cause eye burns. Repeated or prolonged skin contact can cause irritation or burns. BaquaSpa Oxidizer is harmful if swallowed. Effects may be delayed. Do not get in eyes, on skin, or on clothing. Wear safety goggles and rubber gloves when handling the concentrated product. Do not swallow. Avoid contact with combustible material. Spilling of this material on clothing or combustible material may result in combustion. Avoid breathing vapor or mist. Use with adequate ventilation. Wash thoroughly after handling.

### [Bromine-Free, Chlorine-Free BaquaSpa® Waterline Control]

Contains:	CAS No.
Bis (hydrogenated tallow alkyl) dimethyl quaternary chlorides	61789-80-8
Bis (hydrogenated alkyl methyl amines) hydrochloride	61788-63-4
Isopropyl Alcohol	67-63-0

#### CAUTION: KEEP OUT OF REACH OF CHILDREN.

May be injurious to skin, eyes, and mucous membranes. See inside panel for additional precautionary statements and first aid treatment.

### WATERLINE CONTROL

Patent # 5,668,084

## PRECAUTIONARY STATEMENTS CAUTION

### KEEP OUT OF REACH OF CHILDREN

MAY BE INJURIOUS TO SKIN, EYES, AND MUCOUS MEMBRANES. DO NOT MIX CHEMICALS!

[BAQUACIL] [BaquaSpa] [brand] is a registered trademark of Arch UK Biocides Limited.

Arch Chemicals, Inc., Smyrna, GA 30080

© 2004, Arch Chemicals, Inc.

For more information, visit our website at [www.baquacilultra.com] [www.baquaspa.com] [website] For product support, call 1-877-929-7945.