

1258-1279

10/15/2004

110

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

October 15, 2004

Robert W. Gruber
Regulatory Manager
Arch Chemicals, Inc.
501 Merritt 7
Norwalk, CT 06856

Subject: Pool Breeze Pool Care System Shock 25
EPA Registration No. 1258-1279
Application Date: September 9, 2004
Receipt Date: September 20, 2004

Dear Mr. Gruber:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- removal of company warranty statement
- change EPA Reg. No. from Avecia to Arch chemicals
- change name, address, trademark ownership, phone number from Avecia to Arch Chemicals

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Mitchell
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510C)

| CONCURRENCES | | | | | | | |
|--------------|----------|----------|--|--|--|--|--|
| SYMBOL | 7510C | 7510C | | | | | |
| SURNAME | E. Berg | Mitchell | | | | | |
| DATE | 10/15/04 | 10-15-04 | | | | | |



Arch
Chemicals

Arch Chemicals, Inc.
1955 Lake Park Drive
Suite 250

Smyrna, GA 30080
770.805.3214 • Fax: 770.805.3241

September 9, 2004

Document Processing Desk

NOTIF
Office of Pesticide Programs (7510C)
U.S. Environmental Protection Agency
1200 Pennsylvania Ave. NW
Washington, D.C. 20460

Subject: Notification for minor label changes

EPA File Symbol: 1258-1279

This notification is to make minor label changes resulting from the recent transfer of pesticide registrations from Number 72674 (Avecia) to Number 1258 (Arch Chemicals). The labels have been modified to include:

1. Removal of the warranty statement, which read:

NOTICE TO BUYER AND USER – LIMITED WARRANTY FROM AVECIA INC. (“Avecia.”)
warrants that this product conforms to the chemical description on the label, and that it is reasonably fit for the purposes stated on the label when used in accordance with Avecia’s instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES IS LIMITED TO ONE YEAR.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to alter the terms of Avecia’s warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAQUACIL, Wilmington, DE 19850. This warranty gives you specific legal rights and you may have other rights which vary from state to state.

2. Change EPA registration number from Avecia to Arch.

3. Change name, address, trademark ownership and phone number from Avecia to Arch.

Pool Breeze® pool care system

shock 35

lithium hypochlorite shock treatment

Active Ingredient:

Lithium Hypochlorite.....29%*

Inert Ingredients71%

Total100%

*Contains 35% available chlorine

KEEP OUT OF REACH OF CHILDREN.

DANGER



POISON

See first aid and additional precautionary statements on back panel.

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

MEDICAL EMERGENCY INFORMATION CENTER 1-800-654-6911

Have the product or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

Net Wt. 1 lb.

EPA REG. NO. 1278-1279

EPA Est. No. 52270-GA-01

PRECAUTIONARY STATEMENTS

DANGER

FATAL IF INHALED. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. DO NOT BREATHE DUST. WEAR GOGGLES OR FACE SHIELD. FOR HANDLING ACTIVITIES, USE DUST/MIST FILTERING RESPIRATOR (MSHA/NIOSH APPROVAL NUMBER PREFIX TC-21C). WEAR PROTECTIVE CLOTHING AND RUBBER GLOVES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, OR USING TOBACCO. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE.

6/10

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Do not contaminate water, food or feed by storage or disposal. For container disposal: triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INFORMATION ON SPILLS, CALL 1-800-654-6911.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO MAINTAIN PROPER CHLORINE RESIDUAL

For optimum results, the pH of the swimming pool water should be maintained between 7.2 and 7.6. A Chlorine stabilizer (cyanuric acid) should also be used to prevent extreme fluctuations in the chlorine level. To satisfy the chlorine demand of the water, use repeated dosages of this product of 1/3 cup (2.7 oz. by wt.) for each 5,000 gallons of water as necessary. One ounce of product by weight per 5,000 gallons of water will apply approximately 0.5 ppm available chlorine residual. To maintain a desired level of 1.0 to 1.5 ppm of chlorine residual, add 1/3 cup of product for each 5,000 gallons of water daily or as needed. Once every 10 days or two weeks the pool water should be shocked with this product to prevent the development of resistant species of algae. Use a test strip for chlorine and pH control.

SHOCK TREATMENT

Utilizing your test kit, adjust pH of pool water to 7.2- 7.6. Use 1 pound of product (approx. 2 cups) for each 10,000 gallons of water in the evening when the pool will not be used for a minimum of 12 hours. Test the chlorine residual and if above 2.0 ppm do not allow swimming until residual has decreased.

Pool Breeze is a registered trademark of Arch Chemicals, Inc.

Arch Chemicals, Inc.
501 Merritt 7
P.O. Box 5204
Norwalk, CT 06856-5204

Made in U.S.A.