

1258-1286

12/14/2005

1/10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DEC 14 2005

Arch Chemicals, Inc.
1955 Lake Park Drive
Smyrna, GA 30080

Attn: Mark Burt
Regulatory Manager


Subject: Densil DG 45 Fungicide
EPA File Symbol 1258-1286
Your Notification Dated November 10, 2005

This will acknowledge receipt of your notification to correct typographical errors in the First Aid section and add some advisory statements to the above labeling, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely



Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

3.4
Arch Chemicals, Inc.

1955 Lake Park Drive
Suite 100
Smyrna, GA 30080
Tel: 770.801.6600

2/10



Via UPS

November 10, 2005

Mr. Marshall Swindell
Product Manager 33
Office of Pesticide Programs (7504C)
C/O Document Processing Desk (NOTIF)
U.S. Environmental Protection Agency
Room 266 A
Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202-4501

Subject: Densil DG45 Fungicide
 - EPA Reg. No. 1258-1286
 - Notification

Dear Mr. Swindell:

Arch Chemicals, Inc. would like to correct some typographical errors and add some advisory statements to the Densil DG 45 labeling. We believe that these changes can be accomplished by notification. The subject of the notification is as follows:

Notification to: On the container label, use the phrase 'first aid' instead of 'statement of practical treatment'; add statement 'have the product container or label with you when calling a poison control center or doctor, or going for treatment'; add 'DENSIL is a registered trademark of Arch UK Biocides Ltd.'; add advisory statements, 'for information on spills, call 1-800-654-6911'; Label Ref.; 'Made in UK - Lot Number: See Attached Label'; 'Rev Date'; On the Technical Information Bulletin, to reflect proper use of the trade name, add the word 'Fungicide' wherever DENSIL DG 45 is mentioned; add phrase 'Visit Our Website'; add phrases, 'Use biocides safely....', 'Some Arch biocides may not be registered for certain uses in your country', and 'SAFE HANDLING INFORMATION Refer to the Material Safety Data Sheet...', and to add the address for Arch's technical information center.

In support of this notification, enclosed is a completed notification form (EPA Form 8570-1), two copies of the product labeling with the additions highlighted in yellow, and

Arch Chemicals, Inc.

1955 Lake Park Drive

Suite 100

Smyrna, GA 30080

Tel: 770.801.6600

3/10



a PR Notice 98-10 Certification Statement. Thank you for your cooperation. Please contact me at the above address, by phone at 770-803-2526, or by e-mail at meburt@archchemicals.com if there are any questions.

Sincerely,

Mark E. Burt, Ph.D.

Regulatory Manager

1. Company/Product Number 1258-1286	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="checked" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Densil DG 45 Fungicide	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) Arch Chemicals, Inc. 1955 Lake Park Drive Smyrna, GA 30080 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/>	Amendment - Explain below.	<input type="checkbox"/>	Final printed labels in response to Agency letter dated _____
<input type="checkbox"/>	Resubmission in response to Agency letter dated _____	<input type="checkbox"/>	"Me Too" Application.
<input checked="" type="checkbox"/>	Notification - Explain below.	<input type="checkbox"/>	Other - Explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification to: On the container label, use the phrase 'first aid' instead of 'statement of practical treatment'; add statement 'have the product container or label with you when calling a poison control center or doctor, or going for treatment'; add 'DENSIL is a registered trademark of Arch UK Biocides Ltd.'; add advisory statements, 'for information on spills, call 1-800-654-6911'; Label Ref.: 'Made in UK - Lot Number: See Attached Label'; Rev Date: On the Technical Information Bulletin, to reflect proper use of the trade name, add the word 'Fungicide' wherever DENSIL DG 45 is mentioned; add phrase 'Visit Our Website'; add phrases, 'Use biocides safely....', 'Some Arch biocides may not be registered for certain uses in your country', and 'SAFE HANDLING INFORMATION Refer to the Material Safety Data Sheet....', and to add the address for Arch's technical information center.

Section - III

1. Material This Product Will Be Packaged In:					2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container		
3. Location of Net Contents Information		4. Size(s) Retail Container			5. Location of Label Directions	
<input type="checkbox"/> Label <input type="checkbox"/> Container					<input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____				

Section - IV

1. Contact Point <i>(Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)</i>			
Name Mark E. Burt		Title Regulatory Manager	
		Telephone No. (Include Area Code) (770) 803-2526	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Data Application Received (Stamped)
2. Signature 		3. Title Regulatory Manager	
4. Typed Name Mark E. Burt		5. Date 11/10/05	

5/10

PR Notice 98-10 Certification Statement

Product: Densil DG 45 Fungicide

EPA Reg. No.: 1258-1286


Registrant: Arch Chemicals, Inc.

Notification to: On the container label, use the phrase 'first aid' instead of 'statement of practical treatment'; add statement 'have the product container or label with you when calling a poison control center or doctor, or going for treatment'; add 'DENSIL is a registered trademark of Arch UK Biocides Ltd.'; add advisory statements, 'for information on spills, call 1-800-654-6911'; Label Ref.; 'Made in UK - Lot Number: See Attached Label'; 'Rev Date'; On the Technical Information Bulletin, to reflect proper use of the trade name, add the word 'Fungicide' wherever DENSIL DG 45 is mentioned; add phrase 'Visit Our Website'; add phrases, 'Use biocides safely....', 'Some Arch biocides may not be registered for certain uses in your country', and 'SAFE HANDLING INFORMATION Refer to the Material Safety Data Sheet...'; and to add the address for Arch's technical information center.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Company Agent: M.E. Burt

Signature:



Title: Regulatory Manager

Date: 11/10/05

DENSIL® DG45 Fungicide

FOR THE PRESERVATION OF METALWORKING FLUIDS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER

CORROSIVE. CAUSES EYE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. MAY BE FATAL IF INHALED. DO NOT BREATHE VAPORS OR SPRAY MIST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING, OR USING TOBACCO. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. MAY CAUSE ALLERGIC SKIN REACTION.

ENVIRONMENTAL HAZARDS:

THIS PRODUCT IS TOXIC TO FISH. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS OR OTHER WATERS UNLESS IN ACCORDANCE WITH THE REQUIREMENTS OF A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT AND THE PERMITTING AUTHORITY HAS BEEN NOTIFIED IN WRITING PRIOR TO THE DISCHARGE. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE LOCAL SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

E.P.A. REG NO. 1258-1286

E.P.A. EST NO. 74637-GBR-001

MADE IN UK - LOT NUMBER: SEE ATTACHED LABEL

CONTENTS: 55LBS. NET MINIMUM (25kg)
(APPROX. 7 U.S. GALLONS)

MANUFACTURED BY: ARCH CHEMICALS, INC
501 MERRITT 7
NORWALK, CT 06856, USA



Rev Date: 1 NOV 05 Product Code: 45421

ACTIVE INGREDIENT:

N-BUTYL-1,2-BENZISOTHAZOLIN-3-ONE.....45%

INERT INGREDIENTS:.....55%

TOTAL.....100%

KEEP OUT OF REACH OF CHILDREN.

DANGER

FIRST AID

IF IN EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER. AFTER INITIAL FLUSHING, REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING FOR AT LEAST 15 MINUTES. HAVE EYES EXAMINED AND TREATED BY MEDICAL PERSONNEL.

IF SWALLOWED: DO NOT INDUCE VOMITING. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. REFER VICTIM TO MEDICAL PERSONNEL.

IF ON SKIN: IMMEDIATELY WASH MATERIAL OFF SKIN WITH SOAP AND PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. WASH CONTAMINATED CLOTHING AND DECONTAMINATE FOOTWEAR BEFORE USE.

Medical Emergency Information Center
1-800-654-6911

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

NOTE TO PHYSICIAN: POSSIBLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE FOLLOWING INGESTION.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS
ON SIDE PANEL

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. SEE TECHNICAL INFORMATION BULLETIN FOR DIRECTIONS FOR USE.

PRECAUTIONARY STATEMENTS ON THE OPERATION OF METALWORKING EQUIPMENT WITH MWF CONTAINING DENSIL DG45: FOR USE ONLY IN CLOSED METALWORKING AND DELIVERY SYSTEMS ONLY. DO NOT PERMIT CONTACT WITH MIXER/LOADERS OR MACHINISTS. DENSIL DG45 MAY BE USED ONLY IN ENCLOSED METALWORKING SYSTEMS WITH LOCAL EXHAUST VENTILATION.

DENSIL DG45 MAY NOT BE USED TO PRESERVE METALWORKING FLUIDS INTENDED FOR USE IN MACHINING OPERATIONS WHICH ARE NOT ENCLOSED, EVEN WHEN SUCH OPERATIONS DO NOT GENERATE SIGNIFICANT MWF AEROSOL. IN CASES WHERE A CENTRAL SUMP IS USED, DENSIL DG45 MAY NOT BE USED AS A POST ADDITIVE TREATMENT FOR THE METALWORKING FLUID UNLESS ALL MACHINING OPERATIONS USING THIS FLUID ARE ENCLOSED, EVEN WHEN THE UNENCLOSED EQUIPMENT IS NOT ACTIVELY IN USE. DO NOT USE THIS PRODUCT TO TREAT METALWORKING FLUIDS THAT WILL BE RESOLD FOR USE IN NON-CLOSED METAL CUTTING SYSTEMS.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE STORAGE:

PROTECT FROM FROST. IF FROZEN, THAW AND STIR WELL BEFORE USE.

PESTICIDE DISPOSAL:

PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE SPRAY, MIXTURE OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE.

CONTAINER DISPOSAL:

TRIPLE RINSE (OR EQUIVALENT) THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.

FOR INFORMATION ON SPILLS.

CALL 1-800-654-6911

CHEMICAL EMERGENCY RESPONSE CENTER

CALL 1-800-654-6911

Label Ref: EPADG4525

DENSIL is a registered trademark of Arch UK Biocides Ltd.

6/16



DENSIL® DG 45 Fungicide

TECHNICAL
INFORMATION BULLETIN

SUMMARY

DENSIL® DG 45 Fungicide is an efficient fungicide for aqueous compositions such as metal cutting, metal lubricating, metal cooling, metal cleaning and metalworking fluids. **DENSIL** DG45 is based on the active agent, N-butyl-1,2-benzisothiazolin-3-one.

DENSIL DG 45 Fungicide is registered with the Environmental Protection Agency and has been granted EPA registration No. 1258-1286.

DENSIL DG 45 Fungicide is to be used only in enclosed metalworking systems with local exhaust ventilation. See the directions for use section for additional precautionary statements on the operation of metalworking equipment with metalworking fluid containing **DENSIL** DG 45 Fungicide.

Enclosed metalworking systems are defined as systems in which the metalworking machine or process is enclosed by a box or housing. Openings in the enclosure are limited to the minimum required to allow for part entry egress, maintenance, or utility access. The enclosure is provided with exhaust ventilation with the replacement air entering through the openings designed into the enclosure.

The enclosure of the machine or process is designed to surround the machining operation such that when MWF aerosol is emitted from the machining operation, it is already contained within the enclosure, thereby isolating the operation from the employee and the workplace. The aerosol is prevented from release at required enclosure openings by an inward flow of air generated by a slight negative pressure. Negative pressure is produced by extraction of air from the enclosure via a local exhaust ventilation system.

PRECAUTIONARY STATEMENTS FOR MAINTENANCE OF METALWORKING EQUIPMENT

DENSIL DG 45 Fungicide may be used only in enclosed metalworking systems with local exhaust ventilation. During operation of the MWF system, the enclosure provides a barrier between workers and MWF aerosols generated by the machining operation. However, during maintenance of enclosed metalworking systems, maintenance personnel may be required to open or enter the enclosure. To avoid the exposure of maintenance workers to MWF aerosol, the machining operations must be shut down prior to the start of maintenance.

Where there is potential for maintenance workers to come into contact with metalworking fluid containing **DENSIL** DG45 Fungicide, or potential for contact with fluid residues on machine parts, appropriate PPE should be worn. At minimum, maintenance employees should wear gloves and protective workwear designed to protect their skin from contact with bulk metalworking fluid or with fluid residues. Eye protection such as goggles and face shields should be worn to guard against splashing when the metalworking fluid volumes are significant enough to represent a splash risk.

INTRODUCTION

Microorganisms can be detrimental to water based metalworking fluids and it is common practice to add antimicrobials or biocides to these fluids. The biocide serves to keep microbial populations in the metalworking fluid static over time, or even serves to reduce or eliminate an established microbial population.

DENSIL DG 45 Fungicide is an efficient biocide for metalworking fluids. It exhibits both excellent fungistatic and fungicidal activity. The active ingredient in **DENSIL** DG 45 Fungicide is highly efficient against a wide variety of yeasts and fungi. It is also effective against many of the bacterial species commonly found in metalworking systems. However, the degree of bacterial control will depend on the dosage of **DENSIL** DG 45 Fungicide used, and may also vary from system to system.



DENSIL® DG 45 Fungicide

TECHNICAL
INFORMATION BULLETIN

BACKGROUND

Water based metalworking fluids are commonly classified into three general categories. These include emulsifiable or soluble oil fluids, semi-synthetic fluids, and synthetic fluids. While the type of metalworking fluid may influence to some extent the type and degree of microbial susceptibility, all types of water based metalworking fluids are susceptible to some form of microbial attack. Bacteria, yeast, molds and fungi are all potential contaminants. The unchecked growth of these organisms can lead to the failure of metalworking systems. Dispersed organisms such as bacteria and yeast can degrade the usability of the metalworking fluid itself. For example, the metabolic activity of these organisms may cause the pH of a metalworking fluid to decrease. This can have deleterious effects on the fluid's performance. Other potential effects of bacteria and yeast include the production of undesirable odors and colors. These organisms can also be associated with corrosion. At high population levels, bacteria and yeast may degrade fluid components to such an extent that separation of the fluid may occur. Unlike bacteria and yeast, fungi are generally not uniformly dispersed in the metalworking fluid. Fungi often accumulate on solid surfaces, especially those that are exposed to both metalworking fluid and air. These organisms tend to grow as filamentous masses; these masses may attain sufficient size to be visible to the naked eye. The presence of these fungal masses can cause severe problems in a metalworking system, such as clogging of lines and filters. Heavy fungal contamination may require a system shutdown so that mechanical and chemical treatments can be used to remove the fungal masses. Lost production time and used fluid disposal costs can be very expensive. Lastly, even though fungi grow more slowly than bacteria and yeast, they are also capable of degrading fluid components.

PROPERTIES OF DENSIL DG 45 FUNGICIDE

<i>Composition</i>	A solution of N-butyl-1,2-benzisothiazolin-3-one in propylene glycol
<i>Physical Form and Appearance</i>	Brown liquid
<i>Odor</i>	Mild or none
<i>Viscosity (22°C)</i>	1000-2000
<i>Specific Gravity (22°C)</i>	1.088 gm/ml (approx)

DENSIL DG 45 Fungicide is supplied as a liquid, with a concentration of 45 percent active ingredient in propylene glycol. The active ingredient exhibits good compatibility with a wide variety of common metalworking fluid ingredients. However, as with any biocide, an assessment of the compatibility of DENSIL DG 45 Fungicide with the metalworking fluid is recommended prior to use. This is especially important when DENSIL DG 45 Fungicide is being incorporated into a metalworking fluid concentrate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labelling.

PRECAUTIONARY STATEMENTS ON THE OPERATION OF METALWORKING EQUIPMENT WITH MWF CONTAINING DENSIL DG 45 FUNGICIDE

For use only in closed metalworking and delivery systems only. Do not permit contact with mixer/loaders or machinists. DENSIL DG 45 Fungicide may be used only in enclosed metalworking systems with local exhaust ventilation.

DENSIL DG 45 Fungicide may NOT be used to preserve metalworking fluids intended for use in machining operations which are not enclosed, even when such operations do not generate significant MWF aerosol. In cases where a central sump is used, DENSIL DG45 fungicide may NOT be used as a post additive treatment for the metalworking fluid unless all machining operations using this fluid are enclosed, even when the unenclosed equipment is not actively in use.

Do not use this product to treat metalworking fluids that will be resold for use in non-closed metal cutting systems.



DENSIL® DG 45 Fungicide

TECHNICAL
INFORMATION BULLETIN

DENSIL DG 45 Fungicide is an effective fungicide in most aqueous metalworking fluids. Typical applications, and the suggested range of concentrations on which trials can be based, are:

FLUID CONCENTRATE

DENSIL DG 45 Fungicide should be added to metalworking fluid concentrates at a level that ensures the final use dilution fluid will contain 55 to 445 ppm of product (25 to 200 ppm active agent).

USE DILUTION FLUID

Note that grossly contaminated systems may require mechanical removal of fungal masses, and cleaning of the system before biocide treatment is begun.

Initial Dose: For a noticeably fouled system, add 0.47 to 3.94 lbs. (7 to 55.6 fl. oz.) of **DENSIL DG 45 Fungicide** per 1000 gallons of fluid. This will generate a concentration of 25 to 200 ppm active agent.

Subsequent Dose: For maintenance of a clean system, add 0.09 to 0.58 lbs. (1.3 to 8.6 fl. oz.) of **DENSIL DG 45 Fungicide** per 1000 gallons of fluid on a periodic basis to maintain microbial control. This quantity will generate a fungicide concentration of 5 to 30 ppm active agent. The frequency of maintenance dosing will be effected by the amount of fluid lost to drag out and other displacements, but also by the severity of the contamination, by the system design, by the effectiveness of system filtration, and by other system variables.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed or absorbed through the skin. May be fatal if inhaled. Wash thoroughly after handling and before eating, drinking, or using tobacco. Remove and wash contaminated clothing before reuse. May cause allergic skin reactions.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and treated by medical personnel.

If on skin: Immediately wash material off skin with soap and plenty of water. If irritation persists, get medical attention. Wash contaminated clothing and decontaminate footwear before reuse.

If swallowed: Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Refer victim to medical personnel.

Note to Physician

Possible mucosal damage may contraindicate the use of gastric lavage following ingestion.



DENSIL® DG 45 Fungicide

TECHNICAL
INFORMATION BULLETIN

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your local State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE

Protect from frost. If frozen, allow to thaw and stir well before use.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SAFE HANDLING INFORMATION

Refer to the Material safety Data Sheet (MSDS) available from Arch Biocides for information on the safe use, handling and disposal of this product.

For literature, sample and order information, please contact our Customer Service office: 800-344-9168.

VISIT OUR WEBSITE

For additional information about this product, or other Arch Chemicals products, visit our website at:

www.archbiocides.com

DENSIL® is a trademark of Arch UK Biocides Ltd., a subsidiary of Arch Chemicals, Inc.

* Use biocides safely. Always read the label and product information before use.

† Some Arch biocides may not be registered for certain uses in your country.

SAFE HANDLING INFORMATION

Refer to the Material Safety Data Sheet (MSDS) available from Arch Chemicals, Inc. for information on the safe use, handling and disposal of this product.

FOR YOUR PROTECTION

Arch Chemicals, Inc. ("Arch") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with Arch's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Arch, and the buyer or user assumes the risk of any such use. ARCH DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY. Statements herein, therefore, should not be construed as representation or warranties.

Arch® Biocides

1955 Lake Park Drive, Suite 100, Smyrna, GA 30080

Phone: 800-523-7391 Fax: 866-705-0465

www.archbiocides.com

©2005 Arch Chemicals, Inc.
0-00622-R