

(Center Panel)

PROXEL® BN Preservative

For Industrial Use Only as a Preservative for Aqueous Compositions

Active Ingredient:

1,2-benzisothiazolin-3-one:.....13.50%

2-bromo-2-nitro-1,3-propanediol.....6.5%

Inert Ingredients:.....80.0%**Total Ingredients:**.....100.0%**KEEP OUT OF REACH OF CHILDREN****DANGER****FIRST AID:**

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN or CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

For additional information in case of emergency call toll free 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor or going for treatment.


NOTE TO PHYSICIAN: Possible mucosal damage may contraindicate the use of gastric lavage following ingestion

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

Contents: 7 (Approx) US Gallons
55 Lbs Net Minimum (25 kg)

EPA Reg. No. 1258-1290

EPA Est. No. 44616-MO-2



276

Manufactured for: Arch Chemicals, Inc.
501 Merritt 7
Norwalk, CT 06856


Made in: USA

Rev date: 24 Jan 06

Lot Number: See attached label

Product Code: 48160

PROXEL is a registered trademark of Arch UK Biocides Ltd



(Left Panel)


PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Harmful if inhaled. Avoid breathing vapor. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.



(Right Panel)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Recommendations: The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required. For protection against bacterial attack, a concentration within the range of 0.5 – 5.0 gallons of Proxel BN Preservative per 1000 gallons of preserved product (0.05-0.50%) is almost invariably sufficient.

PROXEL BN Preservative, at a dosage range of 0.5 – 3.5 gallons of Proxel BN Preservative per 1000 gallons of preserved product (0.05 – 0.35%), is an efficient preservative for the protection of industrial water based products such as; emulsion polymer latices, paints & stains, aqueous mineral slurries, pigment slurries, water based inks, and the processing water used to make these products.

PROXEL BN Preservative, at a dosage range of 0.5 – 1.5 gallons of Proxel BN Preservative per 1000 gallons of preserved product (0.05 – 0.15%), is an efficient preservative for the protection of industrial water based products such as; adhesives, paper coating compositions such as starch, latex and extender slurries such as kaolin, calcium carbonate and titanium dioxide preparations, and the processing water used to make these products.

PROXEL BN Preservative, at a dosage range of 0.5 – 5.8 gallons of Proxel BN Preservative per 1000 gallons of preserved product (0.05 – 0.58%), is an efficient preservative for the protection of pesticide formulations.

Proxel BN Preservative is exempt from tolerance under 40 CFR 180.910 and 40 CFR 180.920; materials exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops. Based on the current 40 CFR 180.920 limits of 0.04% bronopol and 40 CFR 180.920 limits of 0.1% BIT in formulations, use levels up to 0.58% (5,800 ppm) Proxel BN Preservative, are allowed.


STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE:


Protect from frost. If frozen, thaw and stir well before use.

PESTICIDE DISPOSAL:



576

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray, mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office.



6 8 6

CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For information on spills, call 1-800-654-6911.

Label Ref EPABN25

