

1258-1340

01-05-2012

1  
9U.S. ENVIRONMENTAL PROTECTION  
AGENCYOffice of Pesticide Programs  
Antimicrobials Division (7510P)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

## NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

1258-1340

Date of Issuance:

JAN - 5 2012

Term of Issuance:

Unconditional

Name of Pesticide Product:

Omacide IPBC Wet Cake  
Industrial Fungicide

Name and Address of Registrant (include ZIP Code):

Lonza, Inc  
6550 New Northside Drive  
Atlanta, GA 30328

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product (OPP Decision No. D-450875) is unconditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the following labeling changes listed below before you release the product for shipment:
  - a. Revise the "EPA Registration Symbol to read, "EPA Reg. No. 1258-1340".
  - b. Revise the last statement under the "Precautionary Statements" to read "Remove and wash contaminated clothing before reuse."
  - c. Revise the "User Safety Recommendations" heading to read "User Safety Requirements."

Signature of Approving Official:

  
Jacqueline Campbell, Product Manager (Team 34)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Date:

JAN - 5 2012

- d. Since coveralls are being utilized for personal protective equipment, you must add the statement, *"Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them,"* as the fourth statement under "User Safety Requirements."
- e. Revise the "User Should" heading to read *"User Safety Instructions."* Immediately following the heading state *"Users Must."*
- f. The "First Aid" Statements must be organized so that the most severe routes of exposure, as demonstrated by the toxicity classification, are listed first. Therefore, reorganize the states to reflect the following:

If in Eyes...  
 If Inhaled...  
 If Swallowed....  
 If on Skin or Clothing....

- g. The Container Rule provides guidance on how to clean the container prior to its disposal in which rinsate instructions are required based on the container size. Therefore, the label should not support two separate Pesticide Disposal Instructions providing guidance on how to rinse the container.
  - i. Delete the "Pesticide Disposal" Instructions on page 3
  - ii. Place the "Triple rinse instructions" for containers  $\geq 5$  gallons and containers  $< 5$  gallons under the "Container Disposal" section
- h. The "Directions for Use" are not in compliance with PR Notice 2000-5, Mandatory Labeling and must be revised as follows:
  - i. Delete the term, "should", and state *"must."*
  - ii. Delete the term, recommended, from the "Non-medical, non-food contact aqueous solvent and non-solvent based systems" and "Wood Preservation" directions.
  - iii. Revise the 2<sup>nd</sup> statement under "Inks" to read *"This product must be added at the end of the product cycle with good agitation."*
  - iv. Revise the 6<sup>th</sup> statement in the 5<sup>th</sup> paragraph under Wood Preservation to read *"Concentrations up to 1.069% may be used depending upon...."*

3. Submit a 1 year Storage Stability and Corrosion Characteristic Study in accordance with OPPTS 830.6317 and 830.6320 guidelines in a year from the date of this registration notice.


4. A stamped label with conditions is enclosed for your records. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

Should you have any questions regarding this letter, please contact Jacqueline Campbell-McFarlane at (703) 308-6416 or Glen McLeod at (703) 347-0181 or [mcleod.glen@epa.gov](mailto:mcleod.glen@epa.gov).

Sincerely,



Jacqueline Campbell  
Product Manager (34)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Enclosure: Stamped Label  
Chemistry Data Evaluation

CONCURRENCES

SYMBOL							
SURNAME							
DATE							



# OMACIDE® IPBC WET CAKE Industrial Fungicide

## ACTIVE INGREDIENT:

3-Iodo-2-propynylbutylcarbamate... 90.5%  
Inert Ingredients..... 9.5%  
Total..... 100%

EPA Reg. No. 1258-XXXX

EPA Est. No. 1258-NY-3

**KEEP OUT OF REACH OF CHILDREN**

## DANGER

SEE FIRST AID & ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

## MANUFACTURED FOR:

Arch Chemicals Inc.  
5660 New Northside Drive  
Atlanta, GA 30328

Made in the USA.

Omacide® is a registered trademark of Arch Chemicals Inc.

Net Weight (25, 50, 100, 2200 Lbs.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
JAN - 5 2012

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 1258-1340

## PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**DANGER:** Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust. Remove clothing and wash clothing before reuse.

**APPLICATORS AND OTHER HANDLERS MUST WEAR:** Goggles or face shield, coveralls worn over long sleeve shirt and long pants, chemical resistant gloves (such as Barrier Laminate, Butyl Rubber, Neoprene Rubber, Nitrile Rubber) and shoes plus socks, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, or HE prefilter. Wash thoroughly with soap and water after handling.

## USER SAFETY RECOMMENDATIONS:

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## USERS SHOULD:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

516

### FIRST AID:

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep container tightly closed when not in use. Do not reuse container. Do not store with strong oxidizing agents or strong (concentrated) acids.

**PESTICIDE DISPOSAL:** ~~(For containers > 5 gallons)~~ Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

**PESTICIDE DISPOSAL:** [For containers - 5 gallons] Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

**FOR USE AS A DRY FILM PAINT PRESERVATIVE:**

This product inhibits the growth of mildew in solvent based paints and waterborne paints, stains and latex emulsions. For best results, it ~~should~~ be poured from the container and solubilized in a suitable solvent prior to adding to the paint. Addition ~~should~~ be at the end of the manufacturing process and allowed to mix long enough to be adequately dispersed. Typical levels for protection against mildew on painted surfaces are 0.1-0.53 % by weight on wet paint. For example, a house paint with a wet density of 10 lbs./gallon would use 1-5.3 lbs. of this product per 100 gallons of wet paint. Where the climate is severe and mildew growth is a major problem for painted surfaces, more would be required, as much as 0.85 % by weight on wet paint.

**TO INHIBIT THE GROWTH OF FUNGI IN AQUEOUS METALWORKING, CUTTING, COOLING & LUBRICATING CONCENTRATES:** add, by pouring from the container, an amount that will give up to 1000 ppm in the diluted fluid. The amount required in the concentrate will depend on the end use dilution. For example: If the desired level of this product in the diluted fluid is 100 ppm, and the end use dilution of the fluid is 5%, then a 0.2% concentration of this product is required in the concentrate ( $100 \text{ ppm} / 0.05 = 2,000 \text{ ppm}$  or 0.2%).

**TO INHIBIT THE GROWTH OF FUNGI IN AQUEOUS METALWORKING, CUTTING, & LUBRICATING FLUIDS:** add, by pouring from the container, up to 1000 parts per million (0.1% w/w) of this product to the diluted fluid (1.0 lbs. per 1000 lbs. of solution or approximately 0.8 lbs. per 100 gallons of solution or 1.0 kg per 1000 kg). this product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. if it is added to the reservoir, the fluid should be circulated after addition to ensure mixing.



**For use as a fungicide in non-medical, non-food contact aqueous, solvent and non-solvent based systems such as natural and synthetic adhesives, caulks, patching compounds, sealants, grouts, latexes such as SBR/latex used in the manufacture of flooring adhesives or carpet backings.** This product can be used as an additive to non-medical, non-food use natural and synthetic adhesives, caulks, patching compounds, sealants, grouts, lattices such as SBR/latex flooring adhesives or carpet backings to prevent the growth of fungi, molds and mildews in the material both in the wet state and in the dry film of the finished product.

~~Recommended~~ use levels are between 0.02 - 0.26% wet formulation weight. This product ~~should~~ be added toward the end of the production cycle with good agitation to ensure a uniform distribution is achieved. For example to inhibit the growth of mildew on a latex-based wall cover adhesive intended for a non-food area add 0.2% (2 lbs. of this product /1000 lbs. of latex-based adhesive formulation) of this product to the latex-based formulation.

**PLASTICS AND PLASTIC COATINGS:** This product may be used in to prevent surface mildew growth on plastic items such as shower curtains, cable and wire insulation, sun umbrellas, polymer furniture, filter medias, polymer components of carpet, etc. Intended plastics include polymers such as PVC, polyurethanes, elastomers and rubbers, neoprene, styrene compounds, polyolefins etc. Use levels of 0.05 - 1.0% by weight of the plastic are generally adequate. This product ~~should~~ be dispersed in the plasticizer or color concentrate before it is incorporated into the resin to ensure a uniform distribution. Use of this product is not recommended if the heat of processing is above 350°F for prolonged periods, nor ~~should~~ it be used in a plastic that will be in contact with food or medical device applications.

For example to inhibit the growth of mildew on a plastic such as polyurethane boat seat cushion intended for a non-food area add 0.5% (5 lbs. of this product/1000 lbs. of polyurethane formulation) of this product to the polyurethane formulation.

**TEXTILES:** This product may be used as a mildewcide applied in both aqueous and solvent based coatings or dyes which are typical to the textile material processing. Typical end use applications of these materials can be: carpet fibers and backings, canvas and cordage, drapes, shower curtains, etc. Not to be used in fabrics for human wear or direct skin contact. Product ~~should~~ be solubilized or stirred in the dye bath or polymer coating pan to minimize mechanical losses and ensure a uniform distribution of the product. Use levels in the range of 0.02-1% by weight of the total processing formulation are typically adequate to prevent fungal growth. For example to inhibit the growth of mildew on cotton canvas intended for a non-food area add 0.5% (5 lbs. of this product/1000 lbs. of dye bath) of this product to the dye bath formulation.

**PAPER COATINGS:** This product may be used as a mildewcide in both aqueous and solvent based coatings which are applied to paper and cardboard substrates. This product can be used to prevent mold and mildew from growing on products such as: corrugated cardboard or soap wrappers, wallcovers, and non-food contact packaging materials, and non food contact paper tapes. Use levels of this product range from 0.02 - 0.75% of this product by weight. This product ~~should~~ be added at the end of the production cycle and with good agitation to prevent possible mechanical losses and ensure a uniform distribution. For example, to inhibit the growth of mildew on corrugated cardboard intended for non-food packaging, add 0.5% (5 lbs. of this product/1000 of coating material).

**CANVAS AND CORDAGE:** This product may be used as a mildewcide in both aqueous and solvent based process formulations which coat canvas and cordage. Typical use levels of this product will range from 0.02- 1% of the process formulations used in the process of these canvases and cordages. This product ~~should~~ be added at the end of the production cycle to the process formulation with good agitation to prevent possible mechanical losses and ensure a uniform distribution. For example to inhibit the growth of mildew on cotton canvas intended for a non-food area add 0.5% (5 lbs. of this product/1000 lbs. of process formulation) to the process formulation.

8  
9

**INKS:** This product may be used in aqueous based ink solutions for protection of these solutions against attack of fungal organisms. It is ~~recommended~~ that this product be added at the end of the product cycle with good agitation. This product will generally impart protection when used at levels of .05 - 3% based on the formula weight.

**Wood Preservation:** This product is a white powder, non-metallic compound designed for use as a wood preservative for use in above ground applications. ~~All recommendations of~~ use levels are in percentage by weight, and refer to this product. Dosage ranges are given for the various applications to indicate the approximate levels for a particular application. Exact levels of use ~~should~~ be determined by field trials.

For best results this product ~~should~~ be solubilized in a suitable solvent or made into an aqueous dispersions and then applied to new lumber, plywood, particle board, millwork, etc., to prevent the growth of mildew, sapstain and wood rot on these substrates. This product is ~~recommended~~ for use on wood in above ground use only. Treating solutions may be prepared by dissolving this product in alcohols or aromatic solvents or by dispersion in water. Levels of 0.11% - 1.6% of this product are suggested depending upon the severity of conditions for end use, and the extent of time that protection is required. For freshly sawn lumber, a concentration of 0.20% of this product should be adequate to control the development of mildew and sapstain organisms on the lumber. Because of the great variation in susceptibility of fresh sawn lumber relating to the type of wood, sawing and storage techniques, conditions of humidity, method of treatment, etc., it is usually necessary to carry out field tests to determine the most appropriate means of application and the optimum concentration of this product to be used.

For best results, lumber ~~should~~ be treated within twenty-four hours after it is sawed. The lumber ~~should~~ be completely immersed in the treating bath, and the treating vat designed to permit easy immersion and removal, and to minimize spillage. The vat may be cleaned by emptying and rinsing with a suitable solvent or by use of a detergent solution. To add additional product while treating, first prepare the proper solution or emulsion in a separate container (of wood, plastic, or stainless steel construction) and add to the treating vessel. After treatment, lumber ~~should~~ be stacked in a properly maintained seasoning yard with good drainage so that no water will accumulate in any area. The yard ~~should~~ be kept free from weeds and vegetation which may hold moisture and promote growth of decay and stain producing fungi. All debris and lumber scraps ~~should~~ be removed from the area.

A properly laid out yard should take advantage of prevailing winds to permit good air circulation. Main alleys ~~should~~ be at least 16 feet wide. Stack foundations ~~should~~ be sufficiently elevated to permit ready access of air to the pile, and allow water to drain off quickly. This product is also ~~recommended~~ for use on millwork, including door and window frames, exterior siding, composite board, plywood and other construction lumber when it is important to prevent the growth of mildew, sapstain and wood rot organisms on these materials.

Wood treated with this product does not change in appearance and may be painted when dry. For applications of this type, this product once in solution may be applied by dipping, brushing, spraying or pressure treatment. Levels of 0.16% may be used for mildew control. To control rot and decay, do not use less than 0.21% as a concentration. Use this product in solution in a suitable solvent. Concentrations up to 1.069% are ~~recommended~~ depending upon the condition of the wood, the nature of the intended exposure and the length of protection desired. When brushing, a single coat will usually suffice if the solution is applied liberally. This also pertains to spraying. Use of this product is not ~~recommended~~ for wood surfaces which may come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with this product. This product may also be used as an additive to stains to be applied to such materials as exterior siding, decks, lawn furniture, etc., in order to prevent the growth of fungal organisms. ~~This recommended that~~ levels between .21% - 1.069% of this product by weight of the final formulation be added to these materials.



Our technical services personnel are always available to assist in determining optimum levels for specific systems in any type of application.

(001258-0XXXX.20110615.OmacideIPBCWetCake-LabelApplication for Reg.pdf)

9/9