

## DIRECTIONS:

For most effective results for the control against flies, use in a good sprayer, adjusted to deliver a fine mist. Use 1 gallon of MALATHION W.E. in 9 gallons of water.


For control of flies in the household, spray thoroughly and repeat when necessary, selected surfaces such as doors, around windows, screens, window frames, doorsills and areas of porches where these pests congregate.

Animal quarters, kennels and bedding should also be sprayed. Fresh bedding should be provided following the treatment.

For a bait spray, use 1 gallon of corn syrup or 10 pounds of sugar per 50 gallons of finished spray. The bait spray would not be appropriate for use in the household since it would stain household furnishings.

It may be used around yards, sheds housing domestic animals, and garbage cans and fences where flies tend to congregate. It also may be used in dairy barns but not in places where milk is stored or processed.

© Copyright 1970. Printed in USA



MALATHION W.E.

## CONCENTRATED INSECTICIDE

## NOTICE:

Keep from freezing. Storage of this product in cold or freezing weather may cause it to thicken or separate. This will not harm the product's performance. Before using, allow it to warm to room temperature and stir thoroughly.

## CAUTION:

Harmful if swallowed, inhaled, or absorbed through skin. Avoid inhaling spray mist or vapor. Should the concentrate or diluted solution contact the skin, wash the affected areas thoroughly with soap and water. Avoid prolonged or repeated contact with skin. Wash thoroughly after using.

MALATHION W.E. may cause cholinesterase inhibition, upon repeated or prolonged careless use. If swallowed, administer emetic of one teaspoonful of mustard in glass of water. Call physician. Atropine is antidotal.

Do not use on animal pets. Do not store or spray near heat, sparks or open flame. Avoid contamination of foodstuffs. Carefully dispose of empty container after use.

## DIRECTIONS

For effective control of flies, use in a good sprayer adjusted to deliver a fine mist. Use 1 gallon of MALATHION W.E. in 50 gallons of water.


For control of flies in the household, spray thoroughly and repeat when necessary, selected surfaces such as doors, around windows, screens, window frames, doorsills and areas of porches where these pests congregate.

Animal quarters, kennels and bedding should also be sprayed. Fresh bedding should be provided following the treatment.

For a bait spray, use 1 gallon of corn syrup or 10 pounds of sugar per 50 gallons of finished spray. The bait spray would not be appropriate for use in the household since it would stain household furnishings.

It may be used around yards, sheds housing domestic animals, and garbage cans and fences where flies tend to congregate. It also may be used in dairy barns but not in places where milk is stored or processed.

Copyright 1970. Printed in USA



# MALATHION W.E.

## CONCENTRATED INSECTICIDE

E.P.A. Reg. No. 1266-15-ZA

### ACTIVE INGREDIENTS:

Malathion (O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate) ..... 10.00%  
Aromatic Petroleum Solvents (Xylene) ..... 84.80%

### INERT INGREDIENTS:

5.20%

100.00%

### CAUTION: KEEP OUT OF REACH OF CHILDREN

See additional cautions before use.

MALTER INTERNATIONAL CORPORATION

International Headquarters, P O BOX 6099, New Orleans, La. Tel. 504 362-3232

## NOTICE:

Keep from freezing. Storage of this product in freezing weather may cause it to thicken or separate. This will not harm the product's performance. Before using, allow it to warm to room temperature and stir thoroughly.

## CAUTION:

Harmful if swallowed, inhaled, or absorbed through skin. Avoid inhaling spray mist or vapor. Should the concentrate or diluted solution contact the skin, wash the affected areas thoroughly with soap and water. Avoid prolonged or repeated contact with skin. Wash thoroughly after using.

MALATHION W.E. may cause cholinesterase inhibition, upon repeated or prolonged careless use. If swallowed, administer emetic of one teaspoonful of mustard in glass of water. Call physician. Atropine is antidotal.

Do not use on animal pets. Do not store or spray near heat, sparks or open flame. Avoid contamination of foodstuffs. Carefully dispose of empty container after use.

UNIVERSITY MICROFILMS  
SERIALS ACQUISITION  
300 N ZEEB RD  
ANN ARBOR MI 48106

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
Irritant to eyes, nose and throat. May cause respiratory distress. May cause dizziness or lightheadedness. May cause fatigue, nervousness, or sleeplessness. May cause skin irritation. May cause allergic reactions in sensitive individuals.

**ENVIRONMENTAL HAZARDS**  
This product is highly flammable. It is extremely volatile and may form explosive mixtures with air. It is highly combustible. It is extremely flammable. It is highly volatile and may form explosive mixtures with air. It is highly combustible. It is extremely flammable.

**HEALTH AND SAFETY**  
Avoid contact with skin and clothing. Avoid contact with eyes. Avoid contact with nose and throat. Avoid contact with mouth. Avoid contact with skin. Avoid contact with eyes. Avoid contact with nose and throat. Avoid contact with mouth.

**CONTENTS**  
1.0 LITER (33.8 FL OZ)  
1.0 LITER (33.8 FL OZ)  
1.0 LITER (33.8 FL OZ)

**PRECAUTIONS**  
Keep out of reach of children. Use only as directed. Do not use in confined spaces. Do not use near open flames or heat. Do not use near electrical equipment. Do not use near food or drink. Do not use near children or pets.



# PYRO-MAL

**ACTIVE INGREDIENTS**  
Major: 2,4-Dichlorophenoxyacetic acid, 10.0%  
Minor: 2,4-Dichlorophenoxyacetic acid, 1.0%  
Furfural, 1.0%  
Methyl isobutyl ketone, 1.0%  
Water, 85.0%

**INERT INGREDIENTS**  
Water, 15.0%  
Furfural, 1.0%  
Methyl isobutyl ketone, 1.0%

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
STATEMENT OF PRACTICAL TREATMENT  
1. Remove clothing if contaminated.  
2. Flush eyes with water for 15 minutes.  
3. Flush nose and throat with water.  
4. Flush mouth with water.  
5. Wash skin with soap and water.  
6. Seek medical attention if symptoms persist.

THE CENTRAL MOUNTAIN  
1000 N. CENTRAL AVENUE  
DENVER, COLORADO 80202

**ACCEPTED**  
AUG 27 1987  
EPA REG. NO. 445-40

**BEST AVAILABLE COPY**

UNIVERSITY MICROFILMS  
SERIALS ACQUISITION  
300 N ZEEB RD  
ANN ARBOR MI 48106