

ZV-9000
25% CHLORDANE EMULSIFIABLE CONCENTRATE
FOR USE ON DOGS
FOR EXTERNAL USE ONLY — DILUTE BEFORE USE

IMPORTANT: Use only as directed. Kills External Parasites (ticks, fleas, lice, and sarcoptic mange mites).

ACTIVE INGREDIENTS:

Technical Chlordane*	25%
Mineral Spirits	70%
INERT INGREDIENTS:	5%

*Equivalent to 15% octachloro-4, 7-methanotetrahydroindane and 10% related compounds.

DOGS: Prepare an emulsion of 1 fluid ounce of ZEP ZV 9000 to 1 gallon of water. Mix with water animal with soap and water, apply dilution to entire body except eyes with cloth or sponge or by dipping. Let dry.

FOR SARCOPTIC MANGE: Repeat treatment at 7-10 day intervals for two or more times, as needed. Always use fresh solution.

REINFESTATION: To prevent reinfestation, repeat no more frequently than once every 2 or 3 weeks and use suitable preventive measures.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Contact with skin may cause toxic symptoms. Avoid contaminating food and food containers. Not for use on cats or on dairy or meat animals. Do not use on pups under weaning age or on bitches suckling pups.

WARNING: NOT FOR HUMAN USE. HARMFUL IF SWALLOWED. Keep this material away from children. Avoid contamination of the animal. Avoid inhalation of concentrate or diluted material. Chlordane is toxic and when in solution can be absorbed through the skin. Wash hands thoroughly with soap and water after handling or after using the diluted product on animals.

ANTIDOTE: Internal: Drink emulsion of mustard. Call a physician immediately.
External: Wash with soap and water.

Do not re-use empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies. (For Cans) Do not reuse empty drum. Return to drum reconditioner or dealer for perforating or crushing and burying in a safe place away from water supplies. (For Drums)

E. P. A. REG. NO. 1270-77

NET CONTENTS.....GALS.

ZEP MANUFACTURING COMPANY


A DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.

ALBUQUERQUE, N. M. • ATLANTA, GA. • BIRMINGHAM, ALA. • BOSTON, MASS. • CHICAGO, ILL. • CLEVELAND, O.
DALLAS, TEXAS • DETROIT, MICH. • HOUSTON, TEXAS • KANSAS CITY, MO. • LOS ANGELES, CALIF.
MIAMI, FLA. • SANTA CLARA, CALIF. • SEATTLE, WASH. • SPRINGFIELD, N. J. • ST. PAUL, MINN. • WASHINGTON, D. C.

FOREIGN BRANCHES: MEXICO CITY, MEXICO • MONTREAL, P. Q., CANADA

KILLS WASPS, SPIDERS, HORNETS, BEES, AND YELLOW JACKETS.

Effective at a distance of 12 feet.



ACTIVE INGREDIENTS:

Pyrethrins.....	0.20%
Technical Piperonyl Butoxide*.....	0.40%
N-octyl bicycloheptene dicarboximide.....	0.67%
Technical Chlordane**.....	1.00%
Isobornyl thiocyanacetate.....	0.82%
Other related terpenes.....	0.18%
Petroleum distillate.....	13.73%

INERT INGREDIENTS:.....83.00%

*Equivalent to 0.32 (butylcarbityl) (6-propylpiperonyl) ether and 0.08% of related compounds.

**Equivalent to 0.6 octachloro-4,7-methanotetrahydroindane and 0.4% of related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Contents under pressure. See side panel for additional precautionary statements.

NET WEIGHT: 1 lb. 2 Oz. Av.

LEFT PANEL

CAUTION

Do not smoke while using. After using, wash hands well with soap and water if spray insecticide contacts the skin. Avoid contact with skin. Contact with skin can cause toxic symptoms. Do not take internally. Harmful if swallowed. Avoid breathing spray mist.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.



Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120°F. may cause bursting. Never throw container into fire or incinerator.

WASPS ARE KNOCKED DOWN BY:

1. Lowering of body temperature
2. Suffocation
3. Paralysis

RIGHT PANEL

READ DIRECTIONS CAREFULLY

Point spray nozzle toward insect's nest, hole or crevice, where infestation is known to exist. Spray area until saturated with material. Also spray around in the general area until it is completely wet. This treated area will have a residual killing action and prevent reinfestation for 2 to 4 weeks. If the residual film becomes ineffective on account of rain or other causes, repeat treatment.

Always spray with the wind at the user's back.

DIELECTRIC

Spray Test: Electrodes 11" apart; no arcing at 35,000 volts.

Cup Test: Electrodes 1/10" apart; no breakdown up to 25,000 volts.

E.P.A. REG. NO. 1270-96

Manufactured By:

ZEP MANUFACTURING COMPANY
ATLANTA, GEORGIA 30301

PRINCIPAL CITIES, U.S.A. AND THROUGHOUT THE WORLD.

