

DIRECTIONS:

Dilute 2 to 4 gallons of BARREN with sufficient water to cover 1000 square feet using a coarse, wet spray and distributing the solution evenly over the entire area. For best results treat shortly before or at a time plant growth begins.

Adequate control is possible when the vegetation is short or just after mowing.

Thorough watering 24 hours after application will move the material to the root zone and speed up control. The effectiveness and length of time that control will last depends on type of soil, amount of rain and other conditions. Best results will be obtained with MALTER'S CHAMP SPRAYER.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near desirable plants or to areas where their roots may extend. Do not contaminate lakes or streams, irrigation or domestic water supplies. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with detergent and water to prevent corrosion. Do not use equipment to apply this product for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY

ACCOUNT NO. 146487



NET CONTENTS

BARREN[®]

Non-Selective Weed Killer For Annuals And Perennial Grasses And Broadleaf Weeds

E.P.A. Reg. No. 1266-84-AA
E.P.A. Est. No. 1266-LA-1

ACTIVE INGREDIENTS	99.39
INERT INGREDIENTS	60
TOTAL	100.00

CAUTION: KEEP OUT OF REACH OF CHILDREN
See right panel for additional cautions.

© MALTER INTERNATIONAL CORPORATION 1971
INTERNATIONAL HEADQUARTERS
P.O. Box 6009, Madison, Wis. 53701 U.S.A.
Telephone: (608) 361-3231 - Telex: 18-4164

BEST DOCUMENT AVAILABLE

DIRECTIONS

Dilute 2 to 4 gallons of BARREN with water and distribute the solution evenly over the entire area. For best results treat shortly before or at a time plant growth begins.

Adequate control is possible when the vegetation is short or just after mowing.

Thorough watering 24 hours after application will move the material to the root zone and speed up control. The effectiveness and length of time that control will last depends on type of soil, amount of rain and other conditions. Best results will be obtained with MALTER'S CHAMP SPRAYER.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near desirable plants or to areas where their roots may extend. Do not contaminate lakes or streams, irrigation or domestic water supplies. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with detergent and water to prevent corrosion. Do not use equipment to apply this product for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY

ACCEPTED

SI 11117

U.S. PATENT OFFICE
REGISTERED TRADEMARK
E.P.A. REG. NO. 1266-84-AA



NET CONT.

#

BARREN

Non-Selective Weed Killer Annuals And Perennial Grasses And Broadleaf Weeds

E.P.A. Reg. No. 1266-84-AA
E.P.A. Est. No. 1266-LA-1

ACTIVE INGREDIENTS

- Aromatic Petroleum Derivative Solvent
- Monuron Trichloroacetate (3-(p-Chlorophenyl)-1,1-Dimethylurea Trichloroacetate)
- Isooctyl Ester of 2,4 Dichlorophenoxyacetic Acid*
*Equivalent to 1.0% 2,4 D Acid

INERT INGREDIENTS

TOTAL

CAUTION: KEEP OUT OF REACH OF CHILDREN
See right panel for additional cautions.

© MALTER INTERNATIONAL CORPORATION
INTERNATIONAL HEADQUARTERS:
P.O. Box 6099, New Orleans, Louisiana 70174 U.S.A.
Telephone: 504.362.3232 - Telex No.: 58-418

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY

ACCEPTED

SEP 23 1977

Under the Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 1266-84



NET CONTENTS

#1266-84

BARREN®

Non-Selective Weed Killer For Annuals And Perennial Grasses And Broadleaf Weeds

E.P.A. Reg. No. 1266-84-AA
E.P.A. Est. No. 1266-LA-1

ACTIVE INGREDIENTS			99.39%
Aromatic Petroleum Derivative Solvent			96.39%
Monuron Trichloroacetate (3-(p-Chlorophenyl)-1,1-Dimethylurea Trichloroacetate)		1.61%	
Isooctyl Ester of 2,4 Dichlorophenoxyacetic Acid*		1.39%	
*Equivalent to 1.0% 2,4-D Acid			
INERT INGREDIENTS			.60%
TOTAL			100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See right panel for additional cautions.

© MALTER INTERNATIONAL CORPORATION 1971
INTERNATIONAL HEADQUARTERS:
P.O. Box 6099, New Orleans, Louisiana 70174 U.S.A.
Telephone: 504/362-3232 - Telax No.: 58 4184

BEST DOCUMENT AVAILABLE

skin and eyes. Avoid contact with nose and throat. Do not breathe mist. Do not get on clothing. If on clothing, immediately wash with plenty of water. For first aid, consult a doctor. Medical attention should be given if product may have been absorbed through plants. KEEP OUT OF REACH OF CHILDREN.

Keep from freezing. If frozen, stored in cold or frozen, the contents may separate or thicken. To avoid harm, the product should be allowed to warm to room temperature and stirred slightly.

35