

1/1 1266-120 (Pm. 31)



INTERNATIONAL HEADQUARTERS: P. O. BOX 6099, NEW ORLEANS, LOUISIANA 70114 U.S.A. © RESEARCH LABORATORY AND PLANT 80 FIRST STREET, GREENLA, LA.

USE DIRECTIONS FOR CLEANING: Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of Q-PLUS LEMON per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas - mop or brush soiled surface with a solution containing 5-6 ounces of Q-PLUS LEMON per gallon of water. Rinse cleaned surfaces with fresh water.

GENERAL PURPOSE DISINFECTION: To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3 1/2 ounces of Q-PLUS LEMON per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of Q-PLUS LEMON per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION: To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5 1/2 ounces of Q-PLUS LEMON per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

DEODORANT: To deodorize surface during cleaning, mop or brush surface with a solution containing 7 ounces of Q-PLUS LEMON per gallon of water.

(USE DIRECTIONS CONTINUED)

Q-PLUS LEMON is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, Q-PLUS LEMON will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pits, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY



ACCEPTED

JAN 08 1987

U.S. Federal Insecticide, Fungicide and Rodenticide Act, registered for the pesticide's use under Reg. No. 1266-120

Q-PLUS LEMON

DISINFECTANT CLEANER

FUNGICIDE DEODORANT

E.P.A. Reg. No. 1266-120

E.P.A. Est. No. 1266-LA-1

ACTIVE INGREDIENTS:

Sodium hypochlorite	3.0%
Ammonium chloride	1.5%
Quaternary ammonium chloride	0.3%

INERT INGREDIENTS:

95.2%

DANGER: KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on right panel

MALTER INTERNATIONAL CORPORATION
INTERNATIONAL HEADQUARTERS: P.O. BOX 6099, NEW ORLEANS, LA. 70114
Area Code 504 362-3237

(USE DIRECTIONS CONTINUED)
DANGER: KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:
In case of contact, immediately flush eyes, or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN:
Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

STORAGE: Keep closure up to prevent leakage. Store drum out of sun and away from heat or open flame. Keep container closed when not in use. Handle carefully to prevent damage and leakage. Uncrew bungs slowly to release internal pressure. Before opening container observe all recommendations for protective clothing and equipment. In case of spill or leak, contain material. Remove excess liquid with absorbent and transfer to sealed metal container. Store away from other pesticides, fertilizers, food and feed. Store in original container only.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL-Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedure approved by the state and local authority. PLASTIC-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Material Safety Data Sheet Available On Request

Copyright © MALTER INTERNATIONAL Printed in U.S.A.