AUTIONARY STATEMENT: ARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

if swallowed. Avoid contact with to thing. Causes eye irritation. Do eyes. Wash after handling. Avoid vapor. Do not spray on humans Do not spray where food or drink dor being consumed.

se in edible product areas of food-g plants, restaurants, or other areas and is commercially prepared or l. Do not use in serving areas white exposed. In the home cover or renosed foods. Avoid contaminationing utensils and food preparation

VIRONMENTAL HAZARDS

of lakes, streams or ponds. Do-taminate water by cleaning of it or disposal of wastes. When hips do not wash or flush freshly urfaces into adjacent waters.
FIRST AID

FIRST AID
wed, induce vomiting by sticking
back of throat or by administrayrug of ipecac; get medical attenin, eyes, 'flush with water for 15
ind see a physician. For skin, wash
ty-of soap and water. If irritation
germedical attention.
DIRECTIONS FOR USE*
NERAL CLASSIFICATION
plation of federal law to use this
in a manner inconsistent with its

n a manner inconsistent with its

DRAGE AND DISPOSAL temperatures above 32° F. Do not by container. Wrap container and h collection.

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER

KILLS AS CONTACT AND RESIDUAL SPRAY KILLS ROACHES UP TO 4 WEEKS

ACTIVE INGREDIENTS

* resmethon: 5 (plicinylmethyl) 3 (2) methyl 2 2 dimethyl 3 (2) methyl 3 I propenyll cyclopropanes arboxyl de-0.350Related compound. 0.048 INERT INGREDIENTS 99 602 100 000

Cis trans isomers ratio (inch., 30) Cost and min 70 of nons

*U.S. Patent Nos. 3 465 007 and 3,542 028

Peorek's SBP | 1382 | of Peorek's SBP | 1382 | of Peorek's Supp | 1000 Wall St. Avest | Evolutions | N. F. 07073

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CAM BE USED IN NON FOOD AREAS OF FOCD HANDLING ESTABLISHMENTS

MICHARDONAL OF A TOP CARTERS

EPA Reg No 1266 177 EPA Est No 1266 LA F

DIRECTIONS FOR USE
APPLICATIONS: INSTRUCTIONS FOR CO
AND RESIDUAL SPRAYS

FOR INDOOR USE. In non food areas of foo establishments, commercial, industrial, office, public, institutional and storage buildings, hon ship cabins and hospitals. In hospitals patients removed prior to treatment. Also for use in bimobiles, and non food areas of trucks, boxcar cargo holds. Do not use on electrical equipm surfaces that can be harmed or stained by a tell use indoors in dog kennels and horse stables, stables, not for application if horses will be used CONTACT SPRAY. KILLS AND FINFESTATIONS. COCKROACHES, CISILVERFISH, ANTS Apply as a contact signary tank with FLY OUTT E. Keep spray nozzle about 8 to 12 inches from be treated. Adjust pressure and nozzle to delive wet spray. When possible, spray directly or reduce infestations. Spray thoroughly into hid such as cracks, crevices, mojst areas, opening pips and sinks, under refrigerators and other a baseboards, and storage areas. Apply spray unmoist, but not to the point of rumoff. Spray a insects where possible. Repeat as necessary.

FLEAS: Aids in the control of Haas on pet badding the same way. Also spray entire institution buildings and homes. Spray while erea is mo pet badding the same way. Also spray entire institution of dog houses. Repeat as necessary. Do not allocontact treated areas until spray has dried. B cover animal lead before spraying. Also, treat and horse with a registered flea control product they re-enter the treated area.

RESIOUAL SPRAY: Also stray baseboards, or crevices, around door and window frames, a chiding phaces such as closets, in back of an appliances, sinks and cupbdards in kitchens a rooms. In basements, spray inding places in corevices, lower walls and dark places. Apply as wet spray in a 4 to 6 inch band until area is the wet spray in a 4 to 6 inch band until area is the wet spray in a 4 to 6 inch band until area is the wet spray in a 4 to 6 inch band until area.

23