

**Precautionary Statements
Hazards to Humans and Domestic Animals**

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage. Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish. Aids in control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eye when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OFF-LATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO KILL TICKS: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

TO KILL FLEAS: Follow directions for ticks but use one unit per 1,500 cubic feet of room space.

FOR INDUSTRIAL AND
PROFESSIONAL USE ONLY



**ALL
GONE**

**TOTAL
RELEASE FOGGER**

For Use in Rooms, Apartments, Homes, Hotels, Restaurants, Campers, Boats,
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins
One Unit Treats Up to 6,000 Cubic Feet

Flies, Mosquitoes, Cockroaches, Centipedes, Fleas,
Wasps, Saw-toothed Grain Beetles, Ticks,
Black Carpet Beetles, Rice Weevils, Small Flying Moths,
Pill Bugs, Crickets and Silverfish

ACTIVE INGREDIENTS	
Tetramethrin (11-Cyclohexene-1,2-dicarbonimidic methyl 2, 2-dimethyl 3-(2-methylpropenyl) cyclopropanecarboxylate)	200%
*3-Phenoxybenzyl diene and trans**2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	333%
*Other odors	017%
INERT INGREDIENTS	
**cis,trans isomers	99.400%
***cis,trans isomers	100.000%

EPA Reg. No. 1266-179 EPA Est. No. 1266-LA-1

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Back Panel for Additional Precautionary Statements

Net Weight 7.5 Ounces

© MALTER INTERNATIONAL CORPORATION 1979
INTERNATIONAL HEADQUARTERS
P.O. Box 6032, New Orleans, Louisiana 70179 U.S.A.
Telephone: 504/782-3232 - Telex No. 98-4184