1117

FOR INDUSTRIAL AND

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat-or open flame. Do not puncture or lipciplerate container. Exposure to temperature above 130°F. may cause bursting.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL Storage: Store in a cool, dry area away from heat or open flame. Disposal: Do not re-use empty con-

tainer. Wrap container and put in trash

collection. This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-too hed Grain Beetles, Rice Weevils, Small Flying

Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish. Aids in control of Cockroaches. Cover exposed food, dishes and foodhandling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, peess valve button all the way down, hopoking the catch. Then place fogger or stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes, 'Repeat spraying in two weeks or when necessary.

TO KILL TICKS: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry. TO KILL FLEAS: Follow directions for ticks but use one unit per 1,500 cubic feet of room space.



ACTIVE INGREDIERTS
Terramethrin III Cyclohevene 1. 2 dc. arboximidal methyl 2.
2 dimethyl 3 (2 methylprasenyl) cyclopropada arboxylater
3 Phenasybnolyl dcis and trans "7.2 2 dimethyl 3 48 methylprasenyl)
cyclopropada arboxylate
Cyclopropada 244

*Other sumers INERT INGREDIENTS

** The transformer ratio max 25% from this properties transformer ratio EPA Reg. No. 1266-179 EPA Est. No. 1266-LA-1 CAUTION KEEP OUT OF REACH OF CHILDREN See Back Panel for Additional Precautionary Statements

Net Weight 7.5 Ounces

12/80

O MALTER INTERNATIONAL CORPORATION 1979
INTERNATIONAL HEADQUARTERS
P.O. Box 6099 New Orleans Levitura, 20176 U.S.A.
Temphone 504-162-7232 Televino. 58-4184

