# Maltine CWT II

T

### 

# KEEP OUT OF REACH OF CHILDREN WARNING

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye demage and skin irritation. Hermful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food, Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water Remove contaminated clothing and wash before reuse. If product gets in the ayes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or fair back on patient's tongue. Emetics such as 2 teespoonsful (10 mL) of specae syrup or 1 teespoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vonit fluid is clear. Then have patient drink plenty of milk, galabn solution, beaten egg whites, flour and water, or other nonoily demuticent. Never induce vomiting or give anything by mouth to an unconscious person. Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in matrine and or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidence, contact your Regional Office of the Environmental Protection Agency.

	Manufactured by:	
: N	Maite: International Corporation	
• •	P. O. Box 6099	
	New Orleans, LA 70174	
EPA REG. NO. 1266-187	EPA EST. NO	
• 1		


-NET CONTENTS

## DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Maltine CWT II is used to control both aerobic and anaerobic bacteria, including sulfate-reducing organisms, in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, Maltine CWT II should be added as a slug dose to provide a concentration of 40 to 80 ppm (5.0 to 10.0 ff. uz. of Maltine CWT II per 1000 gal. of water treated). This should be followed by a continuous addition of Maltine CWT II employing a chemical-metering pump to maintain a concentration of 40 ppm based on total weight of water treated, Both slug additions and continuous addition of Maltine CWT II should be made at the heater-treater dump, gathering lines, or receiving tanks. Addition should always be made upstream to the filter.

Maltine CWT II is also used to inhibit the growth of fungi and bacteria in water-based drilling muds, completion fluids, packer fluids, and other water-based drilling fluids containing starch, gums, sugars, or other organic materials. For these purposes Maltine CWT II is added at rates of 3.6 to 18.0 gal. per 100 barrels of fluid (0.09 to 0.43% by volume).



### STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited PESTICIDE DISPOSAL. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies CONTAINER DISPOSAL.

METAL. Triple rimse for equivalenth and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning. PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed at 3 offered for reconditioning or triple rinsed for equivalents and offered for reconditioning or disposal in an approved landfill or buried in a safe place.

GENERAL Consult Filderal. State, or Local disposal authorities for approved alternative procedures