ACCEPTED
AUG 22 1967
1269-92
TO ATTACHED COMMENTS

1269-92

[illegible]

[illegible]

For Cleaning and Sanitizing Poultry and Livestock Houses and Equipment

ACTIVE INGREDIENTS: 71.00%

Anhydrous sodium carbonate	60.00%
Potassium dichloro-s-triazinetrione	10.00%
Sodium dodecyl benzene sulfonate	2.00%

INERT INGREDIENTS: 29.00%

Anhydrous sodium tripolyphosphate
Sodium sulfate

Directions for Use

BEST DOCUMENT AVAILABLE

All tanks and spraying equipment should be rinsed with water after application. Use adequate ventilation in enclosed houses if applied with a high pressure sprayer, use a face mask. Use hot or cold water for dilution.

POULTRY HOUSES, [illegible] and Equipment: For hard, non-porous surfaces, use one ounce per gallon (provides 600 ppm available chlorine); for porous and hard-to-clean surfaces, use one-and-a-half ounces per gallon (provides 600 ppm available chlorine).

Remove debris, litter, and loose dirt. Wash all exposed areas, floors, walls, ceilings, perch, and support beams, scrubbing or applying ~~a [illegible]~~ DANTAC 10.34 solution with a pressure sprayer. Allow houses and pens to dry before re-stocking poultry or livestock.

Clean all equipment, such as feeders, brooders, waterers, with a solution of ~~a [illegible] DANTAC~~ 10.34. Allow to dry without rinsing.

(Continued)

[illegible]

[illegible] chlorine; the [illegible] recommended [illegible] a-half ounces per gallon (provides 500 ppm available chlorine).

Order a week or more [illegible], in the laundry, scrub or clean with a [illegible] Dilution all brushes, [illegible], and [illegible], a solution of [illegible] DANITE 10254. Do not [illegible].

Remove all trays and equipment from incubators and clean out debris. Scrub with a solution of [illegible] DANITE 10254. Allow to dry without rinsing. Clean dirt and debris from trays. Wash with a solution of [illegible] DANITE 10254. Rinsing is not necessary.

CAUTION

-KEEP OUT OF REACH OF CHILDREN-

Harmful if swallowed. Prolonged contact may irritate skin, eyes, or nose. Avoid exposure to the spray mist which may cause temporary irritation of the eyes or respiratory tract. If taken internally, feed milk. Call a physician.

USDA Reg. No. 1270-
1269-

NET CONTENTS: _____ ozs.

7/13/67

DLSI DOCUMENT A[illegible]