

ZEP NO. 315

~~XXXXXXXXXXXX~~

Odorless Disinfectant

Germicide-Disinfectant

Bactericide-Deodorant

PHENOL COEFFICIENT (A.O.A.C. Method)

Staphylococcus aureus - 11
Salmonella typhosa - 18

Contains a broad spectrum germicide which works against a wide variety of pathogenic organisms. Deodorizes as it disinfects.

ACTIVE INGREDIENTS: 33.78%

Isopropanol 18.15%
Potash soaps 9.38%
O-Benzyl-p-chlorophenol 6.25%

ACCEPTED
JUN 15 1968

INERT INGREDIENTS: 66.22%

12/15/68

CAUTION

-KEEP OUT OF REACH OF CHILDREN-

Harmful if swallowed. This disinfectant should not be taken internally. If it is, use the following antidotes: Give milk, raw egg white, mucilage, gruel, or cornstarch paste and follow with an emetic (tablespoonful of mustard in a tumbler of warm water). CALL A PHYSICIAN. If concentrated disinfectant comes in contact with the skin, flood with water and bathe with dilute alcohol. Avoid contact with skin and eyes. If contact with eyes occurs, flush with plenty of water. Avoid contamination of food.

This product is effective against the following organisms:

Salmonella typhosa
Staphylococcus aureus
Trichophyton interdigitale

(continued)

GENERAL USE

As a General Disinfectant: Use this product that all dirt is swept up and removed before applying, and that disinfectant solution must have contact with all contaminated areas. To disinfect floor, cellars, basements, toilet rooms, bathrooms, lavatories, urinals, sinks, etc., clean thoroughly. Use 1 ounce of this solution to every gallon of water. Mop in regular manner. If it is impractical to mop specific places, use 2 ounces per gallon of water and spray thoroughly over the entire surface. Allow 2 minutes' contact time.

To disinfect butcher tables, drainboards, marble, tile, linoleum, lineston, glass, rubber, syrup cans, soda fountains, refrigerators, cooling rooms, refrigerator cans, garbage cans, rinse thoroughly with a dilution of 1 ounce of this product per gallon of water after cleaning in regular manner, allowing contact for 5 minutes. Rinse all contact surfaces with potable water prior to reuse.

For more drastic disinfection such as disinfection of exceptionally dirty urinals, garbage cans, etc., a more thorough cleaning must be done by use of a strong cleaning solution, removing all dirt, then making sure disinfectant comes into contact with all contaminated areas. Disinfect with a dilution of 2 ounces of disinfectant per gallon of water and allow 2 minutes' contact time.

To Aid in Reducing Transmission of Athlete's Foot: In the locker room transmission of athlete's foot through linoleum and wood and concrete floors is due to the fact that the athlete's feet are wet and the floors are not disinfected. Disinfect by dissolving 1/2 ounce per gallon of water. Apply this solution so as to wet all surfaces to be disinfected.

1947-48 2-11-48 THE NATIONAL BUREAU OF HEALTH

Washington, D.C.

THE NATIONAL BUREAU OF HEALTH

Washington, D.C.