ZEP R-59 WEED KILLER

For Industrial and Commercial Use Only Do Not Use Or Store In Or Around The Home.

Non-Selective Muiti-Puzpe > . . .

ACTIVE INGREDIENTS: 50% Sedium: Arsonita (Total arsonic-all water soluble-expressed as Metallic) 28.82% 50% INERT INGREDIENTS:

GENERAL INFORMATION:

ZEP R-59 is non-selective for use in complete control of weeds, grasses, sprouts, on industrial tank farms, substations, yards or similar industrial areas where vegetative growth is undesirable; for knockdown or top kill # verennials; for killing of perennial weeds and grasses; for " trees. DO NOT USE on established e plants-

TIMING:

es high. For best results, apply w'

APPLICATION:

Mix recommended om the 5 we with sprayer or sprinkling ST OF SPRAY CONTACT can. (IF SPRAYER IS TISED, × · DESIRABLE PLANTS, UNITED SES,

Diazctions

introl: For use in sprayer, mix one part with Perennial Weed and Gru 6.5 parts water. For sprinkling can application, mix one part with 24 parts water. Thoroughly wel foliage stems, and exposed root crowns with spray mixture.

Annual Wood and Grass Control: For use in sprayer, mix one part with 13 parts water. For sprinkling can application, mix one part with 50 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

Plant Growth Prevention: Apply up to 21/2 ounces of ZEP R-59 mixed with 6 or more gallons of water, per 100 square feet. (This is equivalent to approximately 81/2 gallons acre.) The concentration of weed killer required will increase with an increase in the amount of vegetation in the area to be treated. DO NOT APPLY in excess of 9 gallons of ZEP R-59 per acre unless treated surface is to be subsequently covered by pavement.

Tree and Stump Killings: Mix one part with four parts water.

Kills Poison Ivy . .

Tree Killing: Cut deep goshes into bark and wood of tree, around tree trunk, two or three inches apart. Fill each gash with this mixture. For best results, make treatment during spring or early summer.

To Kill Poison Ivy: Take one part with four parts water, mix, and put into a watering can. Apply to leaves, stems, and exposed roots. Wet plants thoroughly, being careful not to touch plants.

Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wear respirator. Wash thoroughly after using. In case of contact, wash thoroughly. Wash contaminated clothing before re-use.

Keep away from feed and food products and out of reach of domestic animals. Do not use treated vegetation as food or bedding for livestock. Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, grapes, ornamentals, etc. Keep children, pet animals, and livestock off treated areas until new growth appears. Do not allow cattle or livestock to graze on treated areas.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

This product will kill wildlife. Birds and other wildlife in treated areas may be killed. Apply this product only as specified on label. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or by burning. (Keep out of smoke.)



FIRST AID: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoonfuls of Epsom Salts or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep calm.

E.P.A. Reg. No. 1270-42





Kills off all growth . . .

DANGER --- KEEP OUT OF REACH OF CHILDREN ---

DANGER! POISONOUS IF SWALLOWED!

POISON

CALL A PHYSICIAN IMMEDIATELY

!_ . /