ZEP R-59 WEED KILLER

For Industrial and Commercial Use Only

Do Not Use Or Store In Or Around The Home.

Multi-Purpose . . . Non-Selective . . . Kills Poison Ivy . . . Kills off all growth . . .

ACTIVE INGREDIENTS:

Sodium Arsenite	**50%**
(Total arsenic—all water soluble—expressed as Metallic) 28.82%	
INERT INGREDIENTS:	**50%**

GENERAL INFORMATION:

ZEP R 59 is non selective for use in complete control of weeds grasses sprouts, on industrial tank farms, substations, yards or similar industrial areas where vegetative growth is undesirable for knockdown or top kill of perennial weeds and grasses for shallow rooted perennials; for killing trees DO NOT USE on established lawns or near desirable plants

TIMING:

For best results, apply when weeds are less than six inches high

APPLICATION:

Mix recommended amounts with water and apply with sprayer or sprinkling can IF SPRAYER IS USED DO NOT LET MIST OF SPRAY CONTACT DESIRABLE PLANTS GRASSES OR SHRUBS

DIRECTIONS

Perennial Weed and Grass Control: For use in sprayer, mix one part with 65 parts water For sprinkling can application, mix one part with 24 parts water Thoroughly wet foliage stems and exposed root crowns with spray mixture

Annual Weed and Grass Control: For use in sprayer mix one part with 13 parts water For sprinkling can application mix one part with 50 parts water Thoroughly wet foliage, stems, and exposed root crowns with spray mixture

Plant Growth Prevention: Apply using [illegible] ZEP R 59 in 50 gallons of water per 100 square feet This [illegible] approximately 3 ½ gallons per 100 The recommended rate will increase with an increase in the amount of water used or decrease with a decrease in the amount of water used DO NOT APPLY in excess of 9 gallons of ZEP R 59 per 100 square feet unless treated surface is to be subsequently covered by pavement

Tree and Stump Killings: Mix one part with four parts water

Tree Killing: Cut deep gashes into bark and wood of tree, around tree trunk, two or three inches apart. Fill each gash with this mixture For best results, make treatment during spring or early summer

To Kill Poison Ivy: Take one part with four parts water, mix, and put into a watering can Apply to leaves, stems, and exposed roots. Wet plants thoroughly, being careful not to touch plants.

DANGER

—KEEP OUT OF REACH OF CHILDREN—

DANGER! POISONOUS IF SWALLOWED!

Do not get in eyes, on skin or clothing Do not breathe spray mist Wear respirator Wash thoroughly after using. In case of contact wash thoroughly Wash contaminated clothing before re use

Keep away from feed and food products and out of reach of domestic animals Do not use treated vegetation as food or bedding for livestock Avoid spray drift to susceptible plants as this product may injure cotton tomatoes peas grapes ornamentals etc Keep children pets domestic animals and livestock off treated areas until spray has dried Do not permit livestock to graze on treated areas

Do not apply this product in a manner [illegible]

This product when used [illegible] be killed Application for uses only [illegible] containers and [illegible] water supply [illegible] keep out

FIRST AID. If [illegible] give a tablespoon of salt in a glass of warm water and repeat until [illegible] vomit fluid is clear Then give two tablespoonfuls of Epsom salts or Milk of Magnesia in water and plenty of milk or water Have patient lie down and keep calm

CALL A PHYSICIAN IMMEDIATELY

E P A. Reg No 1, 6 4,

NET CONTENTS CALS

ZEP MANUFACTURING COMPANY

A DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.

ALBUQUERQUE, N. M. • ATLANTA, GA. • BIRMINGHAM, ALA. • BOSTON, MASS. • CHICAGO, ILL. • CLEVELAND, O.
DALLAS, TEXAS • DETROIT, MICH. • HOUSTON, TEXAS • KANSAS CITY, MO. • LOS ANGELES, CALIF.
MIAMI, FLA. • SANTA CLARA, CALIF. • SEATTLE, WASH. • SPRINGFIELD, N. J. • ST. PAUL, MINN. • WASHINGTON, D. C.

FOREIGN BRANCHES: MEXICO CITY, MEXICO • MONTREAL, P. Q., CANADA