

ZEP[®]

ZEP FORMULA 2566 DISINFECTANT FOR HOSPITALS

Use Dilutions: (AOAC Method, 20°C.)

S. aureus	1:500
S. choleraesuis	1:500

ACTIVE INGREDIENTS: 58.24%

Sodium o-benzyl-p-chlorophenate 12.00%; Sodium dodecylbenzene sulfonate 12.00%; Isopropanol 11.50%; Sodium xylene sulfonate 0.90%; Sodium p-tertiary-amyphenate 5.00%; Sodium 4-chloro-2-phenylphenate 4.00%; Sodium o-phenylphenate 2.80%; Tetrasodium ethylene diamine tetraacetate 2.00%; Sodium 6-chloro-2-phenylphenate 0.94%

INERT INGREDIENTS: 41.76%

Water; Sodium sulfite

DIRECTIONS FOR USE

1. For routine disinfection of previously cleaned surfaces, use 1 ounce per 4 gallons of water.
2. For cleaning and disinfecting moderately soiled surfaces, use 1 ounce per 2 gallons of water.
3. For disinfecting heavily soiled surfaces, use 1 ounce per 1 gallon of water. Apply use solution with a mop, brush, or rag. Thoroughly wet all surfaces. Apply treatment twice.

Designed for cleaning walls, floors, woodwork, bed frames, bed pans, tables, chairs and other similar surfaces in hospitals.

Apply proper solution (see above) to surfaces to be cleaned and/or disinfected and allow a minimum of 10 minutes contact time.

All surfaces which may subsequently contact food products must be washed with a detergent solution and rinsed thoroughly with potable water prior to being re-used.

DANGER!

KEEP OUT OF THE REACH OF CHILDREN

Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard in a safe place.

E.P.A. REG. NO. 1270-101-M.

NET CONTENTS _____ GALS.

ZEP MANUFACTURING COMPANY

A DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.

ALBUQUERQUE, N. M. • ATLANTA, GA. • BIRMINGHAM, ALA. • BOSTON, MASS. • CHICAGO, ILL. • CLEVELAND, O.
DALLAS, TEXAS • DETROIT, MICH. • HOUSTON, TEXAS • KANSAS CITY, MO. • LOS ANGELES, CALIF.
MIAMI, FLA. • SANTA CLARA, CALIF. • SEATTLE, WASH. • SPRINGFIELD, N. J. • ST. PAUL, MINN. • WASHINGTON, D. C.

FOREIGN BRANCHES: MEXICO CITY, MEXICO • MONTREAL, P. Q., CANADA