

BEFORE USING THIS PRODUCT, PLEASE READ THIS ENTIRE LABEL.

PROD. #2129

ZEPONA INSECTICIDE

1189A

A SPECIALLY PREPARED INSECTICIDE FOR CONTROL OF RESISTANT AND NON-RESISTANT INSECTS.

ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate	0.46%
Related Compounds	0.04%
INERT INGREDIENTS*	99.50%
TOTAL	100.00%

*Contains Petroleum Hydrocarbons

USES

For use in industrial plants, inedible products area of food processing plants, outdoor areas, in horse barns, dairy barns, milksheds, dog kennels, theaters, warehouses, and restaurants. Controls flies, gnats, mosquitoes, wasps, fruit flies, flying moths, cockroaches, millipedes, centipedes, ants, spiders, silverfish, fleas, and brown dog ticks.

CAUTION

**KEEP OUT OF REACH OF CHILDREN
DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT store near heat or open flame. DO NOT contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Triple rinse (or equivalent) container. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOGGING APPLICATIONS:

To kill insects such as flies, wasps, fruit flies, and flying moths in industrial plants, in inedible products area of food processing plants (DO NOT USE IN EDIBLE PRODUCTS AREAS), and in warehouses, apply as a dense fog enveloping the area at a rate of 1 quart per 8,000 cubic feet. When treating inedible products areas of food processing plants, precautions should be taken to avoid contamination of packaged or stored foods. Before fogging, reduce air movement as much as possible by closing doors, windows, etc., and turning off fans. All electrical connections should be eliminated as well as other sources of ignition. Allow 5 to 10 minutes after fogging before ventilating area. Keep unprotected persons out of the operational areas.

To kill flies, mosquitoes, wasps, gnats, flying moths, and other insects which prove troublesome around picnic areas, playgrounds, patios, and other outdoor areas, apply as a dense fog using a thermal fogging device such as the Aero-Dyne Fogger. Material should be fogged at a rate of 1-1/4 to 2-1/2 gallons of insecticide per acre. It should be applied at a time of low wind velocity, and fog should always be directed downwind from the operator and fogging machine. Fog should be applied in such a manner that it will drift over the infested areas slowly as possible. Keep unprotected persons out of the operational areas.

APPLICATIONS AS A SURFACE SPRAY:

For control of harder to control insects, such as cockroaches, spiders, millipedes, centipedes, ants, silverfish in restaurants, theaters, food processing plants, industrial plants, warehouses, and wherever else they infest, apply as a surface spray at the rate of 1 quart per 1,000 square feet. Pay particular attention to breeding and nesting sites such as cracks in walls, along baseboards, in closets, storage cabinets. Do not contaminate food, food handling equipment, or drinking water. Do not apply in the edible products area of food processing plants.

EPA REG. NO. 1270-120

EPA EST. NO. 1270-GA-1

DIRECTIONS FOR USE (Cont'd.)

To kill annoying flies and fly maggots in and around horse barns, dairy barns, and milksheds, apply as a wet spray using a low pressure sprayer. Surfaces such as doorways, feed storage room floors and walls, alleyways, window sills should be thoroughly wetted with the spray at a rate of 1 quart per 1,000 square feet. Do not contaminate milk, milking utensils, feed, or water.

For control of maggots in breeding areas such as manure piles, garbage dumps apply as a coarse spray at a rate of 1 to 2 quarts per 100 square feet thoroughly wetting infested surfaces.

To kill flies, gnats, and similar annoying insects around dog kennels, apply as a spray, 1 quart per 1,000 square feet. Apply to such surfaces as outside runways, window sills, and ledges. To control fleas and brown dog ticks, increase dosage to 2 quarts per 1,000 square feet.

As a face spray for cattle to control flies and gnats, apply 1 to 2 fluid ounces per animal, as a fine mist spray, daily with hand or automatic sprayer. Do not get into animal's eyes. Apply spray so as to wet the hair. Do not apply in excess of 2 fluid ounces per animal per day.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin and eyes. Avoid breathing spray mist. May be fatal if swallowed, inhaled, or absorbed through the skin. Wash thoroughly with soap and water after use and before eating or smoking.

Not to Physician: Atropine is antidotal.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label. Birds feeding on treated areas may be killed.

DO NOT use in edible products areas of food processing plants.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: DO NOT induce vomiting. Contact a physician or Poison Control Center immediately for treatment.

If on skin: Wash all areas contacted by product with soap and water. If irritation persists contact a physician.

If in eyes: Flush eyes with water for 15 minutes. If irritation persists, contact a physician.

If inhaled: If discomfort or breathing difficulty arises, contact a physician.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture - extinguish open flames before space spraying. DO NOT USE, Pour, Spill or Store near heat or open flame.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

NET CONTENTS/GALS

CONTROL NO.

MANUFACTURED BY
ZEP MANUFACTURING COMPANY

Division of National Service Industries, Inc.

ATLANTA, GEORGIA 30301

CLEAN ACROSS AMERICA AND THROUGHOUT THE WORLD