

Directions

FOR DISINFECTING:

Hold dispenser upright about 6 to 8 inches from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING:

Hold dispenser upright—point the opening away from face. Spray into air towards the center of room for about 4 seconds.

FOR MILDEW CONTROL:

Clean surface. Spray surface until wet. Repeat application every week to maintain control.

This powerful hospital disinfectant and deodorant acts quickly on germ laden surfaces such as: Refuse Cans, Toilet Seats, Telephone, Wash Basins, Urinals, Laundry Cloths, Door Knobs, Metal Beds and Springs, Wheel Chairs, Linen Carts, Hampers, Dressing Carts, Clean-Up Carts, Air Ducts, Light Switches, Office Machinery, and other equipment, after the surface has been properly cleaned. Will reduce the hazard of cross infection by bacteria, via environmental surfaces.

Non selective odor suppressant for space odor conditioning and deodorizing surgical dressings. Molecular aerosol deodorant. Attacks malodor at the source. Does not cause anoxia. Suppresses and eliminates odors by chemically neutralizing odor-producing materials.

Effective on odors from many sources in hospitals, nursing homes, ambulances, from post colostomy, post ileostomy dressing and bags, malignant diseases, homes, kitchens, bath rooms, industrial plant processes, food processing and packaging plants and food stores. Before using, food products and packaging materials must be removed from the room or carefully protected. After use, equipment and utensils in the area must be thoroughly rinsed with potable water.

Acts instantly and remains effective for long periods on unpleasant odors from fecal matter, urine, burns, smoke, mildew and mold, decay, garlic, onions, food putrefaction, perspiration, stale air, tobacco, sick rooms, musty closets, fish, etc.

ACCEPTED

July 1 1948

UNDER THE...
1940-106

ZEPYNAMIC II

DISINFECTANT DEODORANT

HOSPITAL TYPE

*Tuberculocidal — Staphylocidal
Bactericidal — Fungicidal — Pseudomonicidal*

*VIRUCIDAL AGENT AGAINST INFLUENZA, A₂ (Hong Kong)
AND MUMPS VIRUS ON ENVIRONMENTAL SURFACES*

CONTROLS MILDEW (MOLD OR FUNGI)

ACTIVE INGREDIENTS:	54.66%
Orthobenzylparachlorophenol	0.06%
Paratertiaryamylphenol	0.04%
Orihophenylphenol	0.10%
Essential Oils.....	1.00%
Ethanol	53.46%
INERT INGREDIENTS:	45.34%
TOTAL	100.00%

WARNING

**KEEP OUT OF THE REACH OF CHILDREN
CAUSES EYE IRRITATION. FLAMMABLE
MIXTURE. CONTENTS UNDER PRESSURE.**

See back panel for further precautions.

CAN SIZE 24 FL. OZ. NET WT. 20 OZ. (1 LB. 4 OZ.)

Manufactured By:

ZEPHYRUS MANUFACTURING COMPANY

This Product Will Control The Following Organisms:

ASPERGILLUS NIGER
MYCOBACTERIUM SMEGMATIS
PENICILLIUM GLAUCUM
PSEUDOMONAS AERUGINOSA
SALMONELLA CHOLERAESUIS
SALMONELLA SCHOTTMUELLERI
(PARATYPHOID B)
SALMONELLA TYPHOSA
SHIGELLA FLEXNERI
STAPHYLOCOCCUS AUREUS
STREPTOCOCCUS PYROGENES
TRICHOPHYTON INTERDIGITALE
TUBERCLE BACILLI

Controls mildew (mold or fungi) on cloth and leather.

Completely inhibits growth on cloth. Markedly inhibits growth on leather.

WARNING!

Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use on polished wood, furniture or rayon fabrics.

WARNING!

Use with adequate ventilation. Avoid contact with food. Avoid inhalation of spray mist. Avoid skin contact. Do not get in eyes. In case of contact with eyes, flush at once with water for at least 15 minutes. Call a physician.

E.P.A. REG. NO. 1270-166-AA
ALCOHOL REG. NO. SDA 11-235