

# ZEP CHECKMATE

# **DETERGENT SANITIZER**

### ACTIVE INGREDIENTS:

Sodium dichluro s triazinetrione dihydrate (provides 3.2% available chlorine)	5.60%
Sodium dodecylbenzene sulfonate	_
Sodium Metasilicate	5.0%
INERT INGREDIENTS:	B5.15%

This product is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

#### **DIRECTIONS:**

Prepare a sanitizing solution by dissolving 4½ ox. or 8½ ox. per 10 gal. of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, rinse with potable water and dry. For flat surfaces, clean to remove gross filth and heavy soil. Then spread the sanitizing solution and allow to stand 2 to 5 minutes and then rinse with potable water. The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use. The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is re-used and tests show the level of chlorine has not been maintained, additional product should be added, to maintain a minimum concentration of 100 ppm available chlorine.

#### DIRECTIONS FOR STORAGE AND HANDLING:

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not take with other chemicals. Contact with organic matter may cause fire. Decomposes a. 350-475°F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well ventilated area. Flood with large volume of water, if necessary.

Do not re-use empty container. Rinse empty container thoroughly with clean water before discarding.


This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, pands or public water. Do not contaminete water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

# WARNING KEEP OUT OF THE REACH OF CHILDREN.

Harmful if swallowed. May cause eye damage. Do not get in eyes, on skin, or on clothing. Do not breathe dust. It swallowed: feed gruel or cooked cereal followed by alive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention. Rinse empty container thoroughly with water and discard it. See side panel for use directions.

E.P.A. REG. NO. 1270-181-AA E.P.A. EST. NO. 1270-GA-1

NET CONTENTS



# ZEP CHECKMATE

# DETERGENT SANITIZER

#### ACTIVE INGREDIENTS:

Sodium dichluro-s-triazinetrione dihydrate (provides	
3.2% available chlorine)	5.60%
Sodium dodecylbenzene sulfonate	
Sodium Metasilicate	5.0%
INERT INGREDIENTS:	85.15%

This product is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

## **DIRECTIONS:**

Prepare a sanitizing solution by dissolving 4½ oz. or 8½ oz. per 10 gal. of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, rinse with potable water and dry. For flat surfaces, clean to remove gross filth and heavy soil. Then spread the sanitizing solution and allow to stand 2 to 5 minutes and then rinse with potable water. The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use. The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is re-used and tests show the level of chlorine has not been maintained, additional product should be added, to maintain a minimum concentration of 100 ppm available chlorine.

## DIRECTIONS FOR STORAGE AND HANDLING:

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not the with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F, with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well ventilated area. Flood with large volume of water, if necessary.

Do not re-use empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

# WARNING

# KEEP OUT OF THE REACH OF CHILDREN.

Harmful if swallowed. May cause eye damage. Do not get in eyes, on skin, or on clothing. Do not breathe dust. If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention. Rinse empty container thoroughly with water and discard it. See side panel for use directions.

E.P.A. REG. NO. 1270-181-AA E.P.A. EST. NO. 1270-GA-1 NET CONTENTS .....

