# DANGER **KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling concentrate. Harmful or fatel if swallowed. Avoid contamination of food. Do not use, pour, spill or store near heat or open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water top at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physiciant immediately.

NOTE YO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not reuse mpty container. Rinse thoroughly with water before discarding or returning drum to drum reconditioner.

### WILL NOT REDUCE CONDUCTIVITY OF OPERATING ROOM CONDUCTIVE FLOORS. A SUPERIOR GERMICIDAL CLEANER FOR USE IN ALL MAJOR HOSPITAL AREAS. Operating Rooms Recovery Rooms **Pediatrics** Radiology Corridors **Blood Bank Services** Patient Rooms **Emergency Rooms** Laboratories Maternity Ontpatient Bathrooms Nursery **Physical Therapy Animal Research Areas** Cafeteria **Dormitory Areas** Office Areas THIS PRODUCT WILL KILL THE FOLLOWING ORGANISMS ON ENVIRONMENTAL SUR-FACES Stephylecoccus aureus Shigella dysenteriae Selmonelle choleraesuis Streptococcus pyogenes var. bovis BCG Pseudomonas aeruginose Trichophyton mentographytes Salmonella schotimuelle, i **Tricophyton** interdigitale

Aerobactor eerogenes

Mycobacterium tuberculosis Klebsiella pneumoniae Pseudomonas putida Sarcina lutea Shigella flexneri

Stapnylocidal

ACCEPTED
MAR 22 1976
UNDER THE FEI LALL INSECTICIDE

FUNGICIDE AND ROPLNFICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. 1970

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS





Tuberculatidal

CLEANER

DISINFECTANT

DEODORANT

Tungicidal

### Pseudomonacidal

ADAG-USE DILUTION CONFIRMATION	
1 čS1 Strobi gurova	1.1.70
Staph aureus Saimonella choleraesuis	
Pseudomonas aeruginosa	
AOAC Fungicidal Test	1:128
AOAC Tuberculocidal Test	1:128

ACTIVE INGREDIEN IS	
Isopropanal	11.87%
Potassium o-benzyl-p-chlorophenate	6.43%
Potassium Dodecylbenzene Sulfonate	4.48%
Potassium o-phenylphenate Potassium p-tertiary Amylphenate	2.71%
Tetrasodium Ethylenediamine	
Tetroacetate	1.90%
Essential Oils	0.20%
INERT INGREDIENTS*	68.30%
*Includes cleaning agents and build	ers

\*\*At 1 ounce per gallon use-level, this product is virucidal against Influenza A2 (the Hong Kong flu virus) on inanimate environmental surfaces.

# DANGER

# **KEEP OUT OF REACH OF CHILDREN**

Cleans, deodorizes, and disinfects all in one easy operation. Non-selective, wills a broad spectrum of both gram negative and gram positive organisms. Contains an effective blend of phenolic germicides, synthetic detergents, water softening agents, and builders. Especially suited for hospitals, clinics, nursing homes, and institutions. For use on all types of wash-able surfaces including floors, walls, cabinets, bed rails, chairs, woodwork, bed pans, sin!..., tubs, instruments and equipment.

Virucidal\*



FOR HOSPITAL USE

DISINFECTANT

DEODORANT

Fungicidal

Virucidal\*\*

Stapnylocidal

### Pseudomonacidal

Salmonella choleraesuis

**ADAC-USE JILUTION CONFIRMATION** 

Pseudomonas aeruginosa ......1:128

AOAC Fungicidal Test 1:128

CLEANER

7257

Staph aureus

## Tuberculocidal

ACTIVE INGREDIEN IS	
Isopropanol	87%
Potassium o-benzyl-p-chlorophenate 6.	43%
Potassium Dodecylbenzene Sulfonate 4.	48%
Potassium o-phenylphenate	16%
Potassium p-tertiary Amylphenate 2.	71%
Tetrasodium Ethylenediamine	
Tetraacetate	90%
Essential Oils	20%
INERT INGREDIENTS*	30%
*Includes cleaning agents and builders	

..1:128

\*\*At 1 ounce per gallon use-level, this product is virucidal against Influenza A2 (the Hong Kong flu virus) on inanimate environmental surfaces.

# DANGER

## **KEEP OUT OF REACH OF CHILDREN**

### SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Cleans, deodorizes, and disinfects all in one easy operation. Non-selective. Kills a broad spectrum of both gram negative and gram positive organisms. Contains an effective blend of phenolic germicides, synthetic detergents, water softening agents, and builders. Especially suited for hospitals, clinics, nursing homes, and institutions. For use on all types of washable surfaces including floors, walls, cabinets, bed rails, chairs, woodwork, bed pans, sinks, tubs, instruments and equipment.

E.P.A. REG. NO. 1270-193-AA NET CONTENTS...1 GAL. EPA EST. NO. 1270-GA-1 MANUFACTURED BY ZEP MANUFACTURING COMPANY Division of National Service Industries The 10 ATLANTA, GEORGIA 30301 PRINCIPAL CITIES USA AND THROUGHOUT THE WORLD

ACCEPTED

MAR 22 1976

DER THE FEDERAL INSECTICIDE NGICIDE AND RODENTICIDE ACT R ECONOMIC POISON REGISTER-UNDER NO. 1270 -193

### DIRECTIONS

This is a concentrate. Dilute as directed before use.

- 1. To Clean and Disinfect Hospital Utensils and Equipment such as Bedpans and Operating Room Equipment: Wash with solution containing 1 oz. per gallon of water (1/2 cup per 2 gallons of water in pail) using cloth or sponge. Allow a minimum of 10 minutes contact time.
- 2. To Clean and Disinfect Floors: Dilute product 1 oz. per gallon of water ( $\frac{1}{2}$  cup per 4 gallons of water in pail). Damp mop floor. For heavy-duty cleaning, apply solution with mop or sprayer and scrub with floor machine equipped with nylon scrubbing pad.
- 3. Cold Disinfection of Instruments: Thoroughly pre-clean instruments and trays, then immerse for 10 minutes in a solution containing 1 oz. product per gallon of water. If desired, instruments may be stored in this solution until needed. Rinse thoroughly with water before use.
- 4. To Disinfect Rubber and Plastic Goods: Soak gloves, tubes, masks, catheters, and other washable articles for 15 minutes and no longer, in a solution containing 2 oz. product per gallon of water. Rinse with water. Following rinsing, catheters should be soaked one minute in 70% alcohol.
- 5. To Disinfect Sheets, Linens, Aprons, Uniforms, and other Fabrics: Soak in solution containing 2 oz. product per gallon of water prior to laundering.
- 6. To Clean and Disinfect Walls, Tables, Bed Frames, Sinks, Exterior Surfaces of Toilet Bowls, Urinals, Light Fixtures, and Other Hard Surfaces: Dilute 1 oz. product per gallom of water (1/4 cup per 2 gallons of water in pail) and apply with mop, cloth or sponge. Treated fool contact surfaces must be thoroughly scrubbed with detergent solution and rinsed with potable water prior to re-use.
- 7. To Strip Floor Finish: Dilute product 6 to 12 oz. per gallon of water (3 to 6 cups per 4 gallons of water in pail). Apply solution to floor and let soak about 5 minutes. Scrub with floor machine equipped with nylon stripping pad. Rinsz thoroughly with water.

### For Industrial and Institutional Use Only.

276