


Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

PROD. #0748

190A

ZEP FORMULA 165-A

FOR HOSPITAL USE
CLEANER DISINFECTANT DEODORANT



NET CONTENTS/GALS.

Staphylocidal • Pseudomonacidal • Tuberculocidal • Fungicidal • Virucidal**

CONTROL NO.

AOAC-USE DILUTION CONFIRMATION TEST

Staph aureus	1:128
Salmonella choleraesuis	1:128
Pseudomonas aeruginosa	1:128
AOAC Fungicidal Test	1:128
AOAC Tuberculocidal Test	1:128

ACTIVE INGREDIENTS

Potassium o-benzyl-p-chlorophenate	6.43%
Potassium o-phenylphenate	4.16%
Potassium p-tertiary Amylphenate	2.71%
INERT INGREDIENTS *	86.70%

*Includes cleaning agents and builders

Cleans, deodorizes and disinfects all in one easy operation. Non-selective. Kills a broad spectrum of both gram negative and gram positive organisms. Contains an effective blend of phenolic germicides, synthetic detergents, water softening agents, and builders. Especially suited for hospitals, clinics, nursing homes, and institutions. For use on all types of washable surfaces including floors, walls, cabinets, bed rails, chairs, woodwork, bed pans, sinks, tubs, instruments and equipment

WILL NOT REDUCE CONDUCTIVITY OF OPERATING ROOM CONDUCTIVE FLOORS.
A SUPERIOR GERMICIDAL CLEANER FOR USE IN ALL MAJOR HOSPITAL AREAS.

Operating Rooms
Recovery Rooms
Patient Rooms
Maternity
Nursery
Cafeteria
Pediatrics
Corridors
Emergency Rooms

Outpatient
Physical Therapy
Dormitory Areas
Radiology
Blood Bank Services
Laboratories
Bathrooms
Animal Research Areas
Office Areas

THIS PRODUCT WILL KILL THE FOLLOWING ORGANISMS ON ENVIRONMENTAL SURFACES

Staphylococcus aureus	Trichophyton interdigitale
Salmonella choleraesuis	Mycobacterium tuberculosis
Pseudomonas aeruginosa	var. bovis BCG
Salmonella schottmuelleri	Klebsiella pneumoniae
Aerobacter aerogenes	Pseudomonas putida
Shigella dysenteriae	Sarcina lutea
Streptococcus pyogenes	Shigella flexneri
Trichophyton mentographites	

**At 1 ounce per gallon use-level, this product is virucidal against Influenza A₁ (the Hong Kong flu virus) on inanimate environmental surfaces.

MANUFACTURED BY
ZEP MANUFACTURING COMPANY

Division of National Service Industries, Inc.
ATLANTA, GEORGIA 30301

PRINCIPAL CITIES, USA AND THROUGHOUT THE WORLD
E.P.A. Est. No. 1270-GA-1

DIRECTIONS

This is a concentrate. Dilute as directed before use.

- To Clean and Disinfect Hospital Utensils and Equipment such as Bedpans and Operating Room Equipment: Wash with solution containing 1 oz. per gallon of water (1/4 cup per 2 gallons of water in pail) using cloth or sponge. Allow a minimum of 10 minutes contact time.
- To Clean and Disinfect Floors: Dilute product 1 oz. per gallon of water (1/2 cup per 4 gallons of water in pail). Damp mop floor. For heavy-duty cleaning, apply solution with mop or sprayer and scrub with floor machine equipped with nylon scrubbing pad.
- Cold Disinfection of Instruments: Thoroughly pre-clean instruments and trays, then immerse for 10 minutes in a solution containing 1 oz. product per gallon of water. If desired, instruments may be stored in this solution until needed. Rinse thoroughly with water before use.
- To Disinfect Rubber and Plastic Goods: Soak gloves, tubes, masks, catheters, and other washable articles for 15 minutes and no longer, in a solution containing 2 oz. product per gallon of water. Rinse with water. Following rinsing, catheters should be soaked one minute in 70% alcohol.
- To Disinfect Sheets, Linens, Aprons, Uniforms, and other Fabrics: Soak in solution containing 2 oz. product per gallon of water prior to laundering.
- To Clean and Disinfect Walls, Tables, Bed Frames, Sinks, Exterior Surfaces of Toilet Bowls, Urinals, Light Fixtures, and Other Hard Surfaces: Dilute 1 oz. product per gallon of water (1/4 cup per 2 gallons of water in pail) and apply with mop, cloth or sponge. Treated food contact surfaces must be thoroughly scrubbed with detergent solution and rinsed with potable water prior to re-use.
- To Strip Floor Finish: Dilute product 6 to 12 oz. per gallon of water (3 to 6 cups per 4 gallons of water in pail). Apply solution to floor and let soak about 5 minutes. Scrub with floor machine equipped with nylon stripping pad. Rinse thoroughly with water.

STORAGE AND DISPOSAL.

Store in a cool, dry area away from heat or open flame. DO NOT contaminate water, food, or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling concentrate. Harmful or fatal if swallowed. Avoid contamination of food. Do not use, pour, spill or store near heat or open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REG NO. 1270-193