

Manufactured by  
**ZEP MANUFACTURING  
 COMPANY**  
 ATLANTA, GEORGIA 30301

Division of  
*National Service Industries, Inc.*

Principal Cities  
 U.S.A. and Throughout The World

# ZEP TOX II

## PRESSURIZED SPRAY

KILLS WASPS,  
 SPIDERS, HORNETS,  
 BEES, AND  
 YELLOW JACKETS

### CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Do not smoke while using. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get prompt medical aid.

To Physician—Atropine sulfate is antidotal.

Avoid contamination of food, utensils, food preparation areas. Avoid contamination of fish ponds. Remove pets from area before spraying.

Avoid excessive wetting of plastic, rubber and asphalt surfaces.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

### WARNING!

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120° F. may cause bursting. Never throw container into fire or incinerator.

E.P.A. REG. NO. 1270-197-AA  
 E.P.A. EST. NO. 1270-GA-1



**DOUBLE ACTION —  
 KILLS WASPS AND OTHER  
 INSECT PESTS BY FREEZING  
 AND INSECTICIDAL ACTION  
 FOR OUTDOOR USE ONLY.**

#### ACTIVE INGREDIENTS:

Pyrethrins .....	.10%
*Piperonyl butoxide, technical .....	.20%
Δ-N-octyl bicycloheptene dicarboximide .....	.33%
**2-(1-Methylethoxy)phenol methylcarbamate .....	.50%
Petroleum distillate .....	.84%
<b>INERT INGREDIENTS .....</b>	<b>98.03%</b>
<b>Total 100.00%</b>	

\*Consists of .16% (butylcarbityl) (6-propylpiperonyl) ether and .04% other related compounds.  
 \*\*Baygon® U. S. Pat. No. 3,111,539.  
 —MGK 264, Insecticide Synergist.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

Contents under pressure. See side panel for additional precautionary statements.

**NET WEIGHT 1 lb. 2 OZ. AV.**

### READ DIRECTIONS; CAREFULLY

Point spray nozzle toward insect's nest, hole or crevice, where infestation is known to exist. Spray area until saturated with material. Also spray around in the general area until completely wet. This treated area will have a residual killing action and prevent reinfestation for 2 to 4 weeks. If the residual film becomes ineffective on account of rain or other causes, repeat treatment.

Always spray with the wind at the user's back.  
**DIELECTRIC**

Spray Test: Electrodes 11" apart; no arcing at 35,000 volts.

Cup Test: Electrodes 1/10" apart; no breakdown up to 25,000 volts.

**WASPS ARE  
 KNOCKED DOWN BY:**

1. Lowering of body temperature
2. Suffocation
3. Paralysis

**ACCEPTED**  
 DEC 3 1975  
 EPA Reg. No. 1270-197

1270-197

12-3-1975

1/1