DOUBLE ACTION - KILLS **WASPS AND OTHER** INSECTS BY FREEZING AND INSECTICIDAL ACTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Do not smoke while using. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Do not use in commercial food preparation areas or for edible product areas of food processing plants. Remove pets from area before spraying.

Statement of Practical Treatment

If Swallowed: DO NOT INDUCE VOMITING. Contact a physician or Poison Control Center Immediately for treatment.

If on Skin: Wash all areas contacted by product with soap and water. If irritation persists, contact a physician.

If in Eves: Flush eves with plenty of water. If irritation persists, contact a physician.

If Inhaled: If discomfort or breathing difficulty arises, contact a physician.

NOTE to Physician: Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife. Keep out of lakes, streams, or ponds.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 13°F. may cause bursting. Avoid excessive wetting of plastic, rubber, and asphalt surfaces.

> E.P.A. REG. NO. 1270-197 E.P.A. EST, NO. 1270-GA-1

PRESSURIZED SPRAY

KILLS WASPS, SPIDERS, HORNETS, BEES AND YELLOW JACKETS

EFFECTIVE AT A DISTANCE OF 12 FEET.

ACTIVE INGREDIENTS:

Pyrethrins	.10%
*Piperonyl butoxide, technical	.20%
1N-octyl bicycloheptene dicarboximide	. 33%
**2(1-Methylethoxy)phenol methylcarbamate	.50%
Petroleum distillate	. 84 X
†INERT INGREDIENTS:	38.03%
Total 10	

*Consists of .16% (butylcarbityl) (6-propylp-peronyl) ether and 04% other related compounds.
**Baygon[®], U. S. Pat. No. 3,111,539.

1MGK 264 Insecticide Synergist

†This product contains the toxic inert ingredients methylene chloride and perchloroethylene.

KEEP OUT OF REACH OF **CHILDREN** CAUTION

CONTENTS UNDER PRESSURE See left side panel for additional precautionary statements Net Weight 1 lb. 2 oz. avdp (510 g)

FOR OUTDOOR USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

DO NOT store near heat or open flame. Replace cap, wrap container in newspaper and discard in trash DO NOT incinerate or puncture.

READ DIRECTIONS CAREFULLY

Point smay nozzle toward insect's nest, hole or crevice where infestation is known to exist. Spray area until saturated with material. Also spray around in the general area until it is completely wet. This treated area will have a residual killing action and prevent reinfestation for 2 to 4 weeks. If the residual film becomes ineffective on account of rain or other causes, repeat treatment. Always spray with the wind at the user's back.

DIELECTRIC

Spray Test Electrodes 11° apart, no arcing at 35,000 volts Cup Test Electrodes 1/10° apart, no breakdown up to 25,000 volts.

Manufactured by Fu... . Act QS 4:.. ZEP MANUFACTURING COMPANY, 110.

Adanta, Georgia 30301 **Division of National Service** Industries, Inc. Clean Across America and Throughout the World.

PROD #0231

987