

ZEP 10% BAYGON CONCENTRATE

Concentrated Residual Spray

Lasts for Weeks

For Crawling Insects

Kills on Contact

NET CONTENTS

GAL.

TO BE USED ONLY BY TRAINED PROFESSIONAL PERSONNEL

A residual type insecticide formulated especially to control roaches resistant to certain chlorinated hydrocarbon and phosphate insecticides. Provides rapid kill and up to two weeks of residual insecticidal activity.

ACTIVE INGREDIENT:

2-(1-Methylethoxy) phenol methylcarbamate*

10%

INERT INGREDIENTS:

90%

*U.S. Patent No. 3,111,539

KILLS: Ants, Brown Dog Ticks, Cockroaches, Clover Mites, Crickets, Earwigs, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders, and exposed stages of Saw-toothed Grain Beetles (Indoors), Hornets, Wasps, Fleas, Flies, and Mosquitoes (Outdoors only).

DIRECTIONS

GENERAL: MIX 1 PART PRODUCT WITH 9 PARTS WATER FOR ALL APPLICATIONS. Apply diluted product with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive runoff. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES: Thoroughly treat the infested area with properly diluted product. Spray baseboards, cracks and crevices, around window and door frames, under surfaces of shelves, drawers and work tables, behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains, and other places where cockroaches hide or nest.

ANTS: Apply diluted product to trails and places where ants enter premises such as around window frames and door sills. Spray hills and runways outdoors.

EXPOSED SAW-TOOTHED GRAIN BEETLES: Thoroughly spray diluted product on floors and walls of infested areas with attention to cracks, crevices, corners, and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

BROWN DOG TICKS: Spray diluted product to sleeping quarter of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, SILVERFISH, SOWBUGS, SCORPIONS AND SPIDERS: Thoroughly spray diluted product to the interior and exterior perimeter of the infested premises. For Clover Mites, pay special attention outside around window frames. **FLEAS, FLIES, MOSQUITOES, HORNETS, AND**

WASPS (Outdoors Only): Spray diluted product to infested areas thoroughly outside surfaces of screens, doors, window frames, foundations, patios, and other areas where insects may enter. For Hornets and Wasps, apply after dark when all insects have returned to the nest.

RESTRICTIONS: Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not apply to animals. Do not spray plants. Do not apply to any fabrics, carpets or other surfaces which would be stained or otherwise damaged by this product. Test product thoroughly in small, inconspicuous area before treating entire surface. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

WARNING

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Do not get in eyes, on skin or on clothing. In case of prolonged exposure, wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and warm water. Do not store near food or food products. Avoid contamination of food, utensils and food preparation areas. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. If illness occurs, get prompt medical aid. To Physician — Atropine sulfate is antidotal.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

This product is toxic to birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

E.P.A. Reg. No. 1270-199-AA

FOR INDUSTRIAL AND INSTITUTIONAL USE

1175

MANUFACTURED BY

ZEP MANUFACTURING COMPANY

Division of National Service Industries, Inc.

ATLANTA, GEORGIA 30301

PRINCIPAL CITIES, USA AND THROUGHOUT THE WORLD

E.P.A. Est. No. 1270 GA-1