PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive: CONTAINS HYDROCKLO-RIC ACID. May be fatal if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Do not get in eyes, on skin, or on clothing. Causes eye and skin damage. Wear goggles or face shield and rubber gioves when handling. For indoor use only.

CHEMICAL OR PHYSICAL XAZARD

Do not use in combination with hypochlorites or other bleaching agents. Toxic and/or hazardous furnes may be released.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give several glasses of water and milk of magnesia. Follow with raw egg whites or two table-spoons of vegetable oil. Do not induce vomiting. Call physician immediately.

IF IN EYES: Flush eyes thoroughly with warm water for at least 15 minutes and get prompt medical attention. IF ON SKIN: Wipe off gently with absorbent cloth or paper towel; immediately flood the skin with water using soap freely, then cover with moist magnesia or

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and contribion may be needed.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not re-use empty container. Rinse with water or a dilute solution of sodium blcarbonete (baking soda) and pour into toilet bowl. Wrap container and place in trash collection. This product must be kept in locked storage sufficient to make it inaccessable to children or persone unfamiliar with its proper use.

CLINGING COLOR INDICATOR FORMULA



For use in Hospitals, Clinics, and Nursing Homes Active Ingredients:

TOTAL 100.00%

*Includes detergents and corrosion inhibitors.

KEEP OUT OF REACH OF CHILDREN DANGER

See Left Side Panel for Statement of Practical Treatment and further precautionary statements.

Kills a broad spectrum of both gram negative and gram positive organisms, including Pseudomonas aeruginosa, Staphylococcus aureus, and Salmonella choleraesuis.

> **NET CONTENTS 1 QUART (946 mL)** ACCEPTED

> > · 1979

DIRECTIONS (Cont'd) READ ENTIRE LABEL BEFORE USING.

Do not apply when children are likely to come into con-

TOLLET BOWLS; To clean, simply squirt at least one ounce VETO under rim and around sides. Allow it to stand for several minutes. Then scrub entire surface with a bowl mop, flush, and rinse. To disinfect, allow solution to remain in bowl at least 10 minutes after scrubbing. scrubbing.

URINALS: Remove screens or strainers. Then squirt at least one ounce around edges and top, allowing VETO to flow down over surfaces. Allow it to stand for several minutes before scrubbing, then flush and rinse. To disinfect, allow solution to remain in urinal at least 10 minutes after scrubbing.

TO CLEAN WATER TANKS; Shut off the intake valve, and drain the tank. Then apply VETO over the entire surface of box. Let stand several minutes before swabbing with a wet bowl mop. Refill tank, and flush at least twice.

<u>CAUTION</u>: Handle carefully, use a bowl mop for scrubbing. Use only on vitreous surfaces. DO NOT use on sinks, bathtubs, or any enameled surfaces. Avoid contact with chrome and other decorative metal surfaces.

Quickly removes rust, stains, scale and residues from toilet bowls and urinals. Special cling formula works longer and harder on vertical surfaces. Special in-dicator dye shows untreated surfaces, and insures proper scrubbing. Leaves a pleasant, fresh fragrance. Won't harm septic tanks, drain lines or disposal plants.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

EPA Reg. No. 1270-204-AA EPA Est. No. 1270-GA-1

Manufactured By
ZEP MANUFACTURING COMPANY
Atlanta, Georgia 30301
Division of National Service Industries Principal Cities, USA and Throughout the World