# 4 1979 9

#### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND **DOMESTIC ANIMALS** CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Launder all contaminated clothing before re-use. Avoid breathing mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Salety and Health Administration under the provisions of 30 CFR, Part II. Remove personnel, patlents, pets, birds, and cover fish aquarlums in area to be treated. Ventilate treated areas thoroughly before re-entry.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: DO NOT induce vomiting. Contact a physician or Poison Control Center immediately for treatment.

if on skin: Wash all areas contacted by product with soap and water. If irritation persists contact a physician.

If in eyes: Flush eyes with water for 15 minutes. If irritation persists contact a physician.

If inhaled: If discomfort or breathing difficulty arises, contact a physician.

PHYSICAL OR CHEMICAL HAZARDS Combustible mixture · extinguish open flames before space spraying, DO NOT USE, Pour, Spill or Store near heat or open flame.

### DIRECTIONS FOR USE **GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL.

Prohibitions: Do not contaminate water, foodstuffs or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide or rinsate from container or equipment, which cannot be used or chemically reprocessed. should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. A container size of 30

## **ZEP SUPERSYN-5** INSECTICIDE

### TO BE APPLIED BY TRAINED **PERSONNEL ONLY**

A synergized, synthetic pyrethroid product, designed for use, undiluted, in aerosol generating devices, which controls the following flying and crawling insects: Houseflies, Mosquitoes, Gnats, Cockroaches, Ants, Earwigs, Spiders, **Grain Insects (Adults of Confused Flour** Beetles, Sawtooth Grain Beetles, Shiny Spider Beetles), Grain Mites, Sowbugs and Centipedes.

### **ACTIVE INGREDIENTS:**

*†Resmethrin ([5-phenylmethyl] -3-furanyl) methyl -2, 2-dimethyl-3- (2-methyl-1-propenyl) cyclopropane	
carboxylate	5.00%
Related compounds	
**Piperonyl butoxide, technical	
Aromatic petroleum hydrocarbons	
Petroleum distillate	
INERT INGREDIENTS	
*Cis/trans isomers ratio: may 30% (+) als and min	100.00%
-1018/trans isomers ratio: max $30\% (+)$ dis and min	731% (+

\*\*Equivalent to 4% (butylcarbityl) (6-propylpiperonyl) ether and 1% related compounds

tU.S. Patent Nos. 3,465,007 and 3,542,928

### KEEP OUT OF REACH OF CHILDREN CAUTION

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTION-ARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT.

For Industrial and Institutional Use Only EPA Est. No. 1270-GA-1 EPA Reg. No. 1270-210-AA

Control No. \_

Net Contents.

MANUFACTURED BY

### ZEP MANUFACTURING COMPANY

DIVISION OF NATIONAL SERVICE INDUSTRIES, INC. ATLANTA, GEORGIA 30301

### **DIRECTIONS FOR USE (Cont'd)**

gallons or more may be resealed and offered for reconditioning.

General: Consult Federal, State or Local Disposal Authorities for approved procedures.

For Use in: Food processing plants and storage areas, restaurants, office buildings, motels, hotels, sports arenas and stadiums, and warehouses.

Avoid contamination of feed and food stuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas. apply only when the facility is not in oper-

This product is formulated for use, undiluted, in mechanical sprayers which are designed to produce particles of aerosol

Space Spray - Undiluted - to kill flies, mosquitoes, gnats, and exposed cockroaches: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 0.3 fl. oz, of undiluted concentrate per 1000 cu. ft. of space. Position aerosol generator in the center of room, directed towards upper corners and celling, or move about the room to achieve a uniform distribution. Leave room closed for one hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

Contact Spray - undiluted - to kill Cockroaches, Ants, Earwigs, Spiders, Grain Insects (Adults of Confused Flour Beetles, Sawtooth Grain Beetles, Shiny Spider Beetles), Grain Mites, Sowbugs, and Centipedes in Accessible, Sheltered Situations: Avoid contamination of stored food and food stuffs by removing before spraying. With the equipment described above, adjusted to give a coarse, wetting spray, apply the product into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, around window and door frames, under surfaces of shelves, drawers and work tables, behind and beneath cabinets, refrigerators, and stoves, in and around waste containers, switch panels, junction boxes and floor drains. Contact as many insects as possible. Use at a dosage rate of approximately 0.3 fl. ozs. per 1000 cu. ft. of room space. Repeat applications as necessary.