2003 JUL 3

Mr. Robert G. Beach Zep Manufacturing Company 1310 Seaboard Ind. Blvd. NW Atlanta, GA 30318

Subject: Zep Chlor 2TM

EPA Registration Number 1270-211

Application Date: 5/22/03 Receipt Date: 6/11/03

Dear Mr. Beach:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:


To update the "first aid" statement in accordance with PR Notice 2001-1

Conditions

- You must provide a "Hotline Telephone Number" under the First Aid Statement as per 1. PR Notice 2001-1.
- Under the "Environmental Hazards" statement revise the first sentence to read: "This ... 2. product is toxic to fish and aquatic organisms".
- Place the heading "Directions for Use" followed by "It is a violation...". and Note on right 3. panel after the Storage and Disposal Statement.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Robert S. Brennis Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510C)

Jelon Welling

ZEP CHLOR 2™

SANITIZING WASH

For Use By Food and Egg Processors, Dairies, and Breweries

A chlorinated, powder formulation designed for use in the food processing industry to provide sanitizing at 100 ppm available chlorine with no potable water rinse.

Recommended for sanitizing dishes, glasses, and food processing, dairy and brewery equipment and utensils. Also recommended for use in immersion and spray machines to clean and sanitize eggs for hatchery use.

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetrione dihydrate 28%
OTHER INGREDIENTS: 72%
Total 100%
*Provides 15.8% available chlorine.

E.P.A. REG. NO. 1270-211

E.P.A. EST. NO. 1270-GA-1

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

Have the product container or label with you when calling a polson control center or doctor, or going for treatment.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

It on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In eyes: Hold eye open & rinse slowly and gently with water for 15-20 minutes. Remove contact tenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control or doctor for treatment advice.

f inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Pegronal Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Strong exidizing agent. Mix or ly with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction, leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseat container. If possible, isolate container in onen air or well-ventileted area. Fixed with large volumes of water, if necessary.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this material in a manner inconsistent with its labeling. NOTE: Use a chlorine test kit to insure that chlorine levels do not fall below 50 ppm or rise above 100 ppm.

STORAGE & DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND DISPOSAL.

Pasticide Storage: Store in a cool dry place. Keep container closed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray moture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot

be reused, dispose of in the same manner.

The sanitizing solutions should be used promptly after inbung. If the solution is allowed to stand or is to be reused, test material to determine whether the chlorine level has been maintained. Add additional product, if necessary, to maintain a maximum concentration of 100 ppm available chlorine. TO SANITIZE DISHES, GLASSES, FOOD PROCESSING EQUIPMENT, AND UTENSILS

- Dissolve 1 ounce of product per 10 gallions of warm (approx. 125°F) water. This solution provides 100 ppm available chlorine.
- For manual use, clean and rinse items prior to sanitizing, then dip into sanitizing solution. Keep immersed for 2 to 3 minutes.
- 3. Remove items from solution and dry.
- 4. For Immersion or spray-type machines, use the above solutions in the sanitizer feed tank. Provide 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment or utensils.
- 5. Remove dried items which are ready for use.

TO SANITIZE NON-COMMERCIAL EGGS FOR HATCHERY USE:

- Dissolve 1 ounce of product per 10 gallons of warm (110 to 130°F)* water. This solution provides 100 ppm available chlorine.
- For conveyor-type spray machines, spray with the 100 ppm available chlorine solution with a 2 to 3 minute contact time.
- Dry eggs with warm air. Ambient air may be used; however, the resulting cooler egg temperature may force bacteria into the shell.
- 4. For immersion treatment, use the 100 ppm available chlorine solution.
- 5. Immerse eggs for 2 to 5 minutes contact time.

6. Dry rapidty by spreading on wire trays and blowing warm air on them. Ambient air may be used; however, the resulting cooler egg temperature may force bacteria into the shell.

"It is very important that the water temperature be warmer than the egg temperature at all times. With slight temperature elevation, the resulting pressure developed inside the egg will prevent bacteria and water from moving into the egg, as can occur in the reverse when using a cool or cold water sanitzing solution and rinse. Caution should be taken, however, to prevent the solutions or rinse from becoming hot enough to cook the eggs. A good compromising temperature should be aimed at between 110 and 130°F.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY NOT FOR HOUSEHOLD USE OR RESALE

PRECAUCION

AL USUARIO: SI usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ámpliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

ZEP MANUFACTURING COMPANY

A division of Aculty Specialty Products Group, Inc.

ATLANTA, GEORGIA 30301

CLEAN ACROSS AMERICA AND THROUGHOUT THE WORLD™

SAcultyBrands.

This product is designed exclusively for industrial and institutional use by trained, professional maintenance personnel. Label directions and precautions must be followed exactly. Zep Manufacturing Company will not be responsible for any injury, loss, or damage if product is used in any manner not in compliance with label directions, or if precautions are not observed.

PROD. #1156 397C

Net Content

ACCEPTED with COMMENTS EPA Letter Dated:

JUL 3 2003

Under the Federal Insecticide, Pungicide and indenticide Act as amended, for the posticide, registered under EPA Rog. No.

1270- 211

<<<pre><<<bar>barcode>>>1156