

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS  
DANGER**

**IRRITANT CAUSES EYE DAMAGE AND SKIN  
BURNS MAY CAUSE ALLERGIC SKIN REACTION  
MAY BE HARMFUL IF INHALED MAY BE FATAL IF  
SWALLOWED OR ABSORBED THROUGH THE SKIN**

**DO NOT** get in eyes, on skin, on clothing.  
**Wear goggles or face shield and rubber  
gloves when handling. Avoid breathing va-  
por or mist. Avoid contamination of food. DO  
NOT** take internally. Wash thoroughly after  
handling.

**STATEMENT OF  
PRACTICAL TREATMENT**

**If Swallowed** DO NOT induce vomiting.  
Promptly drink a large quantity of milk, egg  
whites, gelatin solution, or if these are not  
available, drink large quantities of water.  
Avoid alcohol. Call a physician immediately.  
**If Inhaled** Immediately remove person to  
fresh air. If person is not breathing, apply  
artificial respiration. If breathing is difficult,  
administer oxygen. Call a physician.  
**If on Skin** Wash affected area thoroughly  
with soap and water. Remove and wash  
contaminated clothing before re-use.  
**If in Eyes** Flush eyes with plenty of water for  
at least 15 minutes. Call a physician.

**NOTE TO PHYSICIAN** Probable mucosal  
damage may contraindicate the use of gas-  
tric lavage. Measures against circulatory  
shock, respiratory depression and convul-  
sions may be needed.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife.  
DO NOT discharge into lakes, streams,  
ponds or public waters, unless method is in  
accordance with an NPDES permit. For  
guidance contact your Regional Office of the  
EPA. DO NOT contaminate water by clean-  
ing of equipment or disposal of waste. Apply  
this pesticide only as specified on the label.

**DIRECTIONS FOR USE**

**General Classification**

It is a violation of Federal Law to use this  
product in a manner inconsistent with its  
labeling.

**STORAGE AND DISPOSAL**

DO NOT contaminate water, food or feed by  
storage or disposal. Open dumping is pro-  
hibited. If empty containers are plastic, they

Prod. No. 1380

**ZEP  
LUBEZE  
PRESERVATIVE**

**A Microbicide  
for Metalworking Fluids  
Helps Prevent the "Souring"  
of Soluble and Emulsifiable  
Types of Aqueous Cutting  
Fluids and Lubricants by  
Controlling the Growth of  
Bacteria and Fungi.**

**ACTIVE INGREDIENTS**

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%  
2-Methyl-4-isothiazolin-3-one 0.35%

**INERT INGREDIENTS**

98.50%  
**TOTAL 100.00%**

KEEP OUT OF REACH OF CHILDREN

**DANGER**  
**ACCEPTED**

See Left Panel for Additional  
Precautionary Statements

EPA Reg. No. 1270-218

EPA Est. No. 1270-GA-1

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

Control No.

Net Contents

**MANUFACTURED BY  
ZEP MANUFACTURING  
COMPANY**  
DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.  
ATLANTA, GEORGIA 30301  
Principal Cities USA and Throughout the World

**DIRECTIONS FOR USE (Cont'd)**

reuse. Pesticide containers should not be  
used for chemicals, fertilizers, or other  
disposed of in a manner approved for pesti-  
cides or buried in a safe place away from  
water supplies. Triple rinse and recycle all  
containers. **For metal containers** - offer  
for recycling or recycling, or if disposal is  
not available, approved for pesticide containers,  
or bury in a safe place. **For plastic con-  
tainers** - dispose in an incinerator. Consult  
Federal, state, or local disposal authorities  
for approved alternative procedures.

**METALWORKING FLUID TREATMENT**

This product is recommended for the control  
of bacteria and fungi in soluble and emulsi-  
fiable type aqueous metalworking fluids,  
such as emulsified petroleum oils and for-  
mulations containing alcoholic fatty acid sul-  
fonated red oil, or naphthalene sulfonate.  
These fluids are usually prepared by diluting  
one part of the product concentrate with 40  
to 60 parts of water.

**For nonfouled systems** As a maintenance  
dose use this product at a rate of 32 fluid  
ounces (2 lbs.) per 1000 gallons of emulsion  
every 4 weeks or 32-154 fluid ounces (2-10  
lbs.) per 1000 gallons of emulsion every 8-  
12 weeks.

**For noticeably fouled systems** Use an  
initial dose of 64-154 fluid ounces (4 to 10  
lbs.) per 1000 gallons of emulsion which is  
followed by subsequent maintenance  
dosages depending upon the treatment in-  
terval noted above.

A higher dosage range and or increased  
frequency of treatment may be required  
depending upon the rate of dilution of the  
preservative with make-up fluid, the nature  
and severity of contamination, the level of  
control required, the filtration effectiveness,  
the system design, etc.

The preservative should be dispersed into  
the use dilution of the metalworking fluid  
using a mixing pump. The weight of this  
product is 8.3 lbs. per gallon.

This product is designed exclusively for in-  
dustrial use. It is not intended for use by  
professionals, maintenance personnel, labor-  
ers, or the general public. Its use should be limited  
to Zep Manufacturing Company employees.  
Zep Manufacturing Company is not responsible  
for any damage or injury resulting from the  
use of this product in a manner not recom-  
mended on the label.