

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
 HARMFUL IF SWALLOWED. INHALED OR ABSORBED THROUGH THE SKIN. DO NOT BREATHE THE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. BEFORE EATING OR SMOKING. AVOID CONTAMINATION OF FOOD AND FEED. **PHYSICAL OR CHEMICAL HAZARDS.**
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
GENERAL: CONSULT FEDERAL, STATE, AND LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

COMPLETE INSECT SPRAY

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets, birds, and cover fish aquaria before spraying.

ACTIVE INGREDIENTS

Petroleum distillates	98.60%
Piperonyl butoxide technical*	1.27%
Pyrethrins	.13%
Total	100.00%

*Equivalent to 0.16% of (butylcarbityl) (6-propylpiperonyl ether) and to 254% of related compounds

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS (or PCO's).

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** vomiting may cause aspiration pneumonia.
IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES — Flush eyes with plenty of water. Get medical attention immediately.
NOTE TO PHYSICIANS — Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

DIRECTIONS FOR USE
 IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

It is especially recommended for use in Bottling Plants, Food Processing Plants, Canned Goods, Dairies, Packing and Bakeries. It can be used around food and food handling areas but should not be applied directly to uncovered food or food

For control of Flies, Mosquitoes, Gnats, Angoumois Grain Indian Meal Moths, Mediterranean Flour Moths, Grain Weevils, Beetles in their exposed or accessible stages apply in a gear adjusted to give a fine mist. Where ever possible keep doors closed for 15 minutes after spray application. Direct spray upper portions of enclosure, filling room with mist and using ounces of material for each 1000 cubic feet of space. Also spray and crevices. Do not remain in treated areas and ventilate treatment is completed.

To control active stages of Roaches, Ants, Silverfish direct mist toward and into all places commonly inhabited by these spray liberally into all cracks, crevices and similar hiding places. Treat Shelves, Pipes, Cabinets, Storage Areas, Sinks, Ant Traps and Runs. Repeat treatment as often as necessary.


This product is toxic to fish. Keep out of lakes, streams, ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

EPA Reg. No. 1275-11
 EPA Est. No. 1-15-201

Manufactured By

OLIVER
 CHEMICAL COMPANY, INC.
 CINCINNATI, OHIO 45225

Contents gallons



NOT AVAILABLE

MENTS
AND DOMESTIC

ED, INHALED OR AB-
SKIN. DO NOT BREATH
GET IN EYES, ON SKIN,
H THOROUGHLY AFTER
NG OR SMOKING. AVOID
OD AND FEED.
AL HAZARDS.
NEAR HEAT OR OPEN

DISPOSAL Do not
or feed by storage or
is prohibited
Pesticide wastes are
of excess pesticide.
is a violation of Fe
cannot be disposed of
instructions, contact
Environmental Control
Waste representative
nal Office for guidance.
Triple rinse (or equiva-
lting or reconditioning,
of in a sanitary landfill,
approved by state and

GENERAL STATE OF
REGISTERED FOR APPROVED
PES



COMPLETE INSECT SPRAY

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets, birds, and cover fish aquaria before spraying.

ACTIVE INGREDIENTS

Petroleum distillates	98.60%
Piperonyl butoxide technical*	1.27%
Pyrethrins	13%
total	10.00%

*Equivalent to 0.16% of (butylcarbityl) (6-propylpiperonyl ether) and to 254% of related compounds

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS (or PCO's).

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING, vomiting may cause aspiration pneumonia.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

It is especially recommended for use in Bottling Plants, Breweries, Food Processing Plants, Canneries, Dairies, Packing Houses, and Bakeries. It can be used around food and food handling equipment, but should not be applied directly to uncovered food or food products.

For control of Flies, Mosquitoes, Gnats, Angoumois Grain Moths, Indian Meal Moths, Mediterranean Flour Moths, Grain Weevils and Flour Beetles in their exposed or accessible stages apply in a good sprayer adjusted to give a fine mist. Where ever possible keep doors and windows closed for 15 minutes after spray application. Direct spray toward upper portions of enclosure, filling room with mist and using from 2 to 5 ounces of material for each 1000 cubic feet of space. Also spray cracks and crevices. Do not remain in treated areas and ventilate area after treatment is completed.

To control active stages of Roaches, Ants, Silverfish direct the spray mist toward and into all places commonly inhabited by these pests, and spray liberally into all cracks, crevices and similar hiding places. Treat Shelves, Pipes, Cabinets, Storage Areas, Sinks, Ant Trails, Nests and Runs. Repeat treatment as often as necessary.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

EP Reg. No. 12,011
EPA Reg. No. 12,011

Manufactured By

OLIVER
CHEMICAL COMPANY, INC.
CINCINNATI, OHIO 45225

Contents gallons

