KLEER POOL CHLORINE CONCENTRATE

FIRE RESISTANT

ACTIVE INGREDIENT	
SODIUM DICHLORO - S - TRIAZINETRIONE DIHYDRATE	100%
AVAILABLE CHLORINE	56%

DANGER: KEEP OUT OF REACH OF CHILDREN

READ FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL.

OLIVER CHEMICAL COMPANY, INC. CINCINNATI, OHIO 45225

EPA Reg. No. 1275-41

ERA FILE SYMBOL 1375 UR

DIRECTIONS

1) CHLORINATE pool water with KLEER POOL CHLORINE CONCEN-TRATE using 5 ounces per 10,000 gallons of pool water. Repeat dosage until a chlorine residual of 1.0 to 1.5 ppm has been established with a reliable test kit.

2) Initially stabilize water with KLEER POOL STABILIZER using 4 ounces per 1,000 gallons of water.

3) KLEER POOL CHLORINE CON-CENTRATE should be added daily or as needed at the rate of from 21/2 ounces to 5 ounces per 10,000 gallons of pool water. But in hotter weather and heavier bathing loads more frequent dosage may be required. The pH should be maintained between 7.2 and 7.6. Test pool water frequently with a chlorine test kit and add recommended dosage as needed to maintain a chlorine residual of 1.0 to 1.5 ppm.

Do not mix with other chemicals. Strong oxidizing agent. Dust is harmful if inhaled. May cause eye damage. Protect eyes when handling product. May cause burns or severe irritation to broken skin. Wash thoroughly after handling. Do not get in eyes. Avoid skin contact. Harmful if swallowed. In case of contact with skin or eyes flush with water for 15 minutes. For eves get medical attention. Clean contaminated clothing before re-use. Rinse empty container thoroughly with water and discard it.

FIRST AID

EXTERNALLY OR IN EYES: Immediatly flush with cold water.

INTERNALLY: Feed bread soaked in milk, followed by olive oil or cooking oil. Call a physician.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, or public water. Do not contaminate water by cleaning of equipment or disposal of waters.

2 Pounds net weight.

COMMENTS (0)

DANGER