

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas – surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of Mint Disinfectant per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas – mop or brush soiled surface with a solution containing 2 ounces of Mint Disinfectant per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of Mint Disinfectant per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of Mint Disinfectant per gallon of water and then disinfected. All treated food contact surfaces and/or equipment must be thoroughly scrubbed with detergents and rinsed with potable water prior to re-use. To disinfect locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop area with a solution containing 1 ounce of Mint Disinfectant in 1 gallon of water. This solution will destroy *Trichophyton mentagrophytes*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 1 ounce of Mint Disinfectant per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

ACCEPTED

OCT 18 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1297-50

BUCKINGHAM MINT DISINFECTANT

DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-DEODORANT

ACTIVE INGREDIENTS:

Isopropyl Alcohol	10.00%
Sodium O-Phenylphenate	3.95%
Sodium 4-Chloro-2-Cyclopentylphenate	3.89%
Sodium Dodecylbenzene Sulfonate	2.90%
Tetrasodium Ethylene Diamine Tetraacetate	0.20%

INERT INGREDIENTS 79.06%

EPA Reg. No. 1297-50

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid statement and additional precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and discard in a safe place.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NET CONTENTS

BUCKINGHAM WAX CO., Inc.
51-03 VAN DAM STREET
LONG ISLAND CITY 11101

SANITIZATION

To sanitize wall, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1 ounce of Mint Disinfectant per gallon of water. If surface is heavily soiled, use Mint Disinfectant at a rate of 2 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1 ounce of Mint Disinfectant per gallon of water. All treated food contact surfaces and/or equipment must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of Mint Disinfectant per gallon of water. Mint Disinfectant is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, Mint Disinfectant will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

See left panel for use directions.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.