

200
17
126,428
3

28 AUG 1984

Furat McNess Company
120 E. Clark Street
Freeport, IL 61032

Gentlemen:

Subject: McNess Ready to use Rat and
Mouse Killer
EPA Registration No. 1304-19
Your Letter Dated June 26, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Under "APPLICATION DIRECTIONS - RATS" replace "tossed" with "placed" in sentence "Bag may be tossed into hard-to-reach locations." Although the new wording may appear to be contradictory, it is our impression that words like "toss", "pitch", "throw", and "throw pack" encourage a casual attitude toward the handling of rodenticides, which could lead to careless and perhaps unsafe applications.

2. Under "APPLICATION DIRECTIONS - MICE" delete sentence "Mice are more difficult...period of baiting" or (better yet) replace it with:

Complete control may require more bait stations, closer placement of stations, and a longer period of baiting than are needed for rat control.

Submit five copies (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

CONCURRENCES

SYMBOL	BURNAME	DATE						

1/2/3

CONFIDENTIAL

IF these conditions are not complied with, the registration will be subject to cancellation in accordance with, FIFRA sec. 5(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:WMiller:DCR-39587:WANG-0088N:bgt:Raven:479-2013:8/7/84:Del.8/21/84
REV.:Miller:DCR-50401:WANG-0202K:vgr:RAVEN:479-2013:8/22/84:Del.9/3/84



**PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in Dihydrocoumatin overdose. Repeat as necessary based on monitoring of prothrombin time.

ENVIRONMENTAL HAZARD: Keep Out of Lakes, Streams or Ponds

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings and smaller man-made structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Pasture areas where rats and mice may most likely feed and consume the bait. Generally, these areas are along roads, by grain elevators, in or beside burrows, in corners and concealed places between floors and walls, or in locations where droppings or other signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

RATS: Use at least 1 plastic bag containing 8 ounces of McNESS Ready to Use Rat and Mouse Killer per station. Make several punctures in bag before use to increase release of bait. Bag may be tossed into hard to reach locations. It is not necessary to remove bait from bag. Maintain an uninterrupted supply of bait for at least 10 days.

MICE: Place 1 to 2 tablespoon amounts of McNESS Ready to Use Rat and Mouse Killer at 8 to 12 foot intervals. Mice are more difficult to control than rats, and complete control may require more bait and a longer period of baiting. Maintain an uninterrupted supply of bait for at least 10 days.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and reinfestation bait as needed.

DISPOSAL:
DO NOT REUSE EMPTY CONTAINER
WRAP CONTAINER AND PUT IN TRASH COLLECTION

McNESS **RAT & MOUSE KILLER**
KILLS
RATS and MICE



Contains
PROLIN
ANTICOAGULANT RODENTICIDE

1 Bag Bags

McNESS

Ready-To-Use

RAT AND MOUSE KILLER

Contains PROLIN*

ACTIVE INGREDIENTS:	
Warfarin, 3-(4-acetonylbenzyl)-4-hydroxycoumarin	0.025%
INERT INGREDIENTS	99.975%
Total	100.000%

Contains 0.025% Sulfathiazole
*Prolin is manufactured under license from the Wisconsin Alumni Research Foundation.

EPA Reg. No. 1304-19
EPA Est. No. 1304-11-1

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Distributed by FURST-McNESS CO., Freeport, Illinois 61032
NET WT. 28 OZ. (1 3/4 LBS.)

BEST AVAILABLE COPY