

McNESS  
MANGE OIL CONCENTRATE  
FOR SARCOPTIC MANGE IN SWINE  
ALSO KILLS LICE

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene 67-69% Chlorine)	45.00%
Lindane (Gamma Isomer of Benzene Hexachloride)	2.00%
Xylene	15.00%
Petroleum Hydrocarbons	32.75%

INERT INGREDIENTS:

	5.25%
	<u>100.00%</u>

WARNING: KEEP OUT OF REACH OF CHILDREN.  
See other cautions on back panel.

USDA Registration No. 1304-X

FURST-McNESS COMPANY  
Established 1908  
Freeport, Illinois 61032

32 FL. OZ. (1 QUART)

ACCEPTED

JAN 19 1950

U.S. DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C.

DIRECTIONS FOR USE

SARCOPTIC MANGE - Mix McNess Mange Oil Concentrate at the rate of 1 quart to 25 gallons of water. Spray animals, wetting them thoroughly. Repeat after a 14 day interval.

LICE - Mix McNess Mange Oil Concentrate at the rate of 1 quart to 40 gallons of water. Spray animals thoroughly. A single application is usually sufficient.

HOG RUBBERS - McNess Mange Oil Concentrate may also be mixed with diesel fuels or light motor oil and used with hog rubbers to aid in controlling lice. Mix 1 quart McNess Mange Oil Concentrate with 3 gallons of oil. Soak burlap roll so that it is thoroughly wet. Repeat as necessary. 10 weeks of use is usually required by good control of lice.

WARNING: May be absorbed through the skin. May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, on skin or clothing. Wash thoroughly after using. Do not store near feed and food products. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. Do not use or store near heat or open flame. Do not use on household pets or humans. Do not use within 30 days of slaughter.

DILUTION TABLE

McNess Mange Oil Concentrate	Sarcoptic Mange	Lice	
		Spray	Hog Rubbers Oil
1/2 Pint	6 Gal.	10 Gal.	3 Qt.
1 Pint	12 Gal.	20 Gal.	1-1/2 Qt.
1 Quart	25 Gal.	40 Gal.	3 Gal.
1 Gallon	100 Gal.	120 Gal.	12 Gal.