




# Rabon® Livestock Dust

ACCEPTED

OCT 27 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 1304-62

**A Ready-to-Use Insecticide Dust to control HORN FLIES and LICE and aid in the control of FACE FLIES on BEEF CATTLE and DAIRY CATTLE and to control LICE on SWINE.**

<b>ACTIVE INGREDIENT</b>	<b>BY WEIGHT</b>
Tetrachlorvinphos: 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate*	3.00%
<b>INERT INGREDIENT</b>	97.00%
*Rabon Insecticide	<b>TOTAL 100.00%</b>

**CAUTION: Keep out of reach of children.**

See other cautions on back.  
Take Time—Observe Label Directions

**GENERAL DIRECTIONS**

McNess Rabon® Livestock Dust is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

EPA Reg. No. 1304-62  
EPA Est. No. 10543-MO-1

**NET WEIGHT 20 POUNDS**


**USE DIRECTIONS**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Animal	INSECT	Remarks
Beef Cattle Dairy Cattle	Horn Flies Face Flies Lice	<b>HAND DUSTING:</b> Apply approximately 2 oz. of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll, and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary.
		<b>SELF-TREATING DUST BAG FORCED USE:</b> Put McNess Rabon® Livestock Dust in cotton cloth or double burlap bags and hang in barn door exits or alleyways leading from animal buildings, salt or mineral blocks or watering holes. Protect cloth or burlap bags from weather.
		<b>FREE CHOICE USE:</b> Use the same dust bags as above but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice use aids in the control of lice.



Swine Lice



**HAND DUSTING:** Apply 3-4 oz. of dust by conventional hand or powder duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. of 3% dust should be applied per 150 sq. ft. of bedding.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

**CAUTION:** Harmful if swallowed. Avoid contact with skin and eyes, avoid breathing dust, wash thoroughly with soap and water after handling and before eating or smoking. If in eyes wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants, chemical resistant gloves, shoes and socks for protection when handling.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a dry place in original container.

**DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

FURST-McNESS CO. Freeport, IL 61032