

300/354061
17/1

OCT 27 1966

Mr. Stanley Bruegger
 Food-Animal Division
 Technical Services Department
 127 East Clark Street
 Des Moines, IA 50317

Mr. Bruegger
 Food-Animal Division

Dear Mr. Bruegger:

Subject: Tetrahydroxyphenyl Registration Standard
 McHess Range 7-74 Oral Lanthanide Premix Cattle and Sheep
 EPA Registration No. 1304-52
 McHess Stock Cow Vitamin and Mineral Mix with Neomycin
 and Palon Oral Lanthanide
 EPA Registration No. 1304-51
 McHess Stock Cow Vitamin and Mineral Mix with Palon Oral
 Lanthanide
 EPA Registration No. 1304-66
 McHess Range Mix-17 Vitamin and Mineral Mix with Palon
 Oral Lanthanide
 EPA Registration No. 1304-57
 McHess Free Choice Vitamin and Mineral Mix with Palon Oral
 Lanthanide
 EPA Registration No. 1304-54
 Your letters dated January 19 and August 10, 1966

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the needed labeling:

1. For EPA Registration No. 1304-51, move Calcium Carbonate under INERT INGREDIENTS.
2. For EPA Registration No. 1304-54, add a colon to TETRAPHLOXYPROX under Active Ingredients.

55377: T: Hubert: DR-3: KENCO: 10/26/66; 12/5/66; DK: SW: EK: AR

McNESS STOCK COW VITAMIN & MINERAL MIX WITH RABON® ORAL LARVICIDE - 1079

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Allow free-choice to cattle. Cattle should consume an average of 7 1/2 oz of McNess Stock Cow Vitamin & Mineral Mix per 100 pounds of body weight per month. This will supply the recommended average daily intake of 70 mg RABON® Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the McNess Stock Cow Vitamin & Mineral Mix with RABON® program but OMIT all salt from other feed after the program is started. Do not feed other free-choice sources of salt or mineral containing salt in any form. It should be fed in a clean, dry feeder preferably near a feed or water source. No more than a 7 to 10-day supply should be put out at one time. This will insure freshness and help to maintain adequate consumption rates. Cows should consume approximately 2 1/2 ounces per head daily on the average. McNess Stock Cow Vitamin & Mineral Mix with RABON® Oral Larvicide prevents the development of horn flies, face flies, houseflies, and stable flies in the manure of treated cattle but is not effective against existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or sludge on the premises.

KEEP OUT OF REACH OF CHILDREN! CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician. Wear long-sleeved shirt and pants, chemical resistant gloves, shoes and socks for protection when handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage - Store in a dry place in original container.

Container Disposal - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal - Waste resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CAUTION: Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

ACCEPTED with COMMENTS in EPA Letter Dated:

OCT 27 1979

Use of this product is in accordance with the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1304-66

McNess STOCK COW VITAMIN AND MINERAL MIX WITH RABON® ORAL LARVICIDE

Specially formulated for free-choice feeding. See feeding directions on reverse side.

To prevent the development of horn flies, face flies, houseflies, and stable flies in the manure of treated cattle.

Table with 2 columns: ACTIVE INGREDIENT, INERT INGREDIENTS**, and TOTAL. Values include Tetrachlorvinphos (0.988%), INERT INGREDIENTS** (99.012%), and TOTAL (100.000%).

* Each pound contains 4.48 grams of Rabon® ** Refers to ingredients which are not larvicidal.

GUARANTEED ANALYSIS MINERALS

Table listing mineral content: Calcium (Ca) min. 17.1%, Calcium Ca) max. 20.4%, Phosphorus (P) min. 6.0%, Salt min. 14.0%, Salt max. 16.0%, Magnesium (Mg) 3.0%, Sulfur (S) 0.55%, Potassium (K) 0.45%, Iron (Fe) 0.50%, Zinc (Zn) 0.30%, Manganese (Mn) 0.125%, Copper (Cu) 0.025%, Iodine (I) 0.014%, Cobalt (Co) 0.005%, Selenium (Se) 0.00424%.

VITAMIN POTENCY (min. per pound)

Table listing vitamin potency: Vitamin A 250,000 Int. Units, Vitamin D-3 25,000 Int. Units, Vitamin E 250 Int. Units.

INGREDIENTS

Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Magnesium Oxide, Dried Cane Molasses, Sodium Bentonite, Dehydrated Alfalfa Meal, Magnesium Sulfate, Potassium Sulfate, Vitamin A Supplement, D-Activated Animal Sterol (source of Vitamin D-3), Vitamin E Supplement, Iron Sulfate, Manganous Oxide, Zinc Oxide, Mineral Oil, Copper Oxide, Calcium Iodate, Cobalt Carbonate, Ethylenediamine Dihydrochloride, Sodium Selenite, Artificial Flavor.

KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

EPA Reg. No. 1304-66 EPA Est. No. 1304-IA-1

Product Code No.

Manufactured by FURST-McNESS CO. Freeport, Illinois 61032

1079 NET WT. 50 LBS.

© 1980 Furst-McNess Company

H9