

1304-68 FM 15 1-1-1

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 1304-68	DATE OF ISSUANCE MAR 8 1985
	TERM OF ISSUANCE Initial Registration	
	NAME OF PESTICIDE PRODUCT [Faint text]	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint text]

160 / 139808  
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

- This product is conditionally registered in accordance with FIFRA sec. 3(c)(1)(A) provided that you:
1. Submit and/or date all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
  2. Make the labeling changes listed below to the label you use for the product to shipment:
    - a. Add the phrase "EPA Registration No. 1304-68."
    - b. Delete "General Classification" as this type product is not to be so classified. Refer to the attachment for details.
    - c. Add "Read" to the heading "Important information concerning the use and safety of this pesticide" and delete "Important information" which appears on the label.
    - d. The formula indicates a label content of 0.699%, yet the registration of limits and the label demands 0.697%. Please clarify.
    - e. Submit to the Office of your final printed label for review with the registration attachment. This is to be done within 30 days of the date of this registration.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL \_\_\_\_\_ DATE \_\_\_\_\_

2/4/85

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for ur records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

JOB-50444:LaRocca:Kendrick & Co.:898-1270:eg:RD-52:2/27/85:del.3/7/85

**McNESS STOCK COW VITAMIN & MINERAL MIX  
WITH MAGNESIUM & RABON®  
ORAL LARVICIDE—1086**

*McNess*  
**STOCK COW VITAMIN &  
MINERAL MIX WITH MAGNESIUM  
& RABON® ORAL LARVICIDE**

**Specially formulated for free-choice feeding.**

**See feeding directions on reverse side.**

To prevent the development of horn flies, face flies, houseflies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate*	0.687%
INERT INGREDIENTS**	<u>99.313%</u>
TOTAL	100.000%

\* Each pound contains 3.11 grams of Rabon®

\*\* Refers to ingredients which are not larvicidal.

**GUARANTEED ANALYSIS  
MINERALS**

Calcium (Ca) min.	14.6%
Calcium (Ca) max.	17.5%
Phosphorus (P) min.	4.0%
Salt min.	9.1%
Salt max.	10.9%
Magnesium (Mg)	12.0%
Sulfur (S)	0.55%
Potassium (K)	0.45%
Zinc (Zn)	0.22%
Iron (Fe) from Iron Sulfate	0.16%
Manganese (Mn)	0.093%
Copper (Cu)	0.018%
Iodine (I)	0.011%
Cobalt (Co)	0.003%
Selenium (Se)	0.00099%

**VITAMIN POTENCY (min. per pound)**

Vitamin A	180,000 USP Units
Vitamin D-3	90,000 USP Units
Vitamin E	70 Int. Units

**INGREDIENTS**

Calcium Carbonate, Magnesium Oxide, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Dried Cane Molasses, Sodium Bentonite, Dehydrated Alfalfa Meal, Magnesium Sulfate, Potassium Sulfate, Vitamin A Supplement, D-Activated Animal Sterol (source of Vitamin D-3), Vitamin E Supplement, Iron Sulfate, Manganese Oxide, Zinc Oxide, Mineral Oil, Copper Oxide, Ethylenediamine Dihydroiodide, Cobalt Carbonate, Sodium Glycerate, Artificial Flavor.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE BACK PANEL  
FOR ADDITIONAL PRECAUTIONS**

EPA Reg. No. 1304-

EPA Est. No. 1304-NC-1

© Rabon is a Registered Trademark of Shell Chemical Company

Product Code No.

Manufactured by  
FURST-McNESS CO.  
Freeport, Illinois 61032

**1086**

**NET WT. 50 LBS.**

F4

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**MAR 8 1985**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, this product is  
registered under EPA Reg. No.

1304-68

1184

# DIRECTIONS FOR USE:

## GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Allow free-choice to cattle. Cattle should consume an average of 10.8 oz. of McNess Stock Cow Vitamin & Mineral Mix With Magnesium per 100 pounds of body weight per month. This will supply the recommended average daily intake of 70 mg. RABON® Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the McNess Stock Cow Vitamin & Mineral Mix With Magnesium and RABON® program but OMIT all salt from other feed after the program is started. Do not feed other free-choice sources of salt or mineral containing salt in any form. It should be fed in a clean, dry feeder preferably near a feed or water source. No more than a 7 to 10-day supply should be put out at one time. This will insure freshness and help to maintain adequate consumption rates. Cows should consume approximately 3.6 ounces per head daily on the average.

McNess Stock Cow Vitamin & Mineral Mix With Magnesium & RABON® Oral Larvicide prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

**KEEP OUT OF REACH OF CHILDREN!**

### CAUTION

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage**—Store in a dry place in original container.

**Container Disposal**—Completely empty bag into mixing equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Pesticide Disposal**—Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.