

NEW FAST DISSOLVING

General Directions for Use on Dairy Equipment

The equipment should first be cleaned with a proper detergent, rinsed and then sanitized with a **SANI-DU** solution as follows:

1 oz. (about 1 heaping tablespoonful) of **SANI-DU** to each 8 gallons of water. This provides about 100 p.p.m. available chlorine. Have solution in contact with the work a full 2 minutes. (If a solution of 200 p.p.m. available chlorine is needed, use 1 oz. **SANI-DU** to 4 gallons of water. Then follow with a rinse of potable water.)

SANI-DU

CHLORINE SANITIZER
SANITIZER — DEODORANT

Quick Chlorine Release
High Concentration
No Precipitate
Stable Solution

Holds Strength in Storage

Active Ingredients:

Sodium dichloro-s-triazinetrione dihydrate . . . 20.25%

Sodium carbonate 12.50%

Inert Ingredients: 67.25%

Total 100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

E.P.A. EST. 1317-CA-1 E.P.A. REG. NO. 1317-65-AA

AN-FO MANUFACTURING CO., OAKLAND, CALIF. 94601

NET WEIGHT 10 POUNDS

NEW Milder Odor

RESTAURANTS: For the sanitation of multiuse eating and drinking utensils and multiuse kitchen utensils, always clean with a suitable detergent, rinse thoroughly, then immerse for at least one minute in a solution of **SANI-DU** SANITIZER, 1 oz. (about 1 heaping tablespoonful) to 8 gallons of water. Avoid towel-drying. For counters, tables and other inanimate objects, wash with same strength solution and air-dry if practical.

CAUTION: Harmful if swallowed. If swallowed, induce vomiting. Get medical attention.

Avoid contact with skin and eyes— in case of contact, flush with water. If persistent irritation develops, get medical attention.

Add **SANI-DU** only to water. May cause fire or explosion if mixed with other chemicals.

Rinse empty container thoroughly with water and discard it.

Always avoid contamination of food stuffs.

ACCEPTED
AUG 8 1974
UNDER THE FEDERAL INSECTICIDE

NEW FAST DISSOLVING

**General Directions
for Use on Dairy Equipment**

The equipment should first be cleaned with a proper detergent, rinsed and then sanitized with a SANI-DU solution as follows:

1 oz. (about 1 heaping table-spoonful) of SANI-DU to each 8 gallons of water. This provides about 100 p.p.m. available chlorine. Have solution in contact with the work a full 2 minutes. (If a solution of 200 p.p.m. available chlorine is needed, use 1 oz. SANI-DU to 4 gallons of water. Then follow with a rinse of potable water.)

SANI-DU

**CHLORINE SANITIZER
SANITIZER - DEODORANT**

**Quick Chlorine Release
High Concentration
No Precipitate
Stable Solution
Holds Strength in Storage**

Active Ingredients:	
Sodium dichloro-s-triazinetriene dihydrate	20.25%
Sodium carbonate	12.50%
Inert Ingredients:	<u>67.25%</u>
Total	100.00%

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS**

E.P.A. EST. 1317-CA-1 E.P.A. REG. NO. 1317-65-AA
AN-FO MANUFACTURING CO., OAKLAND, CALIF. 94601
NET WEIGHT 10 POUNDS

NEW Milder ODO

RESTAURANTS: For the sanitizing multiuse eating and drinking utensils and multiuse kitchen utensils, clean with a suitable detergent, thoroughly, then immerse for one minute in a solution of SANI-DU SANITIZER, 1 oz. (about 1 heaping tablespoonful) to 8 gallons of water. Avoid towel-drying. For cutlery, tables and other inanimate objects wash with same strength solution and air-dry if practical.

CAUTION: Harmful if swallowed, induce vomiting. Get medical attention.

Avoid contact with skin and eyes. In case of contact, flush with water. Persistent irritation develop medical attention.

Add SANI-DU only to water. Do not cause fire or explosion if mixed with other chemicals.

Rinse empty container thoroughly with water and discard it.

Always avoid contamination of food stuffs.

ACCEPTED

AUG 8 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 1317-65 SUBJECT
TO ATTACHED COMMENTS.

1317-65

46



NEW FAST DISSOLVING

**General Directions
for Use on Dairy Equipment**

The equipment should first be cleaned with a proper detergent, rinsed and then sanitized with a SANI-DU solution as follows:

1 oz. (about 1 heaping tablespoonful) of SANI-DU to each 8 gallons of water. This provides about 100 p.p.m. available chlorine. Have solution in contact with the work a full 2 minutes. (If a solution of 200 p.p.m. available chlorine is needed, use 1 oz. SANI-DU to 4 gallons of water. Then follow with a rinse of potable water.)

SANI-DU

**CHLORINE SANITIZER
SANITIZER - DEODORANT**

**Quick Chlorine Release
High Concentration
No Precipitate
Stable Solution
Holds Strength in Storage**

Active Ingredients:	
Sodium dichloro-s-triazinetriene dihydrate . . .	20.25%
Sodium carbonate	12.50%
Inert Ingredients:	67.25%
Total	100.00%

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS**

E.P.A. EST. 1317-CA-1 E.P.A. REG. NO. 1317-65-AA
AN-FO MANUFACTURING CO., OAKLAND, CALIF. 94601
NET WEIGHT 10 POUNDS

NEW Milder ODOR

RESTAURANTS: For the sanitation of multiuse eating and drinking utensils and multiuse kitchen utensils, always clean with a suitable detergent, rinse thoroughly, then immerse for at least one minute in a solution of SANI-DU SANITIZER, 1 oz. (about 1 heaping tablespoonful) to 8 gallons of water. Avoid towel-drying. For counters, tables and other inanimate objects, wash with same strength solution and air-dry if practical.

CAUTION: Harmful if swallowed. If swallowed, induce vomiting. Get medical attention.

Avoid contact with skin and eyes— in case of contact, flush with water. If persistent irritation develops, get medical attention.

Add SANI-DU only to water. May cause fire or explosion if mixed with other chemicals.

Rinse empty container thoroughly with water and discard it.

Always avoid contamination of food stuffs.

ACCEPTED
AUG 8 1974
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 1317-65 SUBJECT TO ATTACHED COMMENTS.

1317-65

46