

For Use in Households, Food and Non-Food Areas of Warehouses, Food Processing Plants, Hotels, Motels, Theaters, Schools, Kennels and Office Buildings.

Kills Common Pests: Cockroaches, Fleas, Houseflies, Mosquitoes and other insects listed on back panel.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.30%
*Piperonyl butoxide, Technical.....	1.50%
**INERT INGREDIENTS.....	98.20%
	<u>100.00%</u>

*Equivalent to 1.20 % (butylcarbityl) (6-propylpiperonyl) ether and 0.30 % related compounds.

**Contains petroleum distillate

PYROCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 14 OZ.

BEST AVAILABLE COPY

EPA Reg. No. 1317-74

AN-FO MANUFACTURING COMPANY

EPA Reg. No.

EPA Est. No.

ACCEPTED
with COMMENTS
in EPA Letter Dated
JUN 17 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1317-74

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

TO OPERATE — Remove protective cap. Hold can upright and point hole in button toward area or object to be sprayed. Depress button to release mist. Hold dispenser two (2) feet from any surface when spraying.

INDOOR SPRAYING — For FLIES, GNATS and MOSQUITOES: Shut doors and windows and spray toward ceiling at the rate of three (3) to five (5) seconds per each 1000 cubic feet of space (10' x 10' x 10'). For best results, keep room closed for at least fifteen (15) minutes after spraying. DO NOT remain in treated areas, and ventilate the area after treatment is completed.

ROACHES AND SILVERFISH — To kill roaches and silverfish, direct spray into cracks, crevices and other secluded places. Apply liberally. Spray at insects when they appear. Repeat treatment as necessary.

ANTS — To kill ants, spray directly at insects as well as ant trails and other places where ants gather. Repeat treatment as necessary.

FLEAS — To kill fleas, spray infested quarters liberally. Apply directly to rugs, floors, baseboards and animal's sleeping quarters. Repeat treatment as necessary.

MOTHS — Remove all clothing from closet and spray all surfaces thoroughly. Close doors for 30 minutes. Spray surfaces of garments, including seams, folds and lapels, before returning to closet. Repeat treatment every thirty (30) days if garments are not stored in moth-tight containers.

ered during treating or thoroughly cleaned before use. When using product in these areas, apply only when plant is not in operation.

DAIRY BARN AND MILK ROOMS —To control flies in dairy barns and milk rooms, direct spray toward the ceiling. Release mist at the rate of three (3) to five (5) seconds per each 1000 cubic feet of space. Release sufficient material to get a thin mist of insecticide in the air. For best results, keep all doors and windows closed when possible. Repeat treatment as necessary.

CAUTION —Cover fishbowls when spraying. Remove pets from premises. To prevent contamination of milk and utensils, keep covered.

STORAGE AND DISPOSAL —Do not store in sunlight or excessive heat. Do not contaminate water, food, or feed by storage or disposal. Replace cap and discard in trash.

EXTREMELY FLAMMABLE: CONTENTS UNDER PRESSURE. KEEP AWAY FROM FIRE, SPARKS, AND HEATED SURFACES. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES ABOVE 130° F MAY CAUSE BURSTING.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.