

# FLY-DU

For Use in Households, Food and Non-Food Areas of Warehouses, Food Processing Plants, Hotels, Motels, Theaters, Schools, Kennels and Office Buildings.

Kills Common Pests: Cockroaches, Fleas, Houseflies, Mosquitoes and other insects listed on back panel.

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.30%
* Piperonyl butoxide, Technical .....	1.50%
** INERT INGREDIENTS .....	98.20%

100.00%

\*Equivalent to 1.20% (butylcarbonyl) (6-propylpiperonyl) ether and 0.30% related compounds.

\*\*Contains petroleum distillate.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED	Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
IF IN EYES	Rinse with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING	Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF INHALED	Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 14 oz.

EPA Reg. No. 1317-74-AA

Packed for

EPA Est. 5693-CA-1

AN-FO MANUFACTURING COMPANY • Oakland, California 94601

CHEMTEL EMERGENCY NUMBER 1-800-255-3924

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Handle & store in a clean, dry place through sale. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breath vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation continues. Avoid contact with food ever elsewhere.

Do not apply where food processing is underway. Cover or remove all food processing surfaces before use. After spraying in houses, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc., where exposed food will be handled must be washed with an effective cleaning compound followed by a suitable water rinse to remove all traces of contamination. In the home, all food processing surfaces and elements should be covered during treatment. Do not spray around areas where food is stored. Cover excess residue.

Remove pets, birds and cover fish aquarium before spraying.

**Clean Surfaces:** Warning: Contains Methylchlorosulfide, a substance which causes public health and environmental hazards by depleting ozone in the upper atmosphere.

**PHYSICAL OR CHEMICAL HAZARDS**

COMBUSTIBLE LIQUID. Keep away from heat, sparks, and open flame. Do not puncture or damage containers. Exposure to temperatures above 132°F may cause bursting.

Do not use this product in an electric aspirator due to the possibility of shock hazard.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**TO OPERATE:** Remove protective cap. Hold can upright and point tip of button nozzle 2 feet directly in front of spray tip. Operate trigger to adjust flow. Hold dispensing tip 12 inches from surface being sprayed.

**INDOOR SPRAYING:** For FLEAS, CRICKETS AND MOSQUITOES: Spray doors and windows and spray toward ceiling at the rate of 16 oz. to 16 oz. (31 seconds per each 100 cubic feet of space) 16 oz. Wt. 16 oz. For best results, keep room closed for at least 1 hour after spraying. DO NOT spray in heated areas, and ventilate the area after treatment is complete.

**ROACHES AND SILVERFISH:** Spray surfaces and structural voids near cracks, crevices and other food/dust places. Apply from 16 oz. Spray 16 oz. twice when they appear. Repeat treatment as necessary.

**ANTS:** To control ants, spray directly at insects as well as on their food and other places where ants enter. Repeat treatment as necessary.

**FLEAS:** 16 oz. Atom. spray infested quarters. Reapply. Apply steadily to roof, eaves, cornboards and inside the doorway area. Repeat treatment as necessary.

**MOSQUITS:** Remove or closing screen doors and spray all surfaces thoroughly. Close doors for 10 minutes. Spray surfaces of premises, including corners, ledges and ledges, before returning to closed. Repeat treatment every 10 days if necessary and as directed in instructions.

**FOOD PROCESSING PLANTS:** Food should be removed or covered during treatment. All food processing surfaces should be covered during heating or thoroughly cleaned before use. When using product in these areas, apply only when plant is not in operation.

**DAIRY FARMS AND MILK ROOMS:** Turn control knobs to dairy barns and milk rooms, direct spray toward the ceiling. Repeat this at the rate of 16 oz. (31 to 16 oz.) seconds per each 100 cubic feet of space. Reapply sufficient material to get a thin mist throughout the area. For best results, do not spray on floors, walls and windows closed when possible. Repeat treatment as necessary.

**CANNERY:** Control flies in dairy barns and milk rooms, direct spray toward the ceiling. Repeat this at the rate of 16 oz. (31 to 16 oz.) seconds per each 100 cubic feet of space. Reapply sufficient material to get a thin mist throughout the area. For best results, do not spray on floors, walls and windows closed when possible. Repeat treatment as necessary.

**STORAGE:** Store in a cool dry, well away from heat or open flame.

**DISPOSAL:** Protect cap and discard explosive aerosol. Do not overheat or puncture.

**EXTREMELY FLAMMABLE: CONTENTS UNDER PRESSURE. KEEP AWAY FROM FIRE, SPARKS, AND HEATED SURFACES. DO NOT PUNCTURE OR INCINERATE. CONTAINER EXPOSURE TO TEMPERATURES ABOVE 132°F MAY CAUSE BURSTING.**

**ACCEPTED**

APR 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 1317-74

**ACCEPTED**  
APR 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under  
EPA Reg. No. 1317-74